This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

PHARMACOPŒIAS OF THE LONDON HOSPITALS

SQUIRE.

SECOND EDITION

1869

THE

PHARMACOPŒIAS

OF THE

LONDON HOSPITALS.

THE PHARMACOPŒIAS

OF SEVENTEEN OF THE

LONDON HOSPITALS.

ARRANGED IN GROUPS FOR EASY REFERENCE AND COMPARISON.

SECOND EDITION.

BY

PETER SQUIRE, F.L.S.,

CHEMIST IN ORDINARY TO H.M. THE QUEEN AND H.R.H. THE PRINCE OF WALES;
MEMBER OF THE BRITISH PHARMACOPŒIA COMMITTEE OF THE MEDICAL COUNCIL;
LATE PRESIDENT OF THE PHARMACEUTICAL SOCIETY.

LONDON:
JOHN CHURCHILL AND SONS,
NEW BURLINGTON STREET.
1869.

157. o. 163.

The following is a list of the Hospitals, with the dates of publication:—

	Published in
Charing Cross	1869
Consumption	1868
Diseases of the Chest	1869
Fever	1864
Guy's	1864
King's College	1869
London	1868
London Ophthalmic	186
Middlesex	1868
St. Bartholomew's	1869
St. George's	1865
St. Mary's	1869
St. Thomas's	1867
University College	1867
Westminster Ophthalmic	1868

All the above have been printed since the British Pharmacopœia.

Skin	1858	are merely
Westminster	1840	reprinted.

PREFACE.

THE AUTHOR, whilst engaged on the preparation of the British Pharmacopœia in 1863, collected the several Hospital Pharmacopœias of London, and made an alphabetical classification of all the preparations in them for the use of his Committee; these were afterwards published, and have been out of print a long time.

Since the publication of the British Pharmacopœia, all the London Hospitals have published new Pharmacopœias, except two (Westminster and Skin). It has been thought a fitting opportunity to publish a Second Edition of 'The Pharmacopœias of the London Hospitals,' which now number seventeen (instead of thirteen on the former occasion); and as these have been revised with great care by the Physicians and Surgeons of each Hospital, all the

formulæ have an importance, each one applicable for its special purpose. Such a collection cannot fail to be useful to the profession generally, affording examples of prescribing every remedy in the most appropriate form, and, at the same time, presenting to the practitioner the different views taken by the seventeen Hospitals here included, as to the doses and menstruum employed for administration.

277, Oxford Street,
March, 1869.

CONTENTS.

	Page
Acida	1
Æther Chloricus	1
Aquæ	1
Balnea	2
Cataplasmata	4
Caustica	5
Cerata	7
Collodia	7
Collyria	8
Confectiones	9
Decocta	13
Electuaria.—*Vide* Confectiones.	
Embrocationes	15
Emplastra	16
Emulsiones	17
Enemata	18
Fotus	20
Gargarismata	21
Glycerina	25
Guttæ	26
Haustus	28
Infusa	44

Page

Inhalationes.—*Vide* Vapores.
Injectiones 46
Lac 48
Linctus 48
Linimenta 51
Liquores 55
Lohoch.—*Vide* Linctus.
Lotiones 56
Misturæ 71
Oleum 125
Pasta 125
Pessaria 125
Pigmenta 126
Pilulæ 127
Potassa cum Calce 154
Potus 155
Pulveres 155
Spiritus 168
Suppositoria 169
Syrupi 169
Theriaca Diluta 170
Tincturæ 170
Trochisci 172
Unguenta 173
Vapores—Inhalationes 183
Vina 185
Diet Tables 187

THE

PHARMACOPŒIAS

OF THE

LONDON HOSPITALS.

ACIDA.

Acidum Carbolicum Liquefactum.

Carbolic Acid Crystals 16 drms.; Rectified Spirit 1 drm.; dissolve by heat. *Chest.*

Acidum Nitro-Hydrochloricum.

Nitric Acid 4 drms.; Hydrochloric Acid 4 drms.; *undiluted. Westminster.*

Acid. Tartaric. Solutio.

Tartaric Acid 35 grs.; distilled water to 1 oz. *London.*

ÆTHER CHLORICUS.

Chloroform 1 drm.; Rectified Spirit 7 drms. Dose 5 to 20 mins. *Consumption.*

AQUÆ.

Aqua Anethi *and others.*

Spirit of Dill 30 mins.; (= *Oil* 3 *mins.;*) water to 8 oz. *Westminster.*

Aqua Cassiæ.

Oil of Cassia 5 mins.; Rectified Spirit 30 mins.; water to 10 oz. *St. George's.*

Aquæ Medicatæ Omnes.

Essential Oil 6 mins.; Rectified Spirit 24 mins.; water 12 oz. *London.*

Essential Oil 1½ min.; Rectified Spirit 21 mins.; water 20 oz. *St. Bartholomew's.*

BALNEA.

Balneum Acidum.

Nitric Acid 1½ fl. oz.; Hydrochloric Acid 1 fl. oz.; water 30 gals. *Skin. University. St. Bartholomew's.*

Used in chromatic, papular, and squamous affections.

Nitric Acid 13 fl. oz.; Hydrochloric Acid 17 fl. oz.; water at 98° 15 gals. *Middlesex.*

Balneum Acidum Nitro-Hydrochloricum.

Nitric Acid 11 fl. oz.; Hydrochloric Acid 20 fl. oz.; boiling water 30 gals. *Guy's.*

Nitric Acid 15 fl. oz.; Hydrochloric Acid 30 fl. oz.; water 30 gals. *London.*

Balneum Alkalinum.

Crystal. Carb. Soda 4 oz.; hot water 30 gals. *Skin.*

Crystal. Carb. Soda 6 oz.; water 30 gals. *London. University.*

Carbonate of Soda Crystals 8 oz.; water 30 gals. *St. Bartholomew's.*

Carbonate of Potash 2 oz.; warm water 25 gals. *Middlesex.*

Used in phlegmonous, papular, squamous, and corneous affections.

Balneum Boracis Co.

Borax 2 oz.; Precipitated Sulphur 2 oz.; hot water 30 gals. *Skin.*

Used in parasitic and pustular affections.

Balneum Conii Co.

Extr. Conium 2 oz.; Starch 1 lb.; boiling water 1 gal., boil a short time and add water to 30 gals. *Skin.*

Used in phlegmonous, papular, and neuralgic affections.

Balneum Creasoti.

Creasote ¼ oz.; Glycerine 2 oz.; hot water 30 gals. *Skin. St. Bartholomew's.*

Used in vesicular, papular, and squamous affections.

Balneum Glutinis.

Patent Size 8 lbs.; hot water 30 gals. *Skin. St. Bartholomew's.*

Used in phlegmonous, vesicular, and squamous affections.

Balneum Glycerini Co.

Glycerine 2 oz.; Tragacanth 2 oz.; boil in a pint of water and add water to 30 gals. *Skin.*

Used in vesicular, corneous, and squamous affections.

Balneum Iodi.

Iodine ¼ oz.; Solution of Potash 2 oz.; water 30 gals. *Skin.*

Used in tubercular, cachectic, and squamous affections.

Balneum Marinum, *vel* Sodii Chloridi.

Bay Salt 8 lbs.; water 30 gals. *London.*

Bay Salt 9 lbs.; water 30 gals. *St. Bartholomew's.*

Bay Salt 8 oz.; Sulphate of Magnesia 2 oz.; Solution Chloride of Calcium 1 oz.; water 30 gals. *Skin.*

Used in chromatic, papular, and sebaceous affections.

Balneum Mercuriale.

Corrosive Sublimate 3 drms.; Hydrochloric Acid 1 drm.; water 30 gals. *Skin.*

Used in tubercular, cachectic, and squamous affections.

Balneum Potassæ Sulphuratæ v. Sulphureum.

Sulphurated Potash 4 oz.; boiling water 30 gals. *London* and *Guy's.*

Sulphurated Potash 2 oz.; Hyposulphite of Soda 1 oz.; dilute Sulphuric Acid ½ oz.; water 30 gals. *University.*

Sulphurated Potash 8 oz.; warm water 25 gals. *Middlesex. St. Bartholomew's.*

Balneum Sulphuris Co.

Precipitated Sulphur 2 oz.; Hyposulphite of Soda 1 oz.; diluted Sulphuric Acid ½ oz.; water 30 gals. *Skin.*

Used in vesicular, papular, squamous, and parasitic affections.

Balneum	Calidum Aeris Madefacti	110° to 115° F.
„	Calidum	98° to 110°
„	Tepidum	85° to 92°
„	Frigidum	56° to 64°
	Guy's. London.	
„	Calidum	96°
„	Tepidum	90°
	St. Bartholomew's.	

CATAPLASMATA.

Cataplasma Acidi Carbolici.

Make a Linseed poultice, but substitute the Carbolic Acid lotion for one-half of the water. *Fever.*

Cataplasma Carotæ.

Carrots boiled until they are soft. *Guy's.*
Carrots scraped into a pulp. *Westminster.*

Cataplasma Iodi.

Linseed poultice sprinkled with Tincture of Iodine. *Fever.*

Cataplasma Panis.

Grated bread, boiling water, of each sufficient. *London.*

Cataplasma Plumbi.

Solution of Subacetate of Lead 1; water 1; bread *q. s.* *Westminster.*

Cataplasma Plumbi et Opii.

Linseed poultice, substituting Lead and Opium lotion for half of the water. *Fever.*

Cataplasma Sinapis.

Linseed Cataplasm sprinkled with Mustard. *Guy's.*

CAUSTICA.

Causticum Argent. Nitr.

Nitrate of Silver 1 drm.; Sp. Nitric Ether 1 oz.; Indigo 5 grs. *Skin.*
Used for phlegmonous, vesiculous, and ulcerous affections.

Causticum Arseniosum Co.

Arsenious Acid 1 drm.; Vermilion 2 scruples; Calomel 2½ oz. *Skin.*
Used for ulcerous, strumous, and cachectic affections.

Causticum Canthar. Co.

Cantharides in powder 1 drm.; Tannic Acid ½ drm.;

Concentrated Acetic Acid 4 drms.; macerate 7 days and strain. *Skin.*

Used in parasitical, tubercular, phlegmonous, and sebaceous affections.

Causticum Depilatorium.

Yellow Orpiment 1 drm.; Quicklime 1½ oz.; Starch 9 drms. *Skin.*

Used for structural, hirsute affections.

Causticum Hydr. Perchlor.

Corros. Sublimate 1 drm.; Prep. Coloured Collodion 6 drms. *Skin.*

Used in structural, tubercular, and ulcerous affections.

Causticum Hydr. Biniod.

Biniodide of Mercury 1 drm.; Glycerine 15 mins.; Starch 45 grs. *Skin.*

Used in tubercular and ulcerous affections.

Causticum Hydr. c. Arsenico.

Pure Mercury 1 oz.; Arsenious Acid 1 drm.; Nitric Acid (sp. gr. 1·4) 2 oz. *Skin.*

Used in ulcerous and structural affections.

Causticum Hydr. Nitratis Acidum.

Pure Mercury 1 oz.; Nitric Acid (sp. gr. 1·4), 2 oz. *Skin.*

Used for ulcerous, tubercular, sebaceous, and structural affections.

Causticum Iodi.

Iodine 1 drm.; Iodide of Potassium 1 drm.; water 2 drms. *Skin.* *University* with Spirit.

Iodine 1 drm.; Iodide of Potassium 2 drms.; Rectified Spirit ½ oz. *Consumption.*

Causticum Potassæ Co.

Fused Potassa 1 drm.; Quicklime 1 drm.; Glycerine *q. s.* *Skin.*

Used in structural, ulcerous, and tubercular affections.

Causticum Sabinæ Co.

Savin in powder 1 drm.; Burnt Alum 15 grs.; Levigated Red Precipitate 15 grs. *Skin.*
Used in structural affections.

Causticum Zinci Chloridi.

Chloride of Zinc, Oxide of Zinc, equal parts. *London Ophthalmic.*

Causticum Zinci Chlor. Co.

Chloride of Zinc 1 drm.; Chloride of Antimony ½ drm.; Starch 15 grs.; Glycerine *q. s.* *Skin.*
Used in ulcerous, structural, cachectic, and tubercular affections.

CERATUM.

Ceratum Plumbi et Calaminæ.

Lead plaster, Calamine Cerate, Soap Cerate, equal parts. *St. Mary's.*

Ceratum Simplex.

Yellow Wax ¼ oz.; Prepared Lard ¾ oz.; melt together. *St. Bartholomew's.*

COLLODIA.

Collodium.

Take of Nitrate of Potash 20 drms.; Sulphuric Acid 30 drms. (by weight); Cotton 1 drm. Mix the Nitrate and Sulphuric Acid; immerse the cotton in the mixture and stir it well for five minutes; then wash out every trace of Acid, and dry the Cotton. To the drm. of prepared Cotton add 15 drms. of Ether and a drm. of Rectified Spirit. Dissolve. *London.*

Collodium Tinctum Præparatum.

Collodion 1 oz.; Palm Oil 10 grs.; Alkanet Root to colour it. *Skin.*

Collodium c. Iodo.

Iodine 12 grs.; Iodide of Potassium 24 grs.; Collodion to 1 oz. *Middlesex.*

COLLYRIA.

Collyrium Aceti.

Distilled Vinegar 60 mins.; Proof Spirit 30 mins.; water 1 oz. *Westminster.*

Collyrium Aluminis.

Alum $3\frac{3}{4}$ grs.; water 1 oz. *Westminster.*
Alum 4 grs.; water 1 oz. *Middlesex. London.*

Collyrium Argenti Nitratis.

Nitrate of Silver 2 grs.; water 1 oz. *London. Middlesex.*

Collyrium Argenti Nitratis Mitius.

Nitrate of Silver 2 grs.; water 1 oz. *King's.*

Collyrium Argenti Nitratis Fortius.

Nitrate of Silver 4 grs.; water 1 oz. *King's.*
Nitrate of Silver 5 grs.; water 1 oz. *London.*

Collyrium Atropiæ Sulphatis.

Sulphate of Atropia 2 grs.; water 1 oz. *King's.*

Collyrium Cupri Sulphatis.

Sulphate of Copper 2 grs.; water 1 oz. *King's.*

Collyrium Hydrargyri Perchloridi.

Corrosive Sublimate $\frac{1}{128}$ gr.; water 1 oz. *Westminster.*

Collyrium Plumbi Acetatis.

Acetate of Lead 2 grs.; dilute Acetic-Acid 1 min.; water 1 oz. *Middlesex* and *Westminster.*

Collyrium Zinci Acetatis.

Acetate of Zinc 2½ grs.; water 1 oz. *Westminster.*

Collyrium Zinci Camphoratum.

Sulphate of Zinc 2½ grs.; Sp. Camphor 7½ mins.; water 1 oz. *Westminster.*

Collyrium Zinci Chloridi.

Chloride of Zinc 1 gr.; water 1 oz. *London.*

Collyrium Zinci c. Opio.

Sulphate of Zinc 2 grs.; Tinct. Opium 20 mins.; water 1 oz. *King's.*

Collyrium Zinci Sulphatis.

Sulphate of Zinc 1 gr.; water 1 oz. *Middlesex.*
Sulphate of Zinc 2 grs.; water 1 oz. *St. George's* and *Westminster.*
Sulphate of Zinc 3 grs.; water 1 oz. *London.*

CONFECTIONES.

Confectio Aluminis.

Alum 3 drms.; Treacle 6 drms. *Westminster.*
Alum 2 drms.; Treacle to 1 fl. oz. Dose 1 to 2 drms. *St. Bartholomew's.*

Confectio Aperiens.

Senna 2 oz.; Sulphur 2 oz.; Acid Tartrate of Potash 4 oz.; Honey *q. s.* Dose 1 to 2 drms. *Charing Cross.*

Confectio Boracis.

Borax 1 oz.; Treacle 2 oz. *London.*
Borax 64 grs.; Treacle to 1 fl. oz. *St. Bartholomew's.*

Confectio Cinchonæ Flavæ.

Powdered Yellow Bark 80 grs.; Powdered Ginger 8 grs.; Treacle to 1 fl. oz. Dose 2 drms. *St. Bartholomew's.*

Confectio Copaibæ c. Cubebâ.

Cubebs 1 oz.; Bicarbonate of Soda 1 drm.; Ginger 20 grs.; Balsam of Copaiba 2 drms.; Treacle 6 drms. Dose 2 drms. *Westminster.*

Confectio Cubebæ Co.

Cubebs 4 drms.; Balsam of Copaiba 2 drms.; Treacle 2 drms. Dose 2 drms. *St. Mary's.*

Confectio Ferri.

Peroxide of Iron 2 drms.; Treacle 6 drms. Dose 1 drm. *St. Mary's.*

Peroxide of Iron 2 drms.; Treacle 2 drms. Dose 1 to 4 drms. *Middlesex. Consumption.*

Peroxide of Iron 2 drms.; Ginger 5 grs.; Treacle 6 drms. Dose 1 to 2 drms. *Westminster.*

Confectio Ferri Phosphatis.

Phosphate of Iron 2 drms.; Treacle 4 drms. Dose 1 to 4 drms. *Consumption.*

Confectio Ferri Tartarati.

Tartarated Iron 30 grs.; Acid Tartrate of Potash 3 drms.; Ginger 5 grs.; Treacle to 1 fl. oz. Dose 2 drms. *St. Bartholomew's.*

Tartarated Iron 60 grs.; Bitartrate of Potash 3 drms.; Ginger 15 grs.; Treacle *q. s.* *Westminster.*

Confectio Ferri Sesquioxydi.

Vide Conf. Ferri. *Westminster* and *St. Mary's.*

Confectio Guaiaci Co.

Powdered Guaiacum 2 drms.; Rhubarb 1 drm.; Sulphur 2 drms.; Nitrate of Potash 2 drms.;

Syrup of Poppies *q. s.* Dose ½ to 1 drm. *Middlesex.*

Powdered Guaiacum 30 grs.; Rhubarb 1 drm.; Sulphur 1 oz.; Bitartrate of Potash 4 drms.; Ginger 30 grs.; Treacle and water *q. s.* Dose 4 drms. *Westminster.*

Guaiacum 1 drm.; Carbonate of Magnesia 1 drm.; Sulphur 1½ drm.; Ginger ½ drm.; Treacle 2½ drms. Dose 1 to 3 drms. *London.*

Confectio Jalapæ.

Powdered Jalap ¼ oz.; Powdered Senna 2 oz.; Ginger 60 grs.; Treacle 8 oz. Dose 60 to 120 grs. *St. George's.*

Comp. Powder of Jalap 120 grs.; Treacle to 1 fl. oz. Dose 2 to 4 drms. *St. Bartholomew's.*

Confectio Jalapæ et Sulphuris.

Confection of Jalap 5 oz.; Precipitated Sulphur 1 oz. Dose 60 to 120 grs. *St. George's.*

Confectio Jalapæ c. Pot. Tartrate.

Powdered Jalap 1 drm.; Acid Tartrate of Potash 1½ drm.; Ginger 10 grs.; Treacle 4 drms. Dose 1 to 2 drms. *University.*

Confectio Ol. Ricini c. Senna.

Castor Oil 2 drms.; Powdered Gum Acacia 30 grs.; Confection of Senna 1 oz. Dose 1 to 2 drms. *Westminster.*

Confectio Potassæ Nitratis.

Nitrate of Potash 90 grs.; Confection of Roses 1 oz. Dose size of a nut. *Guy's.*

Confectio Potassæ Tartratis Acida.

Acid Tartrate of Potash 4 drms.; Powdered Ginger 5 grs.; Treacle to 1 fl. oz. Dose 1 to 2 drms. *St. Bartholomew's.*

Acid Tartrate of Potash 4 drms.; Powdered Ginger 15 grs.; Treacle *q. s.* Dose 2 drms. *Westminster.*

Confectio Rutæ.

Rue 1½, Caraway 1½, Bay Berries 1½, Black Pepper ¼, all in powder, Prepared Sagapenum ½, Honey 16, water *q. s.*; liquefy the three last ingredients by heat, and add the powders. *St. George's.*

Used in ENEMA RUTÆ, which see.

Confectio Scillæ Co.

Syrup of Squills 4 drms.; Bitartrate of Potash 6 drms. *Guy's.*

Confectio Sennæ.

Powdered Senna 2 drms.; Jalap 40 grs.; Ginger 10 grs.; Treacle 1 oz. Dose 1 to 2 drms. *St. Mary's.*

Powdered Senna 80 grs.; Jalap 20 grs.; Ginger 20 grs.; Acid Tartrate of Potash 20 grs.; Powdered Liquorice 20 grs.; Coriander 20 grs.; Treacle 1 oz. Dose 1 to 2 drms. *Middlesex.*

Confectio Sennæ Co.

Confection of Senna 1 oz.; Sulphur 2 drms.; Sulphate of Potash 2 drms.; Syrup *q. s.* Dose 50 to 100 grs. *Guy's.*

Confectio Sennæ c. Sulphure.

Confection of Senna 6 drms.; Sulphur 1 drm. Dose 1 to 2 drms. *St. Mary's.*

Confectio Sulphuris.

Sulphur 2 drms.; Bitartrate of Potash 2 drms.; Confection of Senna 8 drms.; Treacle *q. s.* Dose 1 to 2 drms. *Middlesex.*

Sulphur ½ oz.; Sulphate of Potash ½ oz.; Treacle sufficient. Dose 1 to 3 drms. *Consumption.*

Sulphur 2 drms.; Bitartrate of Potash 1 drm.; Treacle 6 drms. *London.*

Sulphur 2 drms.; Bitartrate of Potash ½ drm.; Treacle sufficient. Dose 60 to 100 grs. *Guy's.*
Sulphur 200 grs.; Acid Tartrate of Potash 50 grs.; Treacle to 1 fl. oz. *St. Bartholomew's.*

Confectio Sulphuris Co.

Precipitated Sulphur 2 drms.; Bitartrate of Potash ½ drm.; Treacle 6 drms. Dose 60 to 100 grs. *London. London Ophthalmic.*

Confectio Sulphuris c. Senna.

Confection of Senna 1 oz.; Sulphate of Potash 2 drms.; Sulphur 2 drms.; Oil of Aniseed 10 mins. *Westminster.*

Confectio Sulphuris Fortioris.

Sublimed Sulphur 30 grs.; Jalap 4 grs.; Tincture of Senna 8 mins.; Oil of Peppermint ¼ min.; Treacle to 1 drm. *Chest.*

DECOCTA.

Decoctum Aloës Co.

British Pharm. Formula, omitting the Saffron. Dose 2 to 12 drms. twice daily. *Guy's. Westminster.*
Extract of Aloes 1½ drm.; Myrrh 1½ drm.; Carbonate of Potash 1 drm.; Extract of Liquorice ½ oz.; water 1½ pint, boil to 20 oz. *Consumption.*
Cape Aloes 2 drms.; Myrrh 1½ drm.; Carbonate of Potash 1 drm.; Commercial Extract of Liquorice 1 oz.; Tincture of Ginger ¾ oz.; Rectified Spirit 3 oz.; Distilled Water 25 oz.: boil the solids in the water 5 minutes, when cool, strain and add the Spirit and Tincture, and make up to 30 oz. Dose ½ to 2 oz. *St. Bartholomew's.*

Decoctum Avenæ.

Oatmeal 1 oz., mixed with 4 oz. of cold water; boiling water 3 pints, boil an hour, and strain while hot. *Guy's.*

Decoctum Cetrariæ.

To a pint Decoction by the British Pharmacopœia add 1 pint Milk, with or without 1½ oz. Sugar. *Guy's.*

Decoctum Gallæ.

Galls Bruised 2½ oz.; water 40 oz., boil to 20 oz. *S George's.*

Decoctum Glycyrrh. Co.

Liquorice root 1½ oz.; Aniseeds 4 drms.; water 20 oz.; boil 15 minutes and strain. *Consumption.*

Liquorice root 2 oz.; water 16 oz.; boil 10 minutes. *Guy's.*

Decoctum Guaiaci Co.

Guaiacum shavings 1 oz.; Sliced Sassafras 3 drms.; Liquorice root 5 drms.; water 2 pints, boil to 20 oz. Dose 2 to 4 oz. *Westminster.*

Decoctum Hæmatoxyli.

Logwood 1½ oz.; Cassia 1 drm.; water 2 pints, boil to 20 oz. Dose 1 to 2 oz. *Westminster.*

Logwood 2 oz.; water 2 pints, boil to 1 pint. *London.*

Decoctum Hemidesmi.

Bruised Hemidesmus 2½ oz.; Guaiacum shavings 2½ drms.; Sassafras 2½ drms.; Extract of Liquorice 1 drm.; water 2 pints. Dose 1 to 2 oz. *Guy's.*

Decoctum Hemidesmi Co.

Hemidesmus Root 2½ oz.; Sassafras Chips ¼ oz.; Guaiacum Turnings ¼ oz.; Commercial Extract of Liquorice ¼ oz.; Mezereon Bark 1 drm.;

Boiling Distilled Water 30 oz.; digest and boil to 20 oz. Dose 1½ oz. *St. Bartholomew's.*

Decoctum Hordei Gummosum.

Acacia 1 oz.; Decoction of Barley 40 oz. *St. George's.*

Decoctum Hordei Tartarizatum.

Acid Tartrate of Potash 1 drm.; Decoction of Barley 30 oz.; boil till dissolved. *St. George's.*

Decoctum Pectorale.

Barley 6 drms.; Liquorice 2 drms.; Acacia 2 drms.; Nitre 45 grs.; 1 Poppy-head; water 2 pints, boil to 20 oz. Dose 2 oz. *Westminster.*

Decoctum Scoparii Comp.

Broom, Taraxacum, Juniper, of each ½ oz.; water 30 oz., boil to 20 oz., and strain. Dose 2 oz. *Guy's.*

ELECTUARIA.—*Vide* CONFECTIONES.

EMBROCATIO.

Embrocatio Antimonii Tartarati.

Tartrate of Antimony 1 drm.; boiling water 14 drms.; Tincture of Cantharides 1 drm. *Westminster.*

Embrocatio Communis.

Carbonate of Ammonia 4 oz.; Vinegar 100 oz. or *q. s.*; Proof Spirit 50 oz. *Guy's.*

Embrocatio Tiglii.

Croton Oil 1 drm.; Soap Liniment 7 drms. *Westminster.*

EMPLASTRA.

Emplastrum Ammoniæ Hydrochloratis.

Chloride of Ammonium ½ oz.; Soap 1 oz.; Lead Plaster 2 oz. *Westminster.*

Emplastrum Antimonii Tartarati.

Tartarated Antimony 40 grs.; Burgundy Pitch Plaster ½ oz. *Guy's.*

Tartarated Antimony 10 grs.; Pitch Plaster ½ oz. *Charing Cross.*

Tartarated Antimony 10 grs.; Opium Plaster 2 drms. *Chest.*

Emplastrum Galban. c. Canthar.

Galbanum Plaster 7 oz.; Cantharides Plaster 1 oz. *St. George's.*

Emplastrum Iodi Co.

Iodine 2 drms.; Iodide of Potassium 3 drms.; Lead Plaster 16 oz.; Opium Plaster 6 oz. *St. George's.*

Emplastrum Opii.

Extract of Opium, softened with water, covering Soap Plaster. *Guy's.*

Emplastrum Picis Burgund.

Burgundy Pitch 6 oz.; Yellow Wax ½ oz.; Turpentine 1 drm. *Guy's.*

Emplastrum Resin. c. Canthar.

Resin Plaster 6 oz.; Cantharides Plaster 1 oz. *Middlesex.*

EMULSIONES.

Emulsio Pancreatica.

The process for making purified Pancreatic Emulsion:—

1. Make Crude Emulsion.
2. Convert the Crude Emulsion into Pancreatized Fat.
3. Make the purified Emulsion out of Pancreatized Fat.

1. To make the crude emulsion.

Take of fresh Pancreas of the pig, freed from fat and all extraneous matters, 25 lbs., Lard 20 lbs., water 30 lbs. Bruise the Pancreas in a marble mortar, then add the Lard; beat and mix them well together, adding the water little by little as it becomes absorbed, till all is added. Strain by squeezing through muslin.

2. To make pancreatized fat.

Treat the Crude Emulsion with Ether in the proportion of 3 parts Ether to 1 part Emulsion; mix well, and allow the mixture to stand till two strata are formed,—A, an Ethereal solution at the top; B, a watery stratum at bottom. Decant the Ethereal solution and filter, put it into a still, and recover the Ether by distillation. That which remains in the Still is Pancreatized Fat.

3. To make purified pancreatic emulsion.

Take of Pancreatized Fat 2 parts; Rectified Spirit 1 part; Distilled Water 3 parts; Oil of Cloves sufficient to give a flavour. Put the Pancreatized Fat into a mortar, and add little by little the Spirit and water previously mixed, and, lastly, sufficient Oil of Cloves to flavour it.

Test.

The Pancreatic Fat, when made into Lead Plaster with Oxide of Lead, should yield Glycerine.

The water stratum, left after the Ethereal solution has been decanted, should yield no Glycerine.

The purified Pancreatic Emulsion should be permament and have an acid reaction. Dose 1 to 4 drms., mixed in Milk or water, from once to four times in twenty-four hours.

ENEMATA.

Enema Assafœtidæ.

Tincture of Assafœtida 4 drms.; Decoction of Barley 20 oz. *Fever. London.*

Enema Catharticum.

Sulphate of Magnesia 1 oz.; Olive Oil 2 oz.; Decoction of Barley 18 oz. *Fever.*

Sulphate of Magnesia 1 oz.; Linseed Oil 2 oz.; Decoction of Oats 12 oz. *Consumption.*

Enema Colocynth. Co.

Colocynth 1 drm.; water 12 oz.; boil 10 minutes, strain, and add Salt ½ oz.; Syrup of Buckthorn ½ oz. *Guy's.*

Enema Commune.

Chloride of Sodium 1 oz.; Decoction of Barley (*Guy's*, Decoction of Oats) 12 oz. *Westminster. Guy's.*

Decoction of Barley 20 oz. *Middlesex.*

Chloride of Sodium 1 oz.; Decoction of Barley 20 oz. *St. Thomas's. London.*

Enema Olei Ricini.

Castor Oil 2 oz.; Decoction of Barley (tepid) 8 oz. *St. Thomas's. Charing Cross.*

Castor Oil 2 oz.; Starch 1 drm.; Decoction of Oats 12 oz. *Westminster.*
Castor Oil 1 oz.; Honey 1 oz.; Decoction of Oats (tepid) 10 oz. *Guy's.*
Castor Oil 2 oz.; Mucilage of Starch 18 oz. *London. St. Bartholomew's.*

Enema Olei Ricini c. Assafœtidâ.

Castor Oil 4 drms.; Tincture of Assafœtida 4 drms.; Mucilage of Starch to 12 oz. *Fever.*

Enema Oleosum.

Olive Oil 4 oz.; Decoct. of Oats 12 oz. *St. George's.*
Olive Oil 4 oz.; Decoct. of Barley 16 oz. *Middlesex.*
Olive Oil 4 oz.; Mucilage of Starch 16 oz. *London.*

Enema Opii.

Tincture of Opium 30 drops; Mixture of Starch 2 oz. *Consumption.*
Tincture of Opium 15 mins.; Mucilage of Starch 2 oz. *Fever.*

Enema Plumbi c. Opio.

Tincture of Opium 20 mins.; Acetate of Lead 9 grs; Dil. Acetic Acid 15 mins.; distilled water 3 oz. *Fever.*

Enema Rutæ.

Confection of Rue 3 drms.; Decoction of Oats, or warm water, 18 oz. *Guy's.*
Confection of Rue 3 drms.; Infusion of Chamomile 16 oz. *St. George's.*
Oil of Rue 20 mins.; Mucilage 2 drms.; Decoction of Barley 6 oz. *Middlesex.*

Enema Saponis.

Soft Soap 6 drms.; hot water 20 oz. *St. Bartholomew's. St. George's.*
Soft Soap 1 oz.; hot water 20 oz. *London.*

Soft Soap 1 oz.; hot water 16 oz., to be used warm. *Guy's.*
Soft Soap ½ oz.; hot water 16 oz. *Charing Cross.*
Soft Soap *q. s.*; tepid water 40 oz. *Fever.*

Enema Sennæ Co.

Comp. Mixture of Senna 4 oz.; Decoction of Barley (tepid) 8 oz. *St. Thomas's.*

Enema Sodii Chloridi.

Chloride of Sodium 1 oz.; warm water 16 oz. *St. George's. London.*
Chloride of Sodium 1 oz.; Decoction of Barley 20 oz. *St. Bartholomew's.*

Enema Spiritus Vini Gallici.

Brandy 1 oz.; Strong Beef Tea 3 oz. *Fever.*

Enema Tabaci, Br. Ph.

Inject 8 oz., and, if necessary, repeat it in an hour. *Guy's.*

Enema Terebinthinæ.

Oil of Turpentine 1 oz.; Mucilage of Starch 20 oz. *Fever.*

Enema Vulgare; *vide* Enema Commune.

FOTUS.

Fotus Belladonnæ.

Extract of Belladonna 60 grs.; distilled water 20 oz. *London Ophthalmic. St. Bartholomew's.*

Fotus Papaveris.

Capsules 1 oz.; boiling water 20 oz., boil fifteen minutes. *London Ophthalmic. Fever.*
Capsules sliced, No. 3; water 2 pints; boil for a quarter of an hour. *Westminster.*

Bruised Poppy Capsules without seeds 3 oz.; water 40 oz., boil ten minutes. *St. Bartholomew's.*

Fotus Terebinthinæ.

Hot damp Flannel sprinkled with Oil of Turpentine. *Fever.*

GARGARISMATA.

Gargarisma.

Oxymel 1 oz.; Decoction of Barley 5 oz. *St. George's.*

Gargarisma Aceticum.

Acetic Acid 15 mins.; Oxymel 30 mins.; Distilled Water to 1 fl. oz. *St. Bartholomew's.*

Gargarisma Acidum.

Diluted Hydrochloric Acid 1 drm.; Chlorate of Potash 1 drm.; water 4 oz. *Charing Cross.*

Gargarisma Acidi Carbolici.

Saturated cold aqueous solution of Carbolic Acid (=6 grs. Crystals) 1½ oz.; water 8½ oz. *Fever.*

Gargarisma Acidi Hydrochlor.

Dil. Hydrochloric Acid 1 drm.; Treacle 1 drm.; water to 4 oz. *Westminster.*

Dil. Hydrochloric Acid 1 drm.; Decoction of Yellow Bark to 4 oz. *Chest.*

Dil. Hydrochloric Acid 1 drm.; Decoction of Oak Bark 10 oz. *London Ophthalmic.*

Dil. Hydrochloric Acid 1 drm.; Decoction of Pale Bark 4 oz. *St. Bartholomew's.*

Dil. Hydrochloric Acid 1 drm.; Honey ½ oz.; water 8 oz. *Consumption.*

Hydrochloric Acid 1 drm.; water to 20 oz. *St. Thomas's.*

Gargarisma Acidi Nitrici.

Dil. Nitric Acid 1 drm.; Treacle 1 drm.; water to 4 oz. *Westminster.*

Nitric Acid 1 fl. drm.; Syrup 1 oz.; water to 12 oz. *St. Mary's.*

Nitric Acid 1 fl. drm.; water to 20 oz. *St. Thomas's.*

Gargarisma Acidi Sulphurici.

Dil. Sulphuric Acid 45 mins.; Honey 2 drms.; water to 4 oz. *Consumption.*

Dil. Sulphuric Acid 1 drm.; Treacle 2 drms.; water to 4 oz. *Westminster.*

Gargarisma Acidi Tannici.

Tannic Acid 1 drm.; Honey 2 drms.; water to 4 oz. *Consumption.*

Tannic Acid 1 drm.; Rectified Spirit ½ drm.; Camphor water to 5 oz. *London.*

Tannic Acid 12 grs.; Citric Acid 20 grs.; water to 4 oz. *Chest.*

Tannic Acid 1 drm.; Glycerine ½ oz.; Compound Infusion of Roses to 3 oz. *Fever.*

Gargarisma Æruginis.

Liniment of Verdigris, P.L., 1 oz.; water to 4 oz. *St. Thomas's.*

Liniment of Verdigris 1 drm.; Decoction of Linseed 8 oz. *Westminster.*

Liniment of Verdigris 1 oz.; Mucilage 2 oz.; water to 12 oz. *Middlesex.*

Verdigris 15 grs.; Vinegar 1½ drm.; Honey 3 drms.; Lime Water 20 oz. *St. George's.*

Gargarisma Aluminis.

Alum 1 drm.; water to 4 oz. *St. George's.*

Alum 1 drm.; Tincture of Myrrh 1 drm.; distilled water 10 oz. *London Ophthalmic.*

Alum 1 drm.; Treacle 1½ oz.; water to 12 oz. *Chest.*

Alum 1 drm.; water 10 oz. *Charing Cross.*

Alum 1 drm.; Tincture of Myrrh ½ drm.; water to 4 oz. *Consumption.*

Alum 1 drm.; Honey 6 drms.; water to 4 oz. *University.*

Alum 1 drm.; water to 6 oz. *St. Mary's.*

Alum 1 drm.; Honey 2 drms.; water to 6 oz. *Middlesex.*

Alum 1 drm.; water to 8 oz. *St. Thomas's.*

Alum 1 drm.; Dil. Sulphuric Acid 1 drm.; Treacle 4 drms.; water to 15 oz. *Westminster.*

Alum 1 drm.; Syrup of Roses 1½ oz.; Decoction of Bark 16 oz. *Guy's.*

Alum 1 drm.; Dilute Sulphuric Acid 72 mins.; Treacle 3½ drms.; water to 6 oz. *Fever.*

Alum 1 drm.; Dilute Sulphuric Acid 3 drms.; water to 20 oz. *King's.*

Alum 1 drm.; water 7½ oz. *St. Bartholomew's.*

Gargarisma Aluminis Co.

Alum 15 grs.; Tincture of Myrrh 15 mins.; Distilled Water to 1 fl. oz. *St. Bartholomew's.*

Gargarisma Boracis.

Borax 1 drm.; Oxymel 2 drms.; boiling water to 2 oz. *St. George's.*

Borax 1 drm.; Oxymel 2 drms.; water to 3 oz. *Middlesex.*

Borax 1 drm.; Honey 2 drms.; water to 4 oz. *Consumption.*

Borax 1 drm.; Syrup of Roses 4 drms.; Decoction of Barley to 4 oz. *Guy's.*

Borax 1 drm.; Treacle 2 drms.; water to 4 oz. *Westminster.*

Borax 1 drm.; Treacle 4 drms.; water to 6 oz. *St. Mary's.*

Borax 2 drms.; Tincture of Myrrh ½ oz.; water to 5 oz. *London.*

Borax 50 grs.; Treacle ½ oz.; water to 5 oz. *Fever.*

Borax 1 drm.; water 4 oz. *Chest.*

Gargarisma Capsici.

Tincture of Capsicum 1 drm.; water 8 oz. *St. George's. Westminster.*

Tincture of Capsicum 1 drm.; Dil. Sulphuric Acid 36 mins.; Decoction of Pale Bark 6 oz. *St. Bartholomew's.*

Tincture of Capsicum 1 drm.; water 7 oz. *King's.*

Tincture of Capsicum 1 drm.; water 10 oz. *Charing Cross.*

Tincture of Capsicum 1 drm.; water 10 oz. *St. Thomas's.*

Gargarisma Capsici Acidum.

Tincture of Capsicum 3 drms.; Dilute Nitric Acid 3 drms.; Infusion of Red Gum to 12 oz. *London.*

Gargarisma Chlori.

Solution of Chlorine 1 oz.; water to 6 oz. *Middlesex.*

Gargarisma Commune.

Alum 1 drm.; Dilute Sulph. Acid 2 drms.; Tinct. Myrrh 4 drms.; water to 13 oz. *London.*

Gargarisma Hydrarg. Perchloridi.

Corros. Sublim. 4 grs.; Chloric Ether 1 drm.; Tinct. Myrrh 1 drm.; water 8 oz. *Skin.*

Used in ulcerous and cachectic affections of the throat and mouth.

Corros. Sublim. 4 grs.; Glycerine ½ oz.; Dilute Hydrochloric Acid 6 mins.; water 6 oz. *St. Mary's.*

Corros. Sublim. 4 grs.; Dilute Hydrochloric Acid 2 drms.; Treacle ½ oz.; water 15 oz. *Westminster.*

Corros. Sublim. 4 grs.; Rectified Spirit 1½ drm.; water to 4 oz. *University.*

Gargarisma Iodi.

Tincture of Iodine 2 drms.; water 5 oz. *St. Thomas's.*

Gargarisma Potassæ Chloratis.

Chlorate of Potash 1½ drm.; water 8 oz. *Consumption.*

Chlorate of Potash ½ oz.; water 12 oz. *Middlesex.*

Chlorate of Potash ½ oz.; water 6 oz. *London.*

Gargarisma Potassæ Permanganatis.

Condy's Red Solution of Permanganate of Potash 2 drms.; water 10 oz. *Fever.*

Solution of Permanganate of Potash ½ oz.; water 20 oz. *London.*

Gargarisma Simplex.

Vinegar 10 drms.; Honey of Roses 6 drms.; Decoction of Barley 10 oz. *Guy's.*

Gargarisma Sodæ Chloratæ.

Chlorinated Solution of Soda 4 drms.; water to 2 oz. *St. Thomas's.*

Chlorinated Solution of Soda 4 drms.; water to 4 oz. *Guy's. Westminster. University.*

Chlorinated Solution of Soda 4 drms.; water to 8 oz. *Skin. Charing Cross. St. Bartholomew's.* Used in mercurial ptyalism.

Chlorinated Solution of Soda 4 drms.; water to 12 oz. *St. George's.*

Solution of Chlorinated Soda 4 drms.; water to 5 oz. *Fever. London Ophthalmic.*

So ution of Chlorinated Soda 4 drms.; water 20 oz. *King's.*

Gargarisma Sulphuris Co.

Sublimed Sulphur 1 drm.; Acetate of Lead 20 grs.; water 12 oz. *Middlesex.*

GLYCERINA.

Glycerinum Atropiæ.

Sulphate of Atropia 32 grs.; Glycerine of Starch 1 oz. *Westminster Ophthalmic.*

Glycerinum Acidi Gallici.

Gallic Acid 40 grs.; Rectified Spirit ½ fl. oz.; Glycerine to 1 fl. oz. *St. Bartholomew's.*

Glycerinum Acidi Tannici Compositum.

Tannic Acid 3 drms.; Glycerine 6 drms.; Rectified Spirit 6 drms.; water 6 drms. *London.*

Glycerinum Belladonnæ.

Extract of Belladonna 1 oz.; Glycerine 4 fl. oz. *St. Bartholomew's.*

GUTTÆ.

Guttæ Acidi Hydrocyanici.

Hydrocyanic Acid 1 drm.; water to 1 oz. *London Ophthalmic.*

Guttæ Aluminis.

Alum 3 grs.; water 1 oz. *Guy's.*

Guttæ Argenti Nitratis (oculis instillandæ).

Nitrate of Silver 2 grs.; water to 1 oz. *St. Mary's.*
Nitrate of Silver 1 gr.; water to 1 oz. *London Ophthalmic.*

Guttæ Argenti Nitratis Fortiores.

Nitrate of Silver 20 grs.; water to 1 oz. *St. Mary's.*
Nitrate of Silver 2 grs.; water to 1 oz. *London Ophthalmic.*

Guttæ Argenti Nitratis Fortissimæ.

Nitrate of Silver 10 grs.; water to 1 oz. *London Ophthalmic.*

Guttæ Atropiæ.

Atropia 2 grs.; Rectified Spirit 20 mins.; distilled water 1 oz. *Guy's.*

Guttæ Atropiæ Sulphatis.

Sulphate of Atropia 2 grs.; water to 1 oz. *London Ophthalmic.*

Sulphate of Atropia 3 grs.; water to 1 oz. *St. Mary's.*

Guttæ Atropiæ Sulphatis Fortiores.

Sulphate of Atropia 4 grs.; distilled water 1 oz. *London Ophthalmic.*

Same strength as the Liq. Atropiæ Brit. Ph.

Guttæ Cupri Sulphatis.

Sulphate of Copper 2 grs.; water 1 oz. *London Ophthalmic. Guy's.*

Guttæ Iodi Compositæ.

Iodine ½ gr.; Iodide of Potassium 1 gr.; water 1 oz. *St. Mary's.*

Guttæ Opii.

Wine of Opium 2 drms.; water to 1 oz. *London Ophthalmic.*

Guttæ Opii Co.

Tincture of Opium 1 oz.; Solution of Acetate of Ammonia ½ oz.; Distilled Water to 4 oz. *Guy's.*

Guttæ Potassii Iodidi.

Iodide of Potassium 3 grs.; water to 1 oz. *London Ophthalmic.*

Guttæ Terebinthinæ.

Oil of Turpentine 1 drm.; Olive Oil to 1 oz. *London Ophthalmic.*

Oil of Turpentine ½ oz.; Olive Oil ½ oz. *St. Mary's.*

Guttæ Zinci Chloridi.

Chloride of Zinc 1 gr.; water to 1 oz. *London Ophthalmic.*

Guttæ Zinci Compositæ.

Sulphate of Zinc 3 grs.; Wine of Opium ½ oz.; distilled water ½ oz. *Guy's.*

Guttæ Zinci Sulphatis.

Sulphate of Zinc 2 grs.; water to 1 oz. *London Ophthalmic. Guy's.*

HAUSTUS.

Haustus Acidi Gallici.

Glycerine of Gallic Acid 1 drm.; water to 1 oz. *St. Bartholomew's.*

Haustus Acidi Hydrocyanici.

Hydrocyanic Acid 4 mins.; Bicarbonate of Soda 5 grs.; water to 1 oz. *St. Bartholomew's.*

Dil. Hydrocyanic Acid 6 mins.; Bicarbonate of Soda 20 grs.; water 1½ oz. *St. George's.*

Dil. Hydrocyanic Acid 4 mins.; Bicarbonate of Soda 10 grs.; Cinnamon Water to 1 oz. *Fever.*

Haustus Acidi Hydrocyan. Co.

Dil. Hydrocyanic Acid 4 mins.; Bicarbonate of Soda 10 grs.; water to 1½ oz. *Middlesex.*

Haustus Acidi Nitro-hydrochlorici.

Dil. Nitro-hydrochloric Acid 5 mins.; Compound Tincture of Gentian 20 mins.; water 1½ oz. *Middlesex.*

Dil. Hydrochloric Acid 15 mins.; Dil. Nitric Acid 15 mins.; Spirit of Nitrous Ether 30 mins.; Syrup 30 mins.; water to 1 oz. *Fever.*

Dil. Nitro-hydrochloric Acid 10 mins.; Tincture of Orange Peel 20 mins.; Spirit of Chloroform 8 mins.; water 1 oz. *St. Bartholomew's.*

Haustus Acidi Phosphorici.

Dil. Phosphoric Acid 20 mins.; water 1 oz. *Fever.*

Haustus Acidus c. Opio.

Dil. Sulphuric Acid 15 mins.; Tincture of Opium 5 mins.; Caraway Water to 1 oz. *Fever.*

Dil. Sulphuric Acid 10 mins.; Tincture of Opium 5 mins.; Caraway Water 1½ oz. *Middlesex.*

Haustus Ætheris Ammoniatus.

Spirit of Ether ½ drm.; Aromatic Spirit of Ammonia ½ drm.; water to 1 oz. *St. Bartholomew's.*

Haustus Ætheris Compositus.

Ether 20 mins.; Dil. Sulphuric Acid 15 mins.; Peppermint Water to 1 oz. *Fever.*

Haustus Aloës c. Camph.

Comp. Dec. of Aloes 4 drms.; Camphor Water to 1 oz. *St. Bartholomew's.*

Haustus Ammoniæ Acetatis Compositus.

Solution of Acetate of Ammonia 40 mins.; Carbonate of Ammonia 4 grs.; Spirit of Nitrous Ether 20 mins.; water to 1 oz. *Fever.*

Haustus Ammoniæ Acetatis c. Ferro.

Solution of Acetate of Ammonia 30 mins.; Dil. Acetic Acid 15 mins.; Tincture of Perchloride of Iron 10 mins.; water to 1 oz. *Fever.*

Haustus Ammon. Acet.

Solution of Acetate of Ammonia 3 drms. (=40 minims of Strong); water to 1½ oz. *Middlesex. St. George's.*

Solution of Acetate of Ammonia 4 drms.; water to 1 oz. *St. Bartholomew's.*

Haustus Ammon. Acet. c. Camphorâ.

Solution of Acetate of Ammonia 2 drms.; Camphor Water 6 drms. *St. Bartholomew's.*

Haustus Ammon. Acet. c. Mag. Sulph.

Solution of Acetate of Ammonia 4 drms.; Sulphate of Magnesia 1 drm.; water to 1 oz. *St. Bartholomew's.*

Haustus Ammon. Acet. c. Scillâ.

Solution of Acetate of Ammonia 4 drms.; Vinegar of Squills 20 mins.; water to 1 oz. *St. Bartholomew's.*

Haustus Ammon. Carbonatis.

Carbonate of Ammonia 5 grs.; water 1 oz. *Fever.*

Haustus Ammon. Citratis.

Carbonate of Ammonia 16 grs.; Citric Acid 20 grs.; water to 1½ oz. *Middlesex. St. George's.* Taken during effervescence.

Haustus Ammon. Co.

Carbonate of Ammonia 5 grs.; Aromatic Powder of Chalk ½ drm.; Pimento Water 6 drms.; water to 1½ oz. *St. George's.*

Haustus Ammon. Tartaratæ.

Carbonate of Ammonia 16 grs.; Tartaric Acid 20 grs.; water to 1½ oz. *Middlesex. Fever.* During effervescence.

Haustus Ammoniaci Fœtid.

Fœtid Spirits of Ammonia 20 mins.; Mixture of Ammoniacum to 1 oz. *St. Bartholomew's.*

Haustus Amygdalæ.

Oil of Almonds 2 drms.; Mucilage 2 drms.; water to 1½ oz. *St. Bartholomew's.*

Haustus Anodynus.

Sedative Solution of Opium 15 mins.; Camphor Water 1 oz. *Westminster.*

Haustus Anodynus Salin.

Sedative Solution of Opium 15 mins.; Solution of Acetate of Ammonia 2 drms.; Camphor Water 1 oz. *Westminster.*

Haustus Antimonialis.

Antimonial Wine 1 drm.; Solution of Acetate of Ammonia 30 mins.; Nitrate of Potash 5 grs.; water to 1 oz. *Fever.*

Haustus Antimonii c. Morphiâ.

Antimonial Wine 40 mins.; Solution of Hydrochlorate of Morphia 30 mins.; Camphor Water to 1 oz. *Fever.*

Haustus Antim. c. Opio.

Sedative Solution of Opium 15 mins.; Solution of Tartar Emetic 30 mins.; Camphor Water 10 drms. *Westminster.*

Haustus Antim. c. Magn. Sulph.

Tartarated Antimony ⅛ gr.; Sulphate of Magnesia 1 drm.; water to 1 oz. *St. Bartholomew's.*

Haustus Aromat.

Aromatic Powder of Chalk 30 grs.; Mucilage 1 drm.; Caraway Water 1½ oz. *Middlesex.*

Haustus Assafœtidæ.

Tincture of Assafœtida 1 drm.; Water 1 oz. *Fever.*

Haustus Belladonnæ.

Tincture of Belladonna 20 mins.; Camphor Water to 1 oz. *Fever.*

Haustus Bismuthi.

White Bismuth 10 grs.; Light Carbonate of Magnesia 15 grs.; Mucilage 2 drms.; water to 1½ oz. *Middlesex.*

White Bismuth 10 grs.; Carbonate of Magnesia 15

grs.; Mucilage of Gum Arabic 2 drms.; Cinnamon Water to 1 oz. *Fever.*

Haustus Calcis Co.

Light Carbonate of Magnesia 5 grs.; Aromatic Spirit of Ammonia 30 mins.; Lime Water 1½ oz. *Middlesex.*

Haustus Calumb. Alk.

Bicarbonate of Soda 10 grs.; Tincture of Orange 30 mins.; Infusion of Calumba to 1 oz. *St. Bartholomew's.*

Haustus Calumb. Co.

Tincture of Calumba ½ drm.; Bicarbonate of Soda 10 grs.; Infusion of Orange Peel to 1 oz. *St. Bartholomew's.*

Haustus Camphor. Fœtid.

Fœtid Spirits of Ammonia 20 mins.; Camphor Water to 1 oz. *St. Bartholomew's.*

Haustus Cannabis Indicæ.

Extract of Indian Hemp 1 gr.; Ether 15 mins.; Camphor Water 1 oz. *Fever.*

Haustus Caryoph. Co.

Bicarbonate of Soda 10 grs.; Comp. Tincture of Cardamoms 1 drm.; Aromatic Spirit of Ammonia 10 mins.; Infusion of Clove to 1½ oz. *Middlesex.*

Haustus Cascar. c. Scillâ.

Tincture of Squills 15 mins.; Infusion of Cascarilla to 1 oz. *St. Bartholomew's.*

Haustus Cetacei.

Spermaceti 20 grs.; Powd. Acacia Gum 20 grs.; Pimenta Water 1½ oz. *St. George's.*

Haustus Cetacei Co.

Spermaceti 20 grs.; Powd. Tragacanth 5 grs.; Syrup of Poppies 30 mins.; water to 1½ oz. *Middlesex.*

Comp. Tincture of Camphor 1 drm.; Vinegar of Squills ½ drm.; Haustus Cetacei to 1½ oz. *St. George's.*

Haustus Chlori.

Chlorate of Potash ½ gr.; Hydrochloric Acid 3 mins.; mix for 5 minutes, and add water 7½ drms.; Chlorate of Potash 10 grs.; Spirit of Chloroform 10 mins.; Dil. Hydrochloric Acid 15 mins.; water to 1 oz. *Fever.*

Haustus Cinchonæ.

Tincture of Bark 1½ drm.; Decoction of Yellow Bark to 1½ oz. *St. George's.*

Haustus Cinchonæ Acidus.

Dil. Sulphuric Acid 15 mins.; Decoction of Yellow Bark 1½ oz. *St. George's.*

Dil. Sulphuric Acid 10 mins.; Decoction of Pale Bark to 1½ oz. *St. Bartholomew's.*

Haustus Cinchonæ Co.

Decoction of Bark 6 drms.; Sulphuric Mint Draught 6 drms. *Middlesex.*

Haustus Cinchoninæ.

Sulphate of Cinchonine 2 grs.; Sulphuric Mint Draught 1½ oz. *Middlesex.*

Hydrochlorate of Cinchonine 1 gr.; Dil. Hydrochloric Acid 10 mins.; Treacle ½ drm.; water to 1 oz. *Fever.*

Haustus Colchici.

Tincture of Seeds of Colchicum 10 mins.; Light Carbonate of Magnesia 10 grs.; Camphor Water to 1½ oz. *Middlesex.*

Tincture of Colchicum Seeds 15 mins.; Carbonate of Magnesia 10 grs.; Mint Water to 1 oz. *St. Bartholomew's.*

Haustus Colchici et Opii.

Wine of Colchicum 15 mins.; Solution of Acetate of Ammonia ½ oz.; Dover's Powder 5 grs.; Camphor Julep to 1½ oz. *St. George's.*

Haustus Copaibæ.

Copaiba 30 mins.; Solution of Potash 20 mins.; Mucilage 3 drms.; Caraway Water to 1½ oz. *Middlesex.*

Haustus Copaibæ Co.

Copaiba 15 mins.; Cubebs ½ drm.; Spirits of Nitrous Ether 15 mins.; Mucilage 1 drm.; Camphor Water to 1 oz. *St. Bartholomew's.*

Haustus Cretæ Aromaticus.

Aromatic Powder of Chalk 30 grs.; Cassia Water 1 oz. *St. Bartholomew's.*

Haustus Cretæ Aromat. c. Opio.

Aromatic Powder of Chalk with Opium 20 grs.; Cassia Water to 1 oz. *St. Bartholomew's.*

Haustus Cretæ Aromat. c. Rheo.

Aromatic Powder of Chalk 20 grs.; Powder of Rhubarb 10 grs.; Cassia Water 1 oz. *St. Bartholomew's.*

Haustus Cretæ c. Catechu.

Tincture of Catechu 1 drm.; Chalk Mixture to 1 oz. *Fever.*

Haustus Diureticus.

Acid Tartrate of Potash 40 grs.; Tincture of Digitalis 10 mins.; Spirit of Nitrous Ether 30 mins.; water to 1 oz. *Fever.*

Haustus Domesticus.

Senna 1 oz.; Sulphate of Magnesia 4 oz.; Ginger ¼ oz.; boiling water 20 oz. Infuse 4 hours. Dose 1½ oz. *University.*

Haustus Effervescens.

Bicarbonate of Soda 20 grs.; Tartaric Acid 18 grs.; Water to 2 oz. *Fever.*

Haustus Effervescens c. Acido Hydrocyanico.

Bicarbonate of Soda 20 grs.; Tartaric Acid 18 grs.; Dil. Hydrocyanic Acid 4 mins.; water to 1 oz. *Fever.*

Haustus Emeticus.

Tartarated Antimony 1 gr.; Ipecacuanha 20 grs.; water to 1½ oz. *Middlesex.*

Wine of Ipecacuanha 4 drms.; Oxymel of Squills 4 drms.; water to 1½ oz. *St. Bartholomew's.*

Antimonial Wine 2 drms.; Wine of Ipecacuanha 6 drms. *Fever.*

Haustus Emeticus Purgans.

Tartarated Antimony ½ gr.; Sulphate of Magnesia 1 drm.; water to ½ oz. *Middlesex.*

Haustus Ferri Acidus.

Tincture of Perchloride of Iron 15 mins.; water to 1 oz. *Fever.*

Haustus Ferri et Ammoniæ Citratis.

Citrate of Iron and Ammonia 5 grs.; water to 1 oz. *Fever.*

Citrate of Iron and Ammonia 8 grs.; Carbonate of Ammonia 2 grs.; Spirit of Chloroform 10 mins.; Infusion of Quassia to 1 oz. *St. Bartholomew's.*

Haustus Ferri et Quiniæ.

Sulphate of Quinia 2 grs.; Tincture of Perchloride of Iron 20 mins.; Spirit of Chloroform 15 mins.; water to 1 oz. *Fever.*

Haustus Ferri Sulphatis.

Sulphate of Iron 1 gr.; Dil. Sulphuric Acid 10 mins.; Peppermint Water 1½ oz. *Middlesex.*

Haustus Gentianæ Co.

Infusion of Gentian 11 drms.; Infusion of Rhubarb 1 drm.; Tincture of Ginger 10 mins. *Middlesex.*

Haustus Gentianæ c. Rheo.

Tincture of Gentian ½ drm.; Bicarbonate of Soda 10 grs.; Spirit of Chloroform 10 mins.; Infusion of Rhubarb ½ oz.; Peppermint Water to 1 oz. *St. Bartholomew's.*

Haustus Gentianæ c. Sennâ.

Infusion of Senna ½ oz.; Tincture of Ginger 20 mins.; Comp. Infusion of Gentian to 1½ oz. *St. Bartholomew's.*

Haustus Guaiaci Co.

Ammoniated Tincture of Guaiacum 1 drm.; Mucilage 2 drms.; Camphor Water to 1½ oz. *Middlesex.*

Haustus Hemidesmi Co.

Hemidesmus Root 3½ drms.; Extract of Liquorice 5 grs.; water at 180° to 5 oz. Infuse 12 hours for 1 dose. *Middlesex.*

Haustus Hemidesmi c. Pot. Iodido.

Comp. Decoction of Hemidesmus 1 oz.; Iodide of Potassium 3 grs. *St. Bartholomew's.*

Haustus Hyoscyami.

Tincture of Henbane 1 drm.; Camphor Water to 1 oz. *Fever.*

Haustus Ipecacuanhæ Co.

Ipecacuanha Wine 10 mins.; Paregoric 30 mins.; Sp. Mindererus 3 drms.; water to 1½ oz. *Middlesex.*

Haustus Ipecacuanhæ et Ammoniæ.

Carbonate of Ammonia 10 grs.; Ipecacuanha Wine 15 mins.; Chlorate of Potash 20 grs.; water 1 oz. *Fever.*

Haustus Ipecac. c. Scillâ.

Wine of Ipecacuanha 10 mins.; Syrup of Squills 30 mins.; Mint Water to 1½ oz. *Middlesex.*

Haustus Ipecac. c. Sodâ.

Ipecacuanha Wine 20 mins.; Bicarbonate of Soda 40 grs.; Carbonate of Ammonia 1 gr.; Spirit of Nitrous Ether 20 mins.; water to 1 oz. *St. Bartholomew's.*

Haustus Jalapæ c. Colch.

Jalap 30 grs.; Tincture of Henbane 30 mins.; Tincture of Colchicum 30 mins.; Dill Water to 10 drms. *Westminster.*

Haustus Magnes. Co.

Light Carbonate of Magnesia 5 grs.; Sulphate of Magnesia 1 drm.; Peppermint Water to 1½ oz. *Middlesex.*

Haustus Magnes. c. Rheo.

Light Carbonate of Magnesia 15 grs.; Sulphate of Magnesia 1 drm.; Powd. Rhubarb 20 grs.; Peppermint Water to 1½ oz. *Middlesex.*

Haustus Magnes. c. Sodâ.

Carbonate of Magnesia 8 grs.; Bicarbonate of Soda 8 grs.; Caraway Water 1 oz. *St. Bartholomew's.*

Haustus Menthæ Sulphuricus.

Mint Water 5½ drms.; Dil. Sulphuric Acid 10 mins.; Syrup 1 drm.; water to 1½ oz. *Middlesex.*

Mint Water to 1 oz.; Dil. Sulphuric Acid 10 mins.; Syrup of Red Poppies ½ drm. *St. Bartholomew's.*

Haustus Menth. S. c. Ferri Sulph.

Sulphate of Iron 1 gr.; Spirit of Chloroform 10 mins.; Sulphuric Mint Draught 1 oz. *St. Bartholomew's.*

Haustus Menthæ S. c. Magn. Sulph.

Mint Water to 1 oz.; Dil. Sulphuric Acid 10 mins.; Sulphate of Magnesia 1 drm.; Syrup of Red Poppies ½ drm. *St. Bartholomew's.*

Haustus Morphiæ Acetatis.

Acetate of Morphia ¼ gr.; Pimenta Water 6 drms.; water to 1½ oz. *St. George's.*

Haustus Morphiæ c. Ferro.

Hydrochlorate of Morphia $\frac{1}{12}$ gr.; Solution of Perchloride of Iron 15 mins.; Dil. Hydrochloric Acid 3 mins.; Spirit of Chloroform 10 mins.; water to 1 oz. *St. Bartholomew's.*

Haustus Morphiæ Hydrochlor.

Hydrochlorate of Morphia $\frac{1}{6}$ gr.; Hydrochloric Acid ⅓ min.; water to 1 oz. *St. Bartholomew's.*

Haustus Ol. Morrhuæ.

Cod Liver Oil 2 drms.; Mucilage 2 drms.; White Sugar ½ drm.; Caraway Water to 1 oz. *St. Bartholomew's.*

Haustus Ol. Morrhuæ Alkalinus.

Cod Liver Oil 2 drms.; Solution of Potash 15 mins.; Caraway Water to 1 oz. *St. Bartholomew's.*

Haustus Ol. Ricini.

Castor Oil 2 drms.; Mucilage 2 drms.; White Sugar 30 grs.; Caraway Water 1 oz. *St. Bartholomew's.*

Haustus Ol. Ricini Alkalinus.

Castor Oil 2 drms.; Solution of Potash 15 mins.; Caraway Water to 1 oz. *St. Bartholomew's.*

Haustus Ol. Ricini c. Opio.

Castor Oil 3 drms.; Tinct. Opii 5 mins.; Cassia Water to 1 oz. *Westminster.*

Haustus Opiatus.

Tincture of Opium 15 mins.; Pimenta Water 6 drms.; water to 1½ oz. *St. George's.*

Haustus Opii c. Æthere.

Tincture of Opium 15 mins.; Ether 15 mins.; Camphor Water to 1 oz. *Fever.*

Haustus Pimentæ.

Pimenta Water 6 drms.; water to 1½ oz. *St. George's.*

Haustus Plumbi.

Acetate of Lead 3 grs.; Dil. Acetic Acid 5 mins.; Distilled Water to 1 oz. *Fever.*

Haustus Plumbi c. Morphiâ.

Acetate of Lead 3 grs.; Acetate of Morphia ⅙ gr.; Dil. Acetic Acid 5 mins.; Peppermint Water to 1 oz. *Fever.*

Haustus Potassæ Bicarbonatis

Bicarbonate of Potash 30 grs.; Nitrate of Potash 10 grs.; water to 1 oz. *Fever.*

Haustus Potassæ Chloratis.

Chlorate of Potash 20 grs.; water to 1 oz. *Fever.*

Haustus Potassæ Chloratis c. Ferro.

Chlorate of Potash 20 grs.; Tincture of Perchloride of Iron 20 mins.; water to 1 oz. *Fever.*

Haustus Potassæ Chloratis Co.

Chlorate of Potash 6 grs.; Chloride of Sodium 20 grs.; Bicarbonate of Soda 30 grs.; water to 1½ oz. (Represents Dr. Stevens's Saline.) *Middlesex.*

Haustus Potassæ Citratis.

Bicarbonate of Potash 20 grs.; Citric Acid 14 grs.; water to 1½ oz. Taken during effervescence. *St. George's. Middlesex.*

Haustus Potassæ Effervescens.

Bicarbonate of Potash 20 grs.; water 1 oz.; Citric Acid 14 grs.; water to 1 oz.: mix. *St. Bartholomew's.*

Haustus Potassæ Nitratis.

Nitrate of Potash 10 grs.; Mint Water ½ oz.; water to 1½ oz. *St. George's. Middlesex.*

Haustus Potassæ Tart., *vel* H. Salinus.

Bicarbonate of Potash 20 grs.; Tartaric Acid 14 grs.; water to 1½ oz. *Middlesex.*

Bicarbonate of Potash 20 grs.; Mint Water ½ oz.; Tartaric Acid 15 grs.; water to 1½ oz. *St. George's.*

Haustus Potassii Iodidi.

Iodide of Potassium 3 grs.; Carbonate of Potash 10 grs.; Pimenta Water 6 drms.; water to 1½ oz. *St. George's.*

Haustus Potassii Iodidi Ammoniatus.

Iodide of Potassium 3 grs.; Carbonate of Ammonia 2 grs.; water 1 oz. *St. Bartholomew's.*

Haustus Purgans.

Sulphate of Magnesia 3 drms.; Tincture of Jalap 1 drm.; Infusion of Senna to 1½ oz. *Westminster.*

Haustus Quassiæ.

Tincture of Ginger 1 drm.; Infusion of Quassia to 1½ oz. *St. George's.*

Haustus Quassiæ et Ferri.

Solution of Perchloride of Iron 15 mins.; Quassia Draught 1 oz. *St. George's. St. Bartholomew's.*

Haustus Quiniæ.

Sulphate of Quinia 2 grs.; Dil. Sulphuric Acid 4 mins.; Tincture of Orange 1 drm.; water to 1½ oz. *St. George's.*

Sulphate of Quinia 1 gr.; Dil. Sulphuric Acid 1½ min.; water 1 oz. *St. Bartholomew's.*

Sulphate of Quinia 2 grs.; Dil. Sulphuric Acid 10 mins.; water to 1 oz. *Fever.*

Haustus Quiniæ Acidus.

Sulphate of Quinia 2 grs.; Dil. Sulphuric Acid ½ drm.; Comp. Tincture of Cardamoms 1 drm.; Syrup 1 drm.; water to 1½ oz. *St. George's.*

Haustus Quiniæ c. Ferro.

Sulphate of Quinia 2 grs.; Sulphate of Iron 2 grs.; Dil. Sulphuric Acid 10 mins.; water 1½ oz. *St. George's.*

Sulphate of Quinia 1 gr.; Sulphate of Iron 1 gr.; Dil. Sulphuric Acid 2 mins.; water to 1 oz. *Middlesex.*

Sulphate of Quinia 1 gr.; Sulphate of Iron ½ gr.; Spirit of Chloroform 10 mins.; Sulphuric Mint Draught to 1 oz. *St. Bartholomew's.*

Haustus Quiniæ c. Opio.

Sulphate of Quinia 1 gr.; Dil. Sulphuric Acid 15 mins.; Tincture of Opium 5 mins.; Peppermint Water 1 oz. *St. Bartholomew's. Fever.*

Haustus Quiniæ c. Potassii Iodido.

Sulphate of Quinia 2 grs.; Dil. Sulphuric Acid 4 mins.; Iodide of Potassium 5 grs.; water to 1 oz. *St. Bartholomew's.*

Haustus Rhei.

Rhubarb 20 grs.; Aromatic Powder of Chalk 20 grs.; Pimenta Water 6 drms.; water to 1½ oz. *St. George's.*

Rhubarb 20 grs.; Sulphate of Potash 20 grs.; Aromatic Spirit of Ammonia 20 mins.; Mint Water 1½ oz. *Westminster.*

Haustus Rhei Co.

Rhubarb 20 grs.; Carbonate of Magnesia 20 grs.; Aromatic Spirit of Ammonia 20 mins.; Pimenta Water 6 drms.; water to 1½ oz. *St. George's.*

Haustus Rhei c. Magnes.

Comp. Rhubarb Powder 30 grs.; Caraway Water to 1 oz. *St. Bartholomew's.*

Haustus Scillæ Co.

Tincture of Squills 15 mins.; Spirits of Nitrous Ether 1 drm.; Solution of Acetate of Ammonia 2 drms.; Pimenta Water to 1½ oz. *Middlesex.*

Haustus Scopar. Co.

Comp. Decoction of Broom 11 drms.; Comp. Spirits of Juniper ½ drm.; Tartrate of Potash 20 grs. *St. Bartholomew's.*

Haustus Senegæ Co.

Carbonate of Ammonia 4 grs.; Tincture of Squills 15 mins.; Pimenta Water 4 drms.; Infusion of Senega to 1½ oz. *Middlesex.*

Carbonate of Ammonia 5 grs.; Spirit of Chloroform 15 mins.; Tincture of Squills 10 mins.; Infusion of Senega 1 oz. *Fever.*

Haustus Sennæ.

Sulphate of Magnesia 2 drms.; Tincture of Senna 2 drms.; Aromatic Spirit of Ammonia 20 mins.; Comp. Infusion of Senna to 1½ oz. *St. George's.*

Haustus Sennæ Co.

Sulphate of Magnesia 120 grs.; Tincture of Senna 2 drms.; Infusion of Senna to 1 oz. *Fever.*

Sulphate of Magnesia 2 drms.; Tincture of Senna 2 drms.; Comp. Infusion of Senna to 1 oz. Dose 1 to 2 oz. *London Ophthalmic.*

Sulphate of Magnesia 2 drms.; Oil of Peppermint ¼ min.; Comp. Infusion of Senna to 1½ oz. *St. Bartholomew's.*

Sulphate of Magnesia 4 drms.; Oil of Pimenta 1 min.; Extract of Liquorice 10 grs.; Comp. Infusion of Senna to 1½ oz. *Middlesex.*

Haustus Sennæ c. Aloë.

Tartrate of Potash 2 drms.; Comp. Decoction of Aloes 4 drms.; Infusion of Senna to 1½ oz. *Westminster.*

Haustus Sodæ Effervescens.

Bicarbonate of Soda 20 grs.; water 1 oz.; Tartaric Acid 17 grs.; water to 1 oz.: mix. *St. Bartholomew's.*

Haustus Sodæ Tart.

Bicarbonate of Soda 20 grs.; Tartaric Acid 17 grs.; water 2 oz. During effervescence. *Middlesex. St. Bartholomew's.*

Haustus Sodæ Tart. c. Rheo.

Rhubarb 10 grs.; Tartrate of Soda 1 drm.; Manna ½ drm.; Spirit of Nutmeg ½ drm.; water to 1½ oz. *Middlesex.*

Haustus Terebinth.

Oil of Turpentine 15 mins.; Mucilage 1 drm.; Pimenta Water to 1½ oz. *St. George's.*

Oil of Turpentine 15 mins.; Ether 15 mins.; Mucilage 2 drms.; Peppermint Water to 1 oz. *Fever.*

Oil of Turpentine 15 mins.; Mucilage 1 drm.; Pimenta Water to 1½ oz. *Middlesex.*

Oil of Turpentine 20 mins.; Mucilage 2 drms.; Caraway Water to 1 oz. *St. Bartholomew's.*

Haustus Tragacanthæ c. Ipecacuanhâ.

Ipecacuanha Wine 10 mins.; Mucilage of Tragacanth 1 oz. *Fever.*

Haustus Valerianæ.

Ammoniated Tincture of Valerian 1 drm.; water to 1 oz. *Fever.*

Haustus Valerianæ c. Hyoscyamo.

Ammoniated Tincture of Valerian ½ drm.; Tincture of Hyoscyamus ½ drm.; Camphor Water to 1 oz. *St. Bartholomew's.*

Haustus Zinci Emeticus.

Sulphate of Zinc 20 grs.; water 1 oz. *St. Bartholomew's.*

INFUSA.

Infusum Chiratæ.

Chiretta 2 drms.; boiling water 16 oz.: ½ hour. *Westminster.*

Infusum Cinchon. c. Calce.

Bruised Yellow Bark 1 oz.; Lime Water 16 oz.: 24 hours. *Westminster.*

Infusum Gentian. Co.

Sliced Gentian 100 grs.; Powdered Canella 50 grs.; boiling water 20 oz.: 1 hour. Dose 1 to 2 oz. *St. George's.*

Gentian Root 2 drms.; Ginger 1 drm.; water 20 oz.: 1 hour. *London.*

Sliced Gentian, Dried Orange Peel, of each 2 drms.; boiling water 20 oz.: strain and add Essence of Lemon 40 mins. *Guy's.*

Infusum Gummi Rubri.

Red Gum ½ oz.: boiling water 20 oz. for 1 hour. *London.*

Infusum Juniperi.

Juniper Berries 2½ oz.; boiling water 20 oz.: 2 hours. Infuse, strain, and add Spirits of Juniper 10 drms. Dose 2 oz. *Guy's.*

Infusum Krameriæ Co.

Infusion of Krameria 11 oz.; Ipecacuanha Wine ½ oz.; Tincture of Catechu ½ oz. Dose 1 oz. 3 or 4 times a day. *Guy's.*

Infusum Matico.

Matico 1 oz.; boiling water 20 oz.: 2 hours. *Guy's.*

Infusum Menthæ Co.

Spearmint dried 2 oz.; French Roses 4 scruples; Sugar 1½ oz.; Dil. Sulphuric Acid 2 drms.; boiling water 20 oz.: ½ hour. Dose 1 to 2 oz. 2 or 3 times daily. *Guy's.*

Infusum Quassiæ Co.

Quassia 1 drm.; Ginger 1 drm.; boiling water 20 oz.: infuse 4 hours. *Skin.*

Infusum Sarsæ c. Calce.

Sliced Sarsa 2 oz.; Liquorice Root 2 drms.; Lime Water 16 oz.: 24 hours. *Westminster.*

Infusum Sarsæ Frigidum.

Sliced Sarsa 1 oz.; Lime Water 20 oz.: 6 hours. Dose 2 to 4 oz. 2 or 3 times a day. *Guy's.*

Infusum Sennæ Co.

Senna Leaves 15 drms.; Extract of Liquorice 2 drms.; Ginger 1 drm.; Coriander 2 drms.; boiling water 20 oz.: 1 hour. *Westminster.*

Infusum Spigeliæ.

Spigelia 1 oz.; boiling water 16 oz.: 2 hours. *Westminster.*

Infusum Sumbuli.

Sumbul 4 drms. and 10 grs.; boiling water 1 pint: 2 hours; strain and add Tincture of Sumbul 1½ oz. Dose 1 oz. 3 or 4 times daily. *Guy's.*

INHALATIONES.—*Vide* VAPORES.

INJECTIONES.

Injectio Acidi Tannici.

Tannic Acid 2 drms.; Glycerine 1 oz.; water 3 oz. *Fever.*

Injectio Argenti Nitratis.

Nitrate of Silver 1½ gr.; Dil. Nitric Acid 1¼ min.; distilled water to 1 oz. *Westminster.*

Injectio Calcis c. Plumbo.

Solution of Diacetate of Lead 3½ mins.; Olive Oil 2 drms.; Lime Water to 1 oz. *Westminster.*

Injectio Conii c. Ferro.

Sulphate of Iron 3 grs.; Extract of Conium 9 grs.; water to 1 oz. *Middlesex.*

Injectio Ferri Perchloridi.

Tincture of Perchloride of Iron 3¾ mins.; water to 1 oz. *Westminster.*

Injectio Morphiæ.

Acetate of Morphia 10 grs.; Acetic Acid 1 min.; or *q. s.* water to 1 drm.: add Liquor Potassæ 1 min. to saturate, for subcutaneous injection. 6 mins. contain 1 gr. *Middlesex.*

Injectio Plumbi.

Solution of Subacetate of Lead 2½ mins.; Acetic Acid 2 mins.; water to 1 oz. *Westminster.*
Acetate of Lead 16 grs.; water 4 oz. *Fever.*
Solution of Subacetate of Lead 3 mins.; water 1 oz. *Middlesex.*

Injectio Quercus Co.

Alum 8 grs.; Sulphate of Zinc 8 grs.; Decoction of Oak Bark ½ oz.; water to 1 oz. *Middlesex.*

Injectio Quercus c. Alumine.

Alum 1 drm.; Decoction of Oak Bark 4 oz. *Fever.*

Injectio Quercus Cort. (vaginalis).

Alum 6 grs.; Decoction of Oak Bark to 1 oz. *University. Guy's.*

Injectio Vaginalis, *vide* Injectio Quercus Cort.

Injectio Zinci Sulphatis.

Sulphate of Zinc 2 grs.; water to 1 oz. *Westminster.*
Sulphate of Zinc 2 grs.; Alum 4 grs.; water 1 oz. *King's.*
Used also for purulent ophthalmia.
Sulphate of Zinc 8 grs.; water 1 oz. *Fever.*

Injectio Zinci Sulphocarbolatis.

Sulphocarbolate of Zinc 2 grs.; water 1 oz. *King's.*

LAC.

Lac c. Sevo.

Cut Suet 1 oz.; water 5 oz.; boil 10 minutes, strain, and add Milk 16 oz., Cinnamon 30 grs., Sugar 1 oz.; boil again for 10 minutes and strain. Dose 2 to 4 oz. *Westminster.*

LINCTUS.

Linctus Acidus.

Dil. Sulphuric Acid 1 drm.; Oxymel 4 drms.; Treacle 6 drms. Dose 1 drm. *Consumption.*

Linctus Communis.

Dil. Sulphuric Acid 7½ mins.; Tincture of Squills 30 mins.; Syrup of Poppies 1½ drm.; Powdered Tragacanth 6 grs.; Treacle 2 drms.; water 4 drms. Dose ½ to 2 drms. *Middlesex.*

Dil. Sulphuric Acid 5 mins.; Liquid Extract of Opium 5 mins.; Tincture of Squills 15 mins.; Treacle ½ drm.; water to 1 drm. *Charing Cross.*

Acetic Acid 2 mins.; Vinegar of Squills 36 mins.; Syrup of Poppies 36 mins.; Confection of Hips 100 grs.; Powdered Tragacanth 6 grs.; boiling water 5 drms. *St. Bartholomew's.*

Olive Oil 4 drms.; Confection of Hips 6 drms.; Vinegar of Squills 1½ drm.; Tincture of Opium 7½ mins.; Treacle 3 drms. Dose 1 to 2 drms. *St. George's.*

Olive Oil 1 part; Vinegar of Squills 1 part; Tincture of Opium 1 part; Flour 8 parts; Treacle 56 parts. *London Ophthalmic.*

Olive Oil 1 oz.; Vinegar of Squills 1 oz.; Tincture of Opium ½ oz.; Starch 11 drms.; Treacle 11 oz.; water to 16 oz. Dose 1 drm. (LOHOCH) *London.*

Linctus c. Ipecacuanhâ.

Ipecacuanha Wine ½ drm.; Linctus to 1 oz. Dose a teaspoonful. *St. Bartholomew's.*

Linctus Creasoti.

Creasote 1 min.; Glycerine 1 drm.; water to 1 oz. *Chest.*

Linctus Morphiæ.

Muriate of Morphia ⅛ gr.; Dil. Hydrochloric Acid ¼ min.; Dil. Prussic Acid 3¾ mins.; Syrup of Squills 2 drms.; water 4 drms. Dose 1 to 2 drms. *Middlesex.*

Linctus Morphiæ Acetatis.

Solution of Acetate of Morphia 2 drms.; Chloric Ether ½ drm.; Lemon Juice ½ oz.; Mucilage 1 oz. Dose 1 drm. *Consumption.*

Acetate of Morphia $\frac{1}{13}$ gr.; Oxymel 1 drm.; water 1 drm. Dose 1 to 2 drms. *St. Mary's.*

Linctus Opiatus.

Tincture of Opium 15 mins.; Dil. Sulphuric Acid 30 mins.; Treacle ½ oz.; boiling water ½ oz. *London.*

Tincture of Opium 10 mins.; Dil. Sulphuric Acid 12½ mins.; Treacle 5 drms. 1 scrup.; water 2 drms. Dose a teaspoonful occasionally. *Guy's.*

Tincture of Opium 8 mins.; Dil. Sulphuric Acid 16 mins.; Treacle 4 drms.; Infusion of Quassia to 1 oz. *Chest.*

Tincture of Opium 15 mins.; Dil. Sulphuric Acid 30 mins.; Treacle 4 drms.; water to 1 oz. *London.*

Linctus Opii.

Tincture of Opium 30 mins.; Dil. Sulphuric Acid 30 mins.; Treacle 6 drms. Dose 1 drm. *Consumption.*

Linctus Papaveris.

Syrup of Poppies 4 drms.; Dil. Sulphuric Acid 30 mins.; Mucilage 4 drms. *Westminster.*

Linctus Potassæ Nitratis.

Nitrate of Potash 1½ drm.; Oxymel 4 drms.; Syrup of Roses to 1½ oz. *Guy's.*

Linctus Scillæ.

Oxymel of Squills 2 drms.; Dil. Sulphuric Acid 30 mins.; Tincture of Opium 15 mins.; Treacle 6 drms. *Consumption.*

Oxymel of Squills 1 drm.; Tincture of Tolu 10 mins.; Paregoric 15 mins.; water 1 drm. Dose 2 drms. *St. Mary's.*

Linctus Scillæ Co.

Oxymel of Squills 2 drms.; Syrup of Poppies 2 drms.; Paregoric 1 drm.; Ipecacuanha Wine 1 drm.; Mucilage 5 drms. *Westminster.*

Oxymel of Squills 160 mins.; Comp. Tincture of Camphor 80 mins.; Ipecacuanha Wine 40 mins.; Mucilage to 1 oz. *Chest.*

Oxymel of Squills 2 drms.; Paregoric 1 drm.; Ipecacuanha Wine ½ drm.; Mucilage 6 drms. *University.*

Linctus pro Tussi.

Oxymel of Squills, Syrup of Poppies, Mucilage, of each equal parts. *St. Thomas's.*

LINIMENTA.

Linimentum Acidi Sulph.

Strong Sulphuric Acid 1½ fl. drm.; Oil of Turpentine 4 drms.; Olive Oil 1½ oz. *Westminster.*

Strong Sulphuric Acid ½ fl. drm.; Spirits of Turpentine 4 drms.; Olive Oil 12 drms. *St. George's.*

Linimentum Aconiti.

Tincture of Aconite 1 oz.; Glycerine 1 oz. *London Ophthalmic.*

Tincture of Aconite 1 oz.; Soap Liniment 1 oz.; *London.*

Linimentum Aconiti c. Opio.

Tincture of Aconite 3 drms.; Liniment of Opium to 1 oz. *St. Thomas's.*

Linimentum Æruginis.

Powder of Verdigris 1 oz.; Dil. Acetic Acid 7 oz.; Honey 14 oz.: dissolve the Verdigris in the Acid, and filter, add the Honey and boil to a proper consistence. *Middlesex.*

Linimentum Ammoniæ.

Solution of Ammonia and Olive Oil equal parts. *London Ophthalmic.*

Solution of Ammonia 1 oz.; Rape Oil 3 oz. *London.*

Linimentum Belladonnæ c. Glycerino.

Extract of Belladonna 1 drm.; Glycerine 4 drms. *London Ophthalmic.*

Linimentum Calcis.

Linseed Oil 1 drm.; Lime Water 3 drms. *Westminster.*

Linimentum Calcis c. Cretâ.

Linseed Oil 1 oz.; Prepared Chalk ½ oz.; Lime Water 1 oz. *Middlesex.*

Linimentum Camph. c. Cantharide.

Comp. Camphor Liniment 14½ drms.; Tincture of Opium 2 drms.; Tincture of Cantharides 3½ drms. *University.*

Vinegar of Cantharides, Acetic Acid, Spirit of Camphor, of each equal parts. *Chest.*

Linimentum Chloroformi.

Chloroform 1 oz.; Olive Oil 2 oz.; mix. *London.*

Chloroform 1 oz.; Olive Oil 1 oz. *London Ophthalmic.*

Chloroform 1 oz.; Olive Oil 3 oz. *Guy's.*

Linimentum Chloroformi Co.

Chloroform 1 drm.; Strong Mercurial Ointment 30 grs.; Camphorated Oil 2 drms. *Skin.*

Used in papular, neuralgic, and cachectic affections.

Linimentum Commune.

Oil of Thyme 6 mins.; Rape Oil 2 oz. *London.*

Soft Soap 3; Camphor 1; Rectified Spirit 8; water 8. *St. George's.*

Linimentum Cretæ.

Prepared Chalk 2 oz.; Olive Oil 6 drms.; Rose Water 6 drms. *St. George's.*

Linimentum Crotonis.

Croton Oil 1 drm.; Soap Liniment 2 oz. *Consumption.*

Croton Oil 1 drm.; Camphorated Oil 1 oz. *St. Mary's.*

Croton Oil 1 drm.; Oil of Turpentine 4 drms.; Olive Oil 4 drms. *London Ophthalmic.*

Linimentum Crotonis Fortius.

Croton Oil 1 drm.; Rectified Spirit 1 drm. *Middlesex.*

Linimentum Hydrarg. c. Iodo.

Iodine 1 drm.; Strong Mercurial Ointment 4 drms.; Glycerine 4 drms.; Olive Oil 7 drms. *Skin.*
Iodine 1 drm.; Strong Mercurial Ointment 4 drms.; Glycerine 1½ oz. *Westminster Ophthalmic.*
Used in tubercular and cachectic affections.

Linimentum Hydrarg. Oxyd. Rubri.

Levigated Nitric Oxide of Mercury 1 drm.; Oil of Bitter Almonds 10 mins.; Glycerine 1 drm.; Lard 2 oz.; Olive Oil 2 oz. *Skin.*
Red Oxide of Mercury 1 drm.; Glycerine 1 drm.; Benzoated Lard 2 drms.; Olive Oil 2 oz.: mix. *Charing Cross.*
Used in squamous and vesicular affections, chiefly for the scalp.

Linimentum Iodi Co.

Tincture of Iodine 2½; Strong Solution of Ammonia 1; Common Liniment 2½. *St. George's.*

Linimentum Iodi c. Opio.

Compound Tincture of Iodine 1 drm.; Tincture of Opium 1 drm. *Skin.*
Used in tubercular cachectical affections.

Linimentum Opii.

Tincture of Opium 1 drm.; Comp. Soap Liniment 3 drms. *London. St. Bartholomew's.*

Linimentum Plumbi.

Solution of Subacetate of Lead 2 drms.; Olive Oil 14 drms. *St. Bartholomew's.*

Linimentum Plumbi Opiatum.

Solution of Diacetate of Lead 2 drms.; Tincture of Opium 2 drms.; Honey 2 drms.; Confection of Roses 1 oz. *Guy's.*

Linimentum Saponis.

Soft Soap 90 grs.; Camphor 22½ grs.; Rectified Spirit 1½ drm.; Oil of Turpentine 15 mins.; water 7½ drms. *London.*

Soft Soap 12 drms.; Camphor 4 drms.; Spirits of Wine 8 oz.; Oil of Thyme 1 drm. *Guy's.*

Linimentum Saponis Co.

Soft Soap 5 drms.; Solution of Ammonia 1 drm.; Rectified Spirit 3 drms.; Oil of Marjoram 6 mins.; Oil of Turpentine 1½ drm.; boiling water to 4 oz. *St. Bartholomew's.*

Linimentum Saponis c. Cantharide.

Soft Soap Liniment 3 drms.; Tincture of Cantharides 1 drm. *Middlesex.*

Soap Liniment 7 drms.; Tincture of Cantharides 1 drm. *Westminster.*

Linimentum Saponis Mollis.

White Soft Soap 1 oz.; boiling distilled water 10 oz. *Middlesex.*

Linimentum Saponis c. Opio.

Tincture of Opium 2 drms.; Soap Liniment 10 drms. *Consumption.*

Linimentum Sinapis.

Mustard 24 grs.; Oil of Turpentine 1 oz. *St. Thomas's.*

Linimentum Terebinth.

Oil of Turpentine 1½ oz.; Soap Liniment 1½ oz. *London.*

Oil of Turpentine 1½ oz.; Resin Cerate 2½ oz.; mix with heat. *Westminster.*

Linimentum Terebinth. c. Chloroformo. *Vide* Lin. Chlorof. c. Tereb.

Linimentum Terebinth. c. Ammoniâ.

Liniment of Turpentine 6 drms.; Solution of Ammonia 6 drms.; Oil of Cajeput 15 mins.; Olive Oil to 2 oz. *Chest.*

Linimentum Terebinth. c. Chloroformo.

Liniment of Turpentine 1½ oz.; Chloroform ½ oz. *St. Mary's.*

Linimentum Volatile.

Strong Solution of Ammonia ½ oz.; Soap Liniment 1 oz.; Tincture of Cantharides ¼ oz.; Tincture of Opium ¼ oz. *London.*

LIQUORES.

Liquor Atropiæ Sulph.

Sulphate of Atropia 2 grs.; water 1 oz. *Westminster Ophthalmic. Middlesex.*

Liquor Chlori.

Chlorate of Potash 30 grs.; Hydrochloric Acid ½ oz.; water to 1 oz. *London. Middlesex.*

Liquor Ferri Iodidi (Squire).

Same strength as Syr. Ferri Iodidi. *Westminster Ophthalmic.*

Liquor Ferri Tartarati.

Tartarated Iron 8 grs.; Treacle ½ drm.; boiling water to 1 oz. Dose 1 to 4 drms. *St. Bartholomew's.*

Liquor Quiniæ Ammoniatus.

Sulphate of Quinia 24 grs.; Strong Solution of Ammonia 4 drms.; Rectified Spirit to 3 oz. Dose 30 to 60 mins. *London.*

Liquor Ruber.

Raw Sugar 8 oz.; boiling water 1 gallon. Heat the Sugar in an iron vessel until it fuses to a deep brown colour, then add the boiling water. *London.*

LOHOCH.—*Vide* LINCTUS.

LOTIONES.

Lotio Aceti.

Dilute Acetic Acid ½ drm.; water to 1 oz. *London Ophthalmic. St. Bartholomew's.*

Lotio Acidi Acetici c. Glycerino.

Acetic Acid 2 drms.; Glycerine 1 oz.; water to 10 oz. *Middlesex.*

Lotio Acidi Carbolici.

Carbolic Acid Crystals 1 gr.; water to 64 mins. *Westminster Ophthalmic.*

Carbolic Acid in Crystals 1 gr.; water to 40 mins. *St. George's. Middlesex. Charing Cross. Chest.*

Carbolic Acid 1 gr.; Glycerine 4 grs.; water to 56 mins. *University.*

Carbolic Acid 1 gr.; water to 80 mins. *St. Thomas's.*

Carbolic Acid Crystals 1 gr.; water to 55 mins. *Fever.*

Carbolic Acid Crystals 1 gr.; Mucilage 4 mins.; water to 80 mins. *King's.*

Carbolic Acid Crystals 1 gr.; water to 64 mins. *London.*

Carbolic Acid Crystals 1 gr.; water 160 mins. *St. Mary's.*

Carbolic Acid Crystals 3 grs.; Glycerine 12 mins.; water to 1 oz. *St. Bartholomew's.*

Lotio Acidi Hydrocyan.

Dilute Hydrocyanic Acid 7½ mins.; water to 1 oz. *Guy's.*

Dilute Hydrocyanic Acid 10 mins.; water to 1 oz. *St. Bartholomew's. London Ophthalmic.*

Dilute Hydrocyanic Acid 12 mins.; Rectified Spirit 36 mins.; water to 1 oz. *St. Thomas's.*

Dilute Hydrocyanic Acid 30 mins.; water to 1 oz. *St. Mary's. St. George's.*

Lotio Acidi Nitrici.

Strong Nitric Acid 3 mins.; Tincture of Opium 3 mins.; water to 1 oz. *University.*

Strong Nitric Acid 4 mins.; Tincture of Opium 6 mins.; water 1 oz. *King's.*

Strong Nitric Acid 3 mins.; water to 1 oz. *St. Thomas's. St. Mary's.*

Strong Nitric Acid 2 mins.; water to 1 oz. *Guy's.*

Dilute Nitric Acid 6 mins.; water to 1 oz. *London.*

Dilute Nitric Acid 7½ mins.; water to 1 oz. *Westminster.*

Dilute Nitric Acid 12 mins.; Tincture of Myrrh 6 mins.; water to 1 oz. Diluted with 1 to 3 of water. *Skin.*

Used in ulcerous, papular, vesicular, and neuralgic affections.

Lotio Acidi Nitro-Hydrochlor.

Same as Mixture of Nitro-Hydrochlor., though sometimes made stronger. *Guy's.*

Nitric Acid 3 mins.; Muriatic Acid 6 mins.; water to 1 oz. *St. Thomas's.*

Lotio Acidi Sulphurosi.

Sulphurous Acid 1 drm.; water to 1 oz. *Middlesex.*

Sulphurous Acid ½ oz.; Glycerine ½ oz. *St. Bartholomew's.*

Lotio Acidi Tannici.

Glycerine of Tannic Acid 1 drm.; water 1 oz. *St. Mary's.*

Lotio Acidi Tannici c. Opio.

Tannic Acid 10 grs.; Tincture of Opium 20 mins.; water to 1 oz. *St. Mary's.*

Lotio Ætheris.

Ether 1 oz.; water 40 oz. *Middlesex.*

Lotio Alkalina.

Bicarbonate of Potash 6 grs.; water to 1 oz. *Middlesex.*

Bicarbonate of Potash 22 grs.; Iodide of Potassium 3 grs.; water 1 oz. *Charing Cross.*

Lotio Alkalina c. Opio.

Carbonate of Potash 12 grs.; Tincture of Opium 24 mins.; water to 1 oz. *St. Mary's.*

Lotio Aluminis.

Alum 2 grs.; water 1 oz. *University.*

Alum 6 grs.; water to 1 oz. *St. Mary's. London Ophthalmic.*

Alum 7½ grs.; water to 1 oz. *Guy's.*

Alum 16 grs.; water to 1 oz. *St. Bartholomew's.*

Alum 4½ grs.; water to 1 oz. *St. Thomas's.*

Alum 1½ gr.; water 1 oz. *Westminster Ophthalmic.*

Alum 6 grs.; water 1 oz. *Charing Cross.*

Lotio Aluminis c. Decoct. Quercus.

Alum 4½ grs.; Decoction of Oak Bark to 1 oz. *St. Thomas's.*

Lotio Aluminis Co.

Alum 3 grs.; Sulphate of Zinc 3 grs.; water 1 oz. *London.*

Alum 7½ grs.; Sulphate of Zinc 7½ grs.; water 1 oz. *Guy's.*

Alum 8 grs.; Sulphate of Zinc 8 grs.; water 1 oz. *St. Bartholomew's.*

Alum 4 grs.; Sulphate of Zinc 2 grs.; Distilled Water 1 oz. *London Ophthalmic.*

Alum 1½ gr.; Sulphate of Zinc 1½ gr.; Distilled Water 1 oz. *Westminster Ophthalmic.*

Lotio Aluminis Ferri.

Iron Alum 6 grs.; water to 1 oz. *St. Mary's.*

Lotio Aluminis Mitior.

Alum 3 grs.; water to 1 oz. *London Ophthalmic.*

Alum 8 grs.; water 1 oz. *St. Bartholomew's.*

Lotio Aluminis Mitissima.

Alum 4 grs.; water 1 oz. *St. Bartholomew's.*

Lotio Ammon. Acet.

Solution of Acetate of Ammonia 7 drms; water to 3 oz. *Middlesex. St. George's.*

Lotio Ammon. Hydrochlor.

Muriate of Ammonia 16 grs.; Distilled Vinegar to 1 oz.. *Guy's.*

Muriate of Ammonia 24 grs.; Distilled Vinegar 48 mins.; Spirits of Wine 48 mins.; water to 1 oz. *Middlesex.*

Muriate of Ammonia 24 grs.; Distilled Vinegar 72 mins.; Spirits of Wine 72 mins.; water to 1 oz. *St. Mary's.*

Muriate of Ammonia 30 grs.; Distilled Vinegar 1 drm.; Spirits of Wine 1 drm.; water to 1 oz. *Westminster. St. George's. Fever.*

Lotio Argenti Nitratis.

Nitrate of Silver 2 grs.; water to 1 oz. *St. Bartholomew's. St. Mary's.*

Nitrate of Silver 3 grs.; water to 1 oz. *London.*

Nitrate of Silver 4 grs.; water to 1 oz.; diluted with 1 to 3 of water. *Skin.*

Used in phlegmonous and vesicular affections, also in collyria.

Lotio Argenti Nitratis Ætherea.

Nitrate of Silver 20 grs.; Distilled Water 1 drm.; Spirit of Nitrous Ether to 1 oz. *London.*

Lotio Argenti Nitratis Fortis.

Nitrate of Silver 1 drm.; Distilled Water 1 oz. *Fever.*

Lotio Argenti Nitr. Mitior.

Nitrate of Silver 1 gr.; water 1 oz. *St. Bartholomew's.*

Lotio Arnicæ.

Tincture of Arnica 24 mins.; water to 1 oz. *Middlesex. St. George's.*

Tincture of Arnica 2 drms.; water to 1 oz. *St. Mary's.*

Tincture of Arnica 1 drm.; Lead Lotion to 1 oz. *St. Bartholomew's.*

Lotio Arsenicalis.

Arsenical Solution 30 mins.; water to 1 oz. *St. Mary's.*

Lotio Atropiæ Sulphatis.

Sulphate of Atropia 1 gr.; water 10 oz; Eye Water, No. 2. *University.*

Sulphate of Atropia 2 grs.; water 1 oz. *St. Bartholomew's. Westminster Ophthalmic.*

Lotio Belladonnæ.

Extract of Belladonna 9 grs.; water 1 oz. *Westminster Ophthalmic.*

Lotio Belladonnæ Co.

Extract of Belladonna 12 grs.; Hydrocyanic Acid 12 mins.; Glycerine 24 mins.; water to 1 oz.; diluted with 1 to 3 of water. *Skin.*

Used in neuralgic, papular, and phlegmonous affections.

Lotio Belladonnæ c. Opio.

Extract of Belladonna 2 grs.; Extract of Opium ½ grs.; water to 1 oz. *St. Mary's.*

Lotio Bismuthi Co.

Subnitrate of Bismuth 6 grs.; Perchloride of Mercury ¼ gr.; Oxide of Zinc 9 grs.; Spirit of Camphor 1½ min.; water 1 oz. *Charing Cross.*

Lotio Bismuthi Nitr.

Subnitrate of Bismuth 6 grs.; Corrosive Sublimate ½ gr.; Spirits of Camphor 1½ min.; water to 1 oz.; diluted with 1 to 3 of water. *Skin.*

Used in sebaceous, vesicular, pustular, and squamous affections.

Lotio Boracis.

Borax 6 grs.; Spirits of Wine 12 mins.; Spirits of Camphor 1½ min.; water to 1 oz.; diluted with 1 to 3 of water. *Skin.*

Borax 4½ grs.; water to 1 oz. *St. Thomas's.*

Borax 36 grs.; Glycerine 72 mins.; water to 1 oz. *King's. Charing Cross.*

Borax 6 grs.; Rectified Spirit 12 mins.; Glycerine 12 mins.; Camphor Water 1 oz. *University.*

Borax 7½ grs.; Rose Water 1 oz. *Guy's.*

Borax 12 grs.; Glycerine 96 mins.; water to 1 oz. *St. Mary's.*

Borax 15 grs.; Glycerine 30 mins.; water 1 oz. *London Ophthalmic.*

Used in vesicular, ulcerous, and squamous affections.

Lotio Boracis Co.

Borax 4½ grs.; Glycerine 24 mins.; Carbonate of Ammonia 4½ grs.; Hydrocyanic Acid 9 mins.; water to 1 oz.; dilute with 1 to 4 of water. *Skin.*

Used in vesicular, sebaceous, and phlegmonous affections.

Lotio Boracis c. Morphiâ.

Borax 12 grs.; Glycerine 96 mins.; Muriate of Morphia $\frac{3}{10}$ gr.; water to 1 oz. *St. Mary's.*

Lotio Boracis c. Potassâ Chloratâ.

Borax 3 grs.; Chlorate of Potash 6 grs.; water 1 oz. *St. Bartholomew's.*

Lotio Calcis Chloratæ.

Chlorinated Solution of Lime 3 mins.; water to 1 oz. *London.*

Lotio Calcis c. Spiritu.

Solution of Lime 15 oz.; Rectified Spirit 1 oz. *London.*

Lotio Calcis Sulphureti.

Quicklime 2 oz.; Sulphur 4 oz.; water 35 oz.; boil and evaporate to 1 pint. *University.*

Lotio Conii.

Extract of Conium ¼ oz.; Diluted Solution of Subacetate of Lead 12 oz. *St. George's.*

Lotio Conii c. Opio.

Extract of Conium 9 grs.; Powdered Opium 3 grs.; boiling water 1 oz. *Middlesex.*

Lotio Creasoti.

Creasote 20 mins.; Proof Spirit 1 drm.; water to 1 oz. *St. Mary's.*

Lotio Cupri Camphor. vel Lotio Rubra.

Sulphate of Copper 3¾ grs.; Camphor 1 gr.; Armen. Bole 3¾ grs.; boiling water to 1 oz. *St. George's.*

Lotio Cupri Sulphatis.

Sulphate of Copper 2 grs.; water to 1 oz. *St. Mary's. University. St. Bartholomew's.*

Lotio Evaporans.

Hydrochlorate of Ammonia 12 grs.; Spirits of Wine 36 mins.; water to 1 oz. *King's. Charing Cross.*

Solution of Acetate of Ammonia 108 mins.; Spirits of Wine 108 mins.; water to 1 oz. *St. Thomas's.*

Lotio Ferri c. Conio.

Sulphate of Iron 8 grs.; Extract of Conium 8 grs.; water 1 oz. *St. Mary's.*

Lotio Ferri Sulphatis.

Sulphate of Iron 2 grs.; water 1 oz. *St. Bartholomew's.*

Lotio Frigida.

The same as Liquor Plumbi Diacetatis Dilutus, Pharm. Lond. *London.*

Solution of Acetate of Ammonia 3½ drms.; water to 10 drms. *St. Thomas's.*

Lotio Flava.

Corrosive Sublimate 1 gr.; Lime Water 1 oz. *St. George's. St. Mary's.*

Corrosive Sublimate 1 gr.; Mucilage 24 mins.; Lime Water to 1 oz. *Middlesex.*

Corrosive Sublimate 1¼ gr.; Lime Water to 1 oz. *Guy's.*

Lotio Glycerini.

Glycerine 24 mins.; Oil of Bitter Almonds ½ min.; water to 1 oz.; diluted with 1 to 3 of water. *Skin.*

Glycerine ½ oz.; water 1 oz. *Charing Cross.*
Used in squamous and phlegmonous affections.

Lotio Hydr. Cinerea. *Vide* Lotio Nigra.

Lotio Hydr. Flava. *Vide* Lotio Flava.

Lotio Hydr. Nigra. *Vide* Lotio Nigra.

Lotio Hydr. Oxyd. *Vide* Lotio Nigra.

Lotio Hydrarg. Perchlor.

Corrosive Sublimate ⅛ gr.; water to 1 oz. *London Ophthalmic. Westminster.*

Corrosive Sublimate 1 gr.; water to 1 oz. *London.*

Corrosive Sublimate 1 gr.; Muriate of Ammonia 10 grs.; water to 1 oz. *St. Mary's.*

Corrosive Sublimate $\frac{1}{10}$ gr.; Muriate of Ammonia ½ gr.; Tincture of Cochineal *q. s.*; water 1 oz.; Eye Water, No. 1. *University.*

Corrosive Sublimate $\frac{3}{20}$ gr.; Muriate of Ammonia 1 gr.; Rectified Spirit 6 mins.; Distilled Water 1 oz. *Westminster Ophthalmic.*

Lotio Hydrarg. Perchlor. Co.

Corrosive Sublimate $\frac{3}{20}$ gr.; Muriate of Ammonia 1 gr.; Rectified Spirit 6 mins.; Extract of Belladonna 1½ gr.; Distilled Water 1 oz. *Westminster Ophthalmic.*

Lotio Hydrarg. Perchlor. Hydrocyanica.

Corrosive Sublimate ¾ gr.; Glycerine 2 drms.; Hydrocyanic Acid 8 mins.; water to 1 oz. *St. Bartholomew's.*

Lotio Hydr. Subchlor. *Vide* Lotio Nigra.

Lotio Iodi.

Tincture of Iodine 24 mins.; water to 1 oz. *London.*

Tincture of Iodine 3 mins.; water to 1 oz. *St. Thomas's.*

Tincture of Iodine 12 mins.; water 1 oz. *Fever.*

Lotio Iodi Co.

Iodine 1 drm.; Iodide of Potassium 4 scruples; water to 1 oz. *St. George's.*

Lotio Liquoris Calcis c. Spiritu.

Spirits of Wine 30 mins.; Lime Water to 1 oz. *London.*

Lotio Mellis Co.

Spirits of Wine 1 drm.; Honey ½ drm.; water to 1 oz. *Westminster.*

Lotio Mindereri.

Mindererus' Spirit ½ oz.; water 1 oz. *Middlesex.*

Lotio Myrrhæ.

Tincture of Myrrh 40 mins.; water to 1 oz. *London.*

Tincture of Myrrh 72 mins.; water to 1 oz. *King's.*

Lotio Nigra.

Calomel 9 grs.; Mucilage 72 mins.; Lime Water to 1 oz. *Middlesex.*

Calomel 15 grs.; Mucilage 7 mins.; Lime Water to 1 oz. *St. George's.*

Calomel 7½ grs.; Lime Water to 1 oz. *Westminster. Guy's.*

Calomel 10 grs.; Mucilage 15 mins.; Lime Water to 1 oz. *St. Mary's.*

Calomel 3 grs.; Solution of Potash 3 mins.; water to 1 oz.; diluted with 1 to 3 of water. *Skin.*

Used in ulcerous affections.

Lotio Opii.

Extract of Opium 3 grs.; water to 1 oz. *London. Guy's.*

Opium 5 grs.; boiling water to 1 oz. *St. Bartholomew's.*

Extract of Opium 6 grs.; boiling water to 1 oz. *St. Thomas's.*

Lotio Opii Co.

Wine of Opium 20 mins.; Solution of Acetate of Ammonia 1 oz. *London Ophthalmic.*

Lotio Opii c. Alumine.

Tincture of Opium 3 mins.; Tincture of Galls 12 mins.; Alum 24 grs.; water to 1 oz.; diluted with 1 to 3 of water. *Skin.*

Used in ulcerous and vesicular affections, also as an injection.

Lotio Papaveris c. Opio.

Decoction of Poppies 4 oz.; Extract of Hemlock 15 grs.; Wine of Opium 1 drm. *Westminster Ophthalmic.*

Lotio Plumbi.

The same as Liquoris Plumbi Diacetatis Diluti Pharm. Brit. *St. Bartholomew's. Fever.*

Lotio Plumbi Acetatis.

Acetate of Lead 2 grs.; Dilute Acetic Acid 2 mins.; water to 1 oz. *London Ophthalmic. St. Mary's. St. Bartholomew's.*

Acetate of Lead 3 grs.; Glycerine 36 mins.; water to 1 oz. *King's.*

Lotio Plumbi Subacetatis.

Solution of Subacetate of Lead 4½ mins.; Spirits of Wine 6 mins.; water to 1 oz. *Guy's.*

Lotio Plumbi Co.

Solution of Subacetate of Lead 7½ mins.; Glycerine 24 mins.; water to 1 oz.; diluted with 1 to 3 of water. *Skin.*

Used in phlegmonous and vesicular affections, also as a collyrium.

Lotio Plumbi c. Opio.

Acetate of Lead 4 grs.; Opium 4 grs.; warm water 1 oz. *Fever.*

Solution of Subacetate of Lead 4½ mins.; Proof Spirit 6 mins.; Tincture of Opium (Meth.) 12 mins.; water to 1 oz. *St. Mary's.*

Solution of Subacetate of Lead 6 mins.; Spirits of Wine 6 mins.; Extract of Opium 1 gr.; water to 1 oz. *St. Bartholomew's.*

Opium 1½ gr.; Solution of Subacetate of Lead 1 oz. *Middlesex.*

Lotio Potassæ Carbonatis.

Carbonate of Potash 22 grs.; water 1 oz. *King's.*

Lotio Potassæ Chloratis.

Chlorate of Potash 6 grs.; water 1 oz. *Middlesex.*

Lotio Potassæ Nitratis c. Sulphate Zinci.

Nitrate of Potash 1½ gr.; Sulphate of Zinc 1 gr.; water 1 oz. *Westminster Ophthalmic.*

Lotio Potassæ Permanganatis.

Solution of Permanganate of Potash 24 mins.; water 1 oz. *London.*

Solution of Permanganate of Potash 12 mins.; water 1 oz. *Fever. St. Bartholomew's.*

Solution of Permanganate of Potash 10 mins.; water 1 oz. *Charing Cross.*

Lotio Potassii Iodidi.

Iodide of Potassium 5 to 10 grs.; water 1 oz. *Westminster Ophthalmic.*

Lotio Potassæ Sulphuratæ.

Sulphurated Potash 3 grs.; water to 1 oz. *Guy's.*

Sulphurated Potash 4 grs.; Distilled Water 1 oz. *St. Bartholomew's.*

Sulphurated Potash 3¾ grs.; Lime Water 1 oz. *St. George's.*

Sulphurated Potash 12 grs.; Liquor of Potassa 3 mins.; water to 1 oz. *Charing Cross.* Diluted with 1 to 3 of water. *Skin.*

Sulphurated Potash 24 grs.; water to 1 oz. *Westminster.*

Sulphurated Potash 9 grs.; water to 1 oz. *Middlesex.*

Used in squamous, papular, and pustulous affections.

Lotio Quercus Co.

Alum 6 grs.; Decoction of Oak Bark to 1 oz. *St. Mary's.*

Alum 4 grs.; Sulphate of Zinc 4 grs.; Decoction of Oak Bark to 1 oz. *St. Bartholomew's.*

Lotio Rubra.

Sulphate of Zinc 1 gr.; Spirit of Rosemary 15 mins.; Comp. Spirit of Lavender 15 mins.; water to 1 oz. *Middlesex.*

Sulphate of Zinc 2 grs.; Comp. Spirits of Lavender 24 mins.; water to 1 oz. *University.*

Sulphate of Zinc 1 gr.; Spirit of Rosemary 9 mins.; Comp. Spirit of Lavender 9 mins.; water 1 oz. *King's.*

Corrosive Sublimate 2 grs.; Creasote ½ min.; Vermilion 1 gr.; water to 1 oz.; diluted with 1 to 3 of water. *Skin.*

Used in sebaceous, squamous, and erythematous affections.

See Lotio Cupri Camphor. *St. George's.*

Lotio Rubra Co.

Red Lotion, Black Lotion, water, equal parts. *Skin.*

Lotio Sodæ Chloratæ.

Chlorinated Solution of Soda 24 mins.; water to 1 oz. *St. Mary's. King's.*

Chlorinated Solution of Soda 30 mins.; water to 1 oz. *St. Bartholomew's.*

Chlorinated Solution of Soda 48 mins.; water to 1 oz. *London. Fever.*

Chlorinated Solution of Soda 60 mins.; water to 1 oz. *Guy's.*

Chlorinated Solution of Soda 84 mins.; water to 1 oz. *St. Thomas's.*

Lotio Sodæ Hyposulphitis.

A saturated solution in water. *King's.*

Hyposulphite of Soda 9 grs.; Dil. Sulphurous Acid 12 mins.; water to 1 oz.; diluted with 1 to 3 of water. *Skin.*

Hyposulphite of Soda 36 grs.; Glycerine 24 mins.; water 1 oz. *Charing Cross.*

Used in parasitical and squamous affections.

Lotio Spirituosa.

Rectified Spirit 48 mins.; water to 1 oz. *Middlesex.*

Lotio Spiritus Dilut.

Spirits of Wine 80 mins.; water to 1 oz. *Guy's.*

Lotio Sulphuris.

Precipitated Sulphur 6 grs.; Glycerine 12 mins.; Vermilion ½ gr.; Camphorated Spirit 1½ min.; Starch 6 grs.; water to 1 oz.; diluted with 1 to 3 of water. *Skin.*

Used in sebaceous, parasitical, and pustular affections.

Lotio Sulphurea Co.

White Hellebore Root 6 grs.; boiling water 1 oz.; infuse 12 hours, add Corrosive Sublimate 1½ gr.;

Dil. Sulphurous Acid 24 mins.; diluted with 1 to 3 of water. *Skin.*

Used in parasitical and papulous affections.

Lotio Sulphurea Depilatoria.

Solution of Sulphuret of Calcium and water equal parts. *Skin.*

Used in parasitical affections, and as a depilatory in hirsute cases.

Lotio Zinci Chlor.

Chloride of Zinc 2 grs.; water 1 oz. *University. St. Mary's.*

Solution of Chloride of Zinc 1½ min.; water to 1 oz. *St. Thomas's.*

Chloride of Zinc 1 gr.; water 1 oz. *Middlesex. Charing Cross.*

Lotio Zinci Oxyd.

Oxide of Zinc 25 grs.; Mucilage 1 drm.; water to 1 oz. *Middlesex.*

Oxide of Zinc 24 grs.; water to 1 oz. *London.*

Oxide of Zinc 30 grs.; Mucilage 60 mins.; water to 1 oz. *Guy's.*

Oxide of Zinc 60 grs.; Mucilage 60 mins.; water to 1 oz. *London Ophthalmic.*

Oxide of Zinc ½ drm.; Lime Water 1 oz. *Charing Cross.*

Lotio Zinci Sulph.

Sulphate of Zinc 1 gr.; water to 1 oz. *London Ophthalmic.*

Sulphate of Zinc 2 grs.; water to 1 oz. *Guy's. St. Mary's. St. Thomas's.*

Sulphate of Zinc 1 gr.; Comp. Tincture of Lavender 18 mins.; water to 1 oz. *Fever.*

Sulphate of Zinc 5 grs.; water 1 oz. *London.*

Sulphate of Zinc 4 grs.; water to 1 oz. *St. Bartholomew's.*

Lotio Zinci Sulph. Mitior.

Sulphate of Zinc ½ gr.; water 1 oz. *St. Bartholomew's.*

MISTURÆ.

Mistura Acaciæ Alkalin.

Mucilage 1 drm.; Tincture of Henbane 20 mins.; Bicarbonate of Soda 10 grs.; water to 1 oz. *Consumption.*

Mistura Acaciæ c. Hyoscyamo.

Mucilage 1 drm.; Tincture of Henbane 20 mins.; water to 1 oz. *Consumption.*

Mistura Acaciæ c. Tinct. Camphoræ Co.

Comp. Tincture of Camphor 1 drm.; Chloric Ether 10 mins.; Mucilage 320 mins.; water to 1½ oz. *Consumption.*

Mistura Acida.

Aromatic Sulphuric Acid 5 mins.; Red Mixture 1 oz. *London.*

Dil. Nitric Acid 12 mins.; Dil. Hydrochloric Acid 12 mins.; Comp. Infusion of Quassia 1 oz. Dose 2 to 4 drms. in water. *Skin.*

Mistura Acida Aromatica.

Dil. Hydrochloric Acid 15 mins.; Comp. Spirit of Horseradish 10 mins.; Tincture of Ginger 5 mins.; Infusion of Calumba to 1 oz. *King's.*

Mistura Acida c. Opio.

Dil. Nitric Acid 9 mins.; Dil. Sulphuric Acid 9 mins.; Tincture of Opium 9 mins.; Tincture of Kino 24 mins.; Glycerine 24 mins.; Cinnamon Water to 1 oz. Dose 2 to 4 drms. for diarrhœa. *Skin.*

Mistura Acida Digitalis c. Opio.

Sulphuric Acid 15 mins.; Tincture of Digitalis 5 mins.; Tincture of Opium 5 mins.; Infusion of Quassia to 1 oz. *Chest.*

Mistura Acida Purgans.

Dil. Sulphuric Acid 9 mins.; Sulphate of Magnesia 72 grs.; Extract of Liquorice 3 grs.; hot water to 1 oz. Dose 2 to 4 drms. for an aperient. *Skin.*

Dil. Sulphuric Acid 5 mins.; Sulphate of Magnesia 1 drm.; Treacle ½ drm.; Peppermint Water 1 oz. *Charing Cross.*

Mistura Acida Tonica.

Dil. Hydrochloric Acid 10 mins.; Dil. Nitric Acid 10 mins.; Infusion of Cascarilla 1 oz. *Charing Cross.*

Dil. Nitro-Hydrochloric Acid 10 mins.; Infusion of Calumba 1 oz. *St. Mary's.*

Mistura Acidi Acetici c. Morphiâ.

Solution of Acetate of Morphia 20 mins.; Dil. Acetic Acid 30 mins.; Camphor Water to 1 oz. *Chest.*

Mistura Acidi Benzoici.

Benzoic Acid 5 grs.; Solution of Ammonia 5 grs.; water to 1 oz. *London.*

Mistura Acidi Gallici.

Gallic Acid 5 grs.; Comp. Tincture of Camphor 20 mins.; Dil. Sulphuric Acid 15 mins.; water to 1 oz. *Consumption.*

Gallic Acid 5 grs.; Dil. Sulphuric Acid 15 mins.; water 1 oz. *Chest.*

Mistura Acidi Hydrochlorici.

Hydrochloric Acid 2½ mins.; Sugar 12½ grs.; water 1 oz. *Guy's.*

Dil. Hydrochloric Acid 1 drm.; Spirit of Chloroform 1 drm.; Syrup 4 drms.; Camphor Water to 6 oz. Dose 1 to 3 drms. for children. *Middlesex.*

Mistura Acidi Hydrocyan.

Scheele's Hydrocyanic Acid 2 mins.; water to 1 oz. *Westminster.*

Dil. Hydrocyanic Acid 2 mins.; Red Mixture to 1 oz. *London.*

Dil. Hydrocyanic Acid 5 mins.; Bicarbonate of Soda 20 grs.; water to 1 oz. *St. Mary's.*

Dil. Hydrocyanic Acid 4 mins.; water 1 oz. *Chest.*

Mistura Acidi Hydrocyan. c. Sodâ.

Dil. Hydrocyanic Acid 3½ mins.; Bicarbonate of Soda 15 grs.; water to 1 oz. *Consumption.*

Mistura Acidi Nitrici.

Nitric Acid 2 mins.; Sugar 12½ grs.; water 1 oz. *Guy's.*

Dil. Nitric Acid 10 mins.; Acacia Mixture to 1 oz. *London.*

Dil. Nitric Acid 11 mins.; Treacle 30 mins.; water to 1 oz. *Westminster.*

Dil. Nitric Acid 20 mins.; Comp. Tincture of Cardamoms 1 drm.; Comp. Infusion of Gentian to 1½ oz. *St. Thomas's.*

Mistura Acidi Nitro-Hydrochlorici.

Dil. Nitro-Muriatic Acid 15 mins.; Sugar 20 grs.; water 1 oz. Dose 2 oz. 3 or 4 times a day. *Guy's.*

Nitro-Muriatic Acid 1⅞ min.; Treacle 15 grs.; water to 1 oz. *Westminster.*

Dil. Nitro-Muriatic Acid 20 mins.; Acacia Mixture to 1 oz. *London.*

Dil. Nitro-Hydrochloric Acid 10 mins.; Infusion of Quassia 1 oz. *Consumption.*

Dil. Nitric Acid 12 mins.; Dil. Hydrochloric Acid 12 mins.; Comp. Infusion of Quassia to 1 oz. *Skin.*

Dil. Nitric Acid 10½ mins.; Dil. Hydrochloric Acid 10½ mins.; Infusion of Quassia 1 oz. *Westminster Ophthalmic.*

Dil. Nitro-Hydrochloric Acid 15 mins.; Infusion of Chiretta to 1 oz. *King's.*

Dil. Nitro-Hydrochloric Acid 15 mins.; Infusion of Quassia to 1 oz. *Chest.*

Mistura Acidi Phosph. c. Quassiâ.

Dil. Phosphoric Acid 15 mins.; Tincture of Quassia 30 mins.; Syrup of Orange 20 mins.; water to 1 oz. *Consumption.*

Mistura Acidi Phosph. c. Strychniâ.

Dil. Phosphoric Acid 9 mins.; Solution of Strychnia 9 mins.; Spirit of Chloroform 6 mins.; water 1 oz. *Westminster Ophthalmic.*

Mistura Acidi Sulph.

Dil. Sulphuric Acid 10 mins.; Treacle 1 drm.; Peppermint Water to 1 oz. *London Ophthalmic.*

Dil. Sulphuric Acid 15 mins.; water to 1 oz. *Consumption.*

Mistura Acidi Sulph. Co.

Dil. Sulphuric Acid 15 mins.; Sulphate of Magnesia 20 grs.; Alum 10 grs.; water to 1 oz. *Consumption.*

Mistura Acidi Sulph. c. Magnes. Sulph.

Dil. Sulphuric Acid 10 mins.; Sulphate of Magnesia 60 grs.; Treacle 1 drm.; Peppermint Water to 1 oz. For a dose. *London Ophthalmic.*

Mistura Acidi Sulphurici c. Opio.

Dil. Sulphuric Acid 20 mins.; Tincture of Opium 10

mins.; Spirit of Chloroform 20 mins.; Camphor Water 1 oz. *St. Mary's.*

Mistura Acidi Tannici.

Tannic Acid 7 grs.; Dil. Sulphuric Acid 10 mins.; Cinnamon Water 1 oz. *Charing Cross.*

Mistura Acidi Tannic. c. Acido Nitrico.

Tannic Acid 2 grs.; Dil. Nitric Acid 10 mins.; Infusion of Gentian to 1 oz. *Consumption.*

Mistura Aconiti.

Tincture of Aconite 10 mins.; Red Mixture 1 oz. *London.*

Mistura Aconiti c. Colchico.

Tincture of Aconite 3 mins.; Colchicum Wine 20 to 30 mins.; Bicarbonate of Potash 10 grs.; water 1 oz. Ter die sum. *Westminster Ophthalmic.*

Mistura Æther. Chlor.

Chloric Ether 20 mins.; Oxymel of Squills 30 mins.; Tincture of Opium 2½ mins.; water to 1 oz. *Consumption.*

Mistura Æther. Co.

Spirits of Sulphuric Ether 1 drm.; Sal Volatile ½ drm.; Syrup ½ drm.; Pimenta Water 3 drms.; water to 1 oz. 1 dose. *St. George's.*

Mistura Æther. c. Ammoniâ.

Aromatic Spirit of Ammonia 30 mins.; Spirit of Ether 30 mins.; Tincture of Orange 10 mins.; Camphor Water to 1 oz. *Consumption.*

Mistura Ætheris c. Ammon. Valer.

Ether ½ drm.; Ammoniated Tincture of Valerian ½ drm.; Infusion of Quassia 1 oz. *Chest.*

Mistura Æther. c. Lobeliâ.

Spirits of Ether 30 mins.; Ethereal Tincture of Lobelia 15 mins.; Camphor Water to 1 oz. *Consumption.*

Mistura Æther. c. Sodâ.

Comp. Spirits of Ether 1 drm.; Bicarbonate of Soda 10 grs.; Peppermint Water to 1 oz. *St. Thomas's.*

Mistura Æther. Nitrosi c. Ammoniâ.

Nitrous Ether 20 mins.; Carbonate of Ammonia 3 grs.; Tincture of Tolu 10 mins.; Comp. Infusion of Gentian to 1 oz. *King's.*

Mistura Alba.

Carbonate of Magnesia 10 grs.; Sulphate of Magnesia 1 drm.; Peppermint Water to 1 oz. *King's.*

Carbonate of Magnesia 1 drm.; Sulphate of Magnesia 20 grs.; Peppermint Water 1 oz. *Charing Cross.*

For *St. Mary's* see Mist. Magn. Sulphatis.

Mistura Alkalina.

Bicarbonate of Potash 15 grs.; Syrup of Lemons 30 mins.; water to 1 oz. *Westminster.*

Bicarbonate of Potash 18 grs.; Chlorate of Potash 12 grs.; Glycerine 12 mins.; Caraway Oil ½ min.; hot water to 1 oz. Dose 2 to 4 drms. *Skin.*

Bicarbonate of Potash 30 grs.; Chlorate of Potash 6 grs.; water 1 oz. *Westminster Ophthalmic.* Given in pustular affections and in aphthæ.

Mistura Alkalina Effervescens.

Bicarbonate of Soda 20 grs.; Bicarbonate of Potash 20 grs.; water 1 oz. To be taken effervescing with 20 grs. of Citric Acid. *Chest.*

Mistura Alkalina Tonica.

Bicarbonate of Soda 20 grs.; Aromatic Spirit of Ammonia 20 mins.; Infusion of Gentian 1 oz. *St. Mary's.*

Mistura Aloëtica.

Carbonate of Magnesia 3½ grs.; Sulphate of Magnesia 1 drm.; Tincture of Rhubarb ½ drm.; Comp. Decoction of Aloes 1 oz. *University.*

Mistura Aluminis.

Alum 8 grs.; Dil. Sulphuric Acid 10 mins.; Tincture of Lupuli 20 mins.; Infusion of Roses 1 oz. *Guy's.*

Alum 3¾ grs.; Dil. Sulphuric Acid 3¾ mins.; Syrup ½ drm.; water to 1 oz. *Westminster.*

Mistura Aluminis Co.

Alum 7½ grs.; Comp. Tincture of Camphor 20 mins.; Camphor Water 4 drms.; Ipecacuanha Wine 15 mins.; Dill Water to 1½ oz. Dose 1 oz. 3 or 4 times a day. *Guy's.*

Mistura Aluminis Infantium.

Alum 40 grs.; Syrup of Red Poppies 2 drms.; water to 1½ oz. Dose 1 drm. *Middlesex.*

Mistura Ammoniæ.

Carbonate of Ammonia 3½ grs.; Treacle 20 mins.; Comp. Tincture of Lavender 20 mins.; Peppermint Water to 1 oz. Dose 1½ oz. 2 or 3 times a day. *Guy's.*

Mistura Ammon. Acet.

Solution of Acetate of Ammonia 96 mins.; Tartar Emetic ⅙ gr.; Spirits of Nitre 24 mins.; Camphorated Spirits 1½ min.; water to 1 oz. Dose 2 to 4 drms. *Skin. University.*

Solution of Acetate of Ammonia 2 drms.; water to 1 oz. *London Ophthalmic.*

Solution of Acetate of Ammonia 3 drms.; Caraway Water to 1 oz. *Westminster.*

Solution of Acetate of Ammonia 4 drms.; Camphor Water to 1 oz. *St. Mary's.*

Solution of Acetate of Ammonia, 4 drms.; water to 1 oz. This dose every 4 or 6 hours. *Guy's.*

Solution of Acetate of Ammonia 4 drms.; water to 1 oz. *King's.*

Mistura Ammon. Acet. Co.

Solution of Acetate of Ammonia 4 drms.; Spirit of Nitrous Ether ½ drm.; Camphor Water 1 oz. *Chest.*

Mistura Ammon. Carbonatis.

Carbonate of Ammonia 4 grs.; Burnt Sugar *q. s.*; Infusion of Quassia 1 oz. *Charing Cross.*

Carbonate of Ammonia 4 grs.; Camphor Mixture 1 oz. Dose 1 oz. *London Ophthalmic.*

Carbonate of Ammonia 5 grs.; Red Mixture 1 oz. *London.*

Carbonate of Ammonia 3 grs.; Bicarbonate of Potash 8 grs.; Decoction of Bark to 1 oz. *Westminster Ophthalmic.*

Mistura Ammon. Co.

Solution of Acetate of Ammonia 96 mins.; Carbonate of Ammonia 6 grs.; Tincture of Colchicum 12 mins.; Tincture of Digitalis 12 mins.; Camphor Mixture to 1 oz. Dose 2 to 4 drms. in water. *Skin.*

Mistura Ammon. c. Cinchonâ.

Carbonate of Ammonia 3 grs.; Infusion of Cinchona to 1 oz. *King's.*

Mistura Ammon. et Chloroformi.

Carbonate of Ammonia 5 grs.; Spirit of Chloroform 20 mins.; Mucilage 2 drms.; water to 1 oz. *Chest.*

Mistura Ammon. c. Æthere.

Spirit of Ether 20 mins.; Aromatic Spirit of Ammonia 20 mins.; Camphor Water to 1 oz. *London.*

Mistura Ammon. Effervescens.

Carbonate of Ammonia 15 grs.; (Tartaric Acid 18 grs., and ½ oz. water;) water to 1 oz. *London.*

Carbonate of Ammonia 20 grs.; water 1 oz.; this with ½ oz. Lemon Juice every 4 or 6 hours. *Guy's.*

Carbonate of Ammonia 10 grs.; Aromatic Spirit of Ammonia 10 mins.; water ½ oz.; with Tartaric Acid 10 grs. in ½ oz. water. *Charing Cross.*

Carbonate of Ammonia 15 grs.; (Citric Acid 18 grs., in ½ oz. of Water;) water to 1 oz. *Consumption.*

Carbonate of Ammonia 20 grs.; (Tartaric Acid 25 grs., in ½ oz. of water;) water to 1 oz. *St. Mary's.*

Mistura Ammon. c. Morphiâ.

Carbonate of Ammonia 5 grs.; Acetate of Morphia ½ gr.; Solution of Acetate of Ammonia 2 drms.; water to 1 oz. *Chest.*

Mistura Ammon. Phosph.

Phosphate of Ammonia 24 grs.; Carbonate of Ammonia 12 grs.; Comp. Tincture of Lavender 3 mins.; water to 1 oz. Dose 2 to 4 drms. in water. *Skin.*

Used in squamous and papular affections.

Mistura Ammonii Chloridi.

Chloride of Ammonium 10 grs.; Carbonate of Ammonia 5 grs.; Camphor Water 1 oz. *Chest.*

Mistura Ammoniaci Co.

Comp. Tincture of Camphor 30 mins.; Oxymel of Squills 30 mins.; Mixture of Ammoniacum to 1 oz. *Consumption.*

Mistura Ammoniaci Ipecac. c. Lobeliâ.

Ammoniacum Mixture ½ oz.; Ipecacuanha Wine 10 mins.; Ethereal Tincture of Lobelia 10 mins.; water to 1 oz. *Chest.*

Mistura Amygdalæ.

Oil of Almonds 24 mins.; Sugar 36 grs.; Gum 60 grs.; Scheele's Prussic Acid ⅜ min.; water to 1 oz. *Westminster.*

Mistura Anodyna.

Camphor 3⅓ grs.; Tincture of Henbane 30 mins.; Acacia 40 grs.; water to 1 oz. *Guy's.*

Mistura Antimonii.

Tartar Emetic ¼ gr.; Camphor Water 2 drms.; water to 1 oz. *Westminster.*

Mistura Antimonii Emetica.

Tartar Emetic 1 gr.; Ipecacuanha Wine 1 drm.; Pimenta Water to 2 oz. For a dose. *St. Mary's.*

Mistura Antimonii Tartarati.

Tartar Emetic ⅙ gr.; Solution of Acetate of Ammonia 2 drms.; Camphor Julep to 1 oz. *St. Mary's.*

Tartar Emetic ⅙ gr.; Tincture of Digitalis 9 mins.; Nitre 6 grs.; Comp. Tragacanth Powder 6 grs.; water to 1 oz. Dose 2 to 4 drms. in water, given in thoracic complications. *Skin.*

Mistura Antimon. Tart. c. Opio.

Tartar Emetic ⅓ gr.; Tincture of Opium 10 mins.; Sulphate of Magnesia 30 grs.; Mucilage 2 drms.; Mint Water to 1 oz. *Westminster.*

Mistura Antimonialis.

Tartar Emetic $\frac{1}{12}$ gr.; Nitre 5 grs.; water to 1 oz. *Consumption.*

Mistura Aperiens.

Sulphate of Magnesia 48 grs.; Infusion of Quassia 1 oz. *Westminster Ophthalmic.*

Mistura Aromatica.

Aromatic Powder of Chalk 7½ grs.; water to 1 oz. *London.*

Aromatic Confection 15 grs.; Peppermint Water to 1 oz. *St. Thomas's.*

Aromatic Powder of Chalk 15 grs.; Comp. Tincture of Cardamoms 15 mins.; Peppermint Water 4 drms.; water to 1 oz. *Westminster.*

Bicarbonate of Soda 10 grs.; Aromatic Spirit of Ammonia 20 mins.; Comp. Tincture of Cardamoms 1 drm.; Infusion of Cloves to 1 oz. *St. Mary's.*

Mistura Aromat. Infantium.

Aromatic Powder of Chalk 40 grs.; Carbonate of Magnesia 8 grs.; Tincture of Rhubarb 40 mins.; Peppermint Water to 1 oz. Dose 1 drm. *Middlesex.*

Mistura Arsenicalis.

Arsenical Solution 4 mins.; Red Mixture 1 oz.; water 1 oz. *Charing Cross.*

Mistura Assafœtidæ.

Assafœtida 15 grs.; water to 1 oz. *Guy's.*

Tincture of Assafœtida 15 mins.; Acacia Mixture 1 oz. *London.*

Tincture of Assafœtida ½ drm.; Tincture of Valerian 1 drm.; Carbonate of Ammonia Mixture ½ oz.; Mucilage of Tragacanth ½ oz. *Charing Cross.*

Mistura Astringens Acida c. Opio.

Dil. Sulphuric Acid 20 mins.; Tincture of Opium 5 mins.; Spirit of Chloroform 20 mins.; Cinnamon Water 1 oz. *Charing Cross.*

Mistura Balsam. Peruv.

Peruvian Balsam 25 mins.; Honey 40 mins.; water to 1 oz. The dose 3 or 4 times a day. *Guy's.*

Mistura Barii Chlor.

Solution of Chloride of Barium 12 mins.; water to 1 oz. Dose 2 to 4 drms. in water. *Skin.*
Given in tubercular and cachectic affections.

Mistura Benzoini.

Comp. Tincture of Benzoin 20 mins.; Honey 40 grs.; water to 1 oz. *Consumption.*

Mistura Bismuthi.

Carbonate of Bismuth 9 grs.; Carbonate of Magnesia 9 grs.; Comp. Tragacanth Powder 18 grs.; water 1 oz. *University.*
Nitrate of Bismuth 10 grs.; Bicarbonate of Soda 10 grs.; Powdered Calumba 10 grs.; Mucilage 1 drm.; Peppermint Water 1 oz. *St. Thomas's.*
Subnitrate of Bismuth 5 grs.; Mucilage of Tragacanth 1 oz. *Chest.*
Subnitrate of Bismuth 10 grs.; Bicarbonate of Soda 10 grs.; Comp. Tragacanth Powder 15 grs.; water 1 oz. *Charing Cross.*
White Bismuth 5 grs.; Carbonate of Magnesia 10 grs.; Mucilage of Tragacanth 30 mins.; Dill Water to 1 oz. *King's.*

Mistura Bismuthi Co.

White Bismuth 7½ grs.; Comp. Tragacanth Powder 15 grs.; Mucilage 30 mins.; Oil of Almonds 15 mins.; Syrup 60 mins.; water to 1 oz. The dose 3 times a day. *Guy's.*
Subnitrate of Bismuth 15 grs.; Spirit of Chloroform 10 mins.; Tincture of Calumba 10 mins.; water to 1 oz. *London.*

Mistura Bismuthi c. Acid. Hydrocyan.

Subnitrate of Bismuth 6½ grs.; Dil. Hydrocyanic

Acid 3 mins.; Comp. Infusion of Gentian 1 oz. *Consumption.*

Mistura Bismuthi et Ammoniæ Citratis.

Solution of Citrate of Bismuth and Ammonia 40 mins.; Red Mixture 1 oz. *London.*

Mistura Bismuthi et Gentianæ.

Subnitrate of Bismuth 15 grs.; Bicarbonate of Soda 15 grs.; Mucilage 1 drm.; Comp. Infusion of Gentian to 1 oz. *London.*

Mistura Bismuthi c. Magnesiâ.

Subnitrate of Bismuth 15 grs.; Carbonate of Magnesia 15 grs.; Mucilage of Acacia 1 drm.; Peppermint Water 1 oz. *London.*

Mistura Bismuthi Sedativa.

White Bismuth 7½ grs.; Dried Carbonate of Soda 7½ grs.; Hydrochlorate of Morphia $\frac{1}{10}$; Mucilaginous Mixture to 1 oz. The dose 3 or 4 times daily. *Guy's.*

Mistura Buchu Co.

Bicarbonate of Potash 10 grs.; Tincture of Henbane 15 mins.; Infusion of Buchu 1½ oz. *St. Thomas's.*

Mistura Calcii Chlor.

Chloride of Calcium 48 grs.; Burnt Sugar 3 grs.; water to 1 oz. Dose 2 to 4 drms. in water, given in tubercular cachectic affections. *Skin.*

Mistura Calumbæ c. Ferr. Citrate.

Ammonio-Citrate of Iron 5 grs.; Spirit of Nutmeg 10 mins.; Infusion of Calumba to 1 oz. *Consumption.*

Mistura Camphoræ c. Æthere.

Spirit of Ether ½ drm.; Camphor Water 1 oz. *London.*

Mistura Cannabis Indicæ.

Tincture of Indian Hemp 5 mins.; Mucilage 1 drm.; water to 1 oz. *Chest.*

Mistura Carbonis c. Cretâ.

Wood Charcoal 30 grs.; Chalk Mixture 1 oz. *Chest.*

Mistura Carminativa.

Bicarbonate of Soda 8 grs.; Syrup 2 drms.; Fœtid Spirits of Ammonia 8 mins.; Spirits of Dill 2 mins.; Infusion of Rhubarb to 1 oz. *Westminster.*

Carbonate of Magnesia 20 grs.; Powdered Rhubarb 10 grs.; Comp. Tincture of Camphor 30 mins.; Spirits of Sal Volatile 30 mins.; Dill Water to 1½ oz. *St. Thomas's.*

Carbonate of Magnesia 2 grs.; Spirit of Chloroform 5 mins.; Aromatic Spirit of Ammonia 5 mins.; Dill Water 2 drms. The dose for a child. *St. Mary's.*

Mistura Caryophylli Composita.

Bicarbonate of Soda ¼ oz.; Aromatic Spirit of Ammonia ½ oz.; Spirit of Chloroform 3 drms.; Infusion of Cloves 11 drms. Dose 1 to 2 oz. *St. George's.*

Mistura Cascarillæ Co.

Tincture of Squills 10 mins.; Comp. Tincture of Camphor 15 mins.; Infusion of Cascarilla to 1 oz. *St. Thomas's.*

Tincture of Squills 14 mins.; Comp. Tincture of Camphor 55 mins.; Infusion of Cascarilla to 1 oz. Dose 3 or 4 times a day. *Guy's.*

Vinegar of Squills ½ drm.; Comp. Tincture of Camphor 1 drm.; Infusion of Cascarilla to 12 drms.; Dose 1 to 2 oz. *St. George's.*

Vinegar of Squills ½ drm.; Comp. Tincture of

Camphor 1 drm.; Infusion of Cascarilla to 10 drms. Dose 1 oz. *London.*

Mistura Cascarillæ c. Acid. Acet.

Dil. Acetic Acid 1 drm.; Tincture of Hops 20 mins.; Infusion of Cascarilla to 1 oz. *Consumption.*

Mistura Cascarillæ c. Acid. Nitr.

Dil. Nitric Acid 15 mins.; Tincture of Hops 45 mins.; Infusion of Cascarilla to 1 oz. *University.*

Dil. Nitric Acid 15 mins.; Tincture of Hops 30 mins.; Infusion of Cascarilla to 1 oz. *Consumption.*

Mistura Cascarillæ c. Ammoniâ.

Carbonate of Ammonia 5 grs.; Infusion of Cascarilla to 1 oz. *Consumption.*

Mistura Cascarillæ c. Ferro et Opio.

Steel Wine 30 mins.; Comp. Tincture of Cardamoms 30 mins.; Tincture of Opium 5 mins.; Infusion of Cascarilla to 1 oz. *Westminster.*

Mistura Cascarillæ c. Potass. Liquore.

Solution of Potash 15 mins.; Tincture of Henbane 15 mins.; Infusion of Cascarilla to 1 oz. *Consumption.*

Mistura Cascarillæ c. Scillâ.

Oxymel of Squills ½ drm.; Infusion of Cascarilla to 1 oz. *Chest.*

Mistura Catechu.

Tincture of Catechu 27 mins.; Syrup of Ginger 45 mins.; Chalk Mixture 2½ drms.; Mucilage 1 drm.; Dill Water to 1 oz. *University.*

Mistura Catechu Aromatica (for children).

Aromatic Chalk Powder 20 grs.; Infusion of Catechu 1½ oz. Dose 1 to 2 drms. *King's.*

Mistura Cathartica.

Sulphate of Magnesia 1 drm.; Comp. Infusion of Senna 5 drms.; Peppermint Water to 1 oz. *Westminster.*

Sulphate of Magnesia 1 drm.; Peppermint Water to 1 oz. *London.*

Sulphate of Magnesia 1 drm.; Infusion of Senna to 1 oz. *Charing Cross.*

Mistura Cathartica c. Antim.

Sulphate of Magnesia 1 drm.; Solution of Tartar Emetic 1 drm.; Mint Water to 1 oz. *Westminster.*

Mistura Cetacei.

Spermaceti 15 grs.; Comp. Tragacanth Powder 20 grs.; Pimenta Water to 1 oz. *Consumption.*

Spermaceti 18 grs.; Yolk of Egg *q. s.*; Syrup of Tolu 37 mins.; water to 1 oz. The dose 3 or 4 times a day. *Guy's.*

Mistura Cetacei Co.

Spermaceti 15 grs.; Ipecacuanha Wine 10 mins.; Comp. Tincture of Camphor 30 mins.; Comp. Tragacanth Powder 20 grs.; Pimenta Water to 1 oz. *Consumption.*

Mistura Chalybeatæ.

Tincture of Muriate of Iron 10 mins.; Dil. Nitric Acid 15 mins.; Syrup 20 mins.; Infusion of Quassia to 1 oz. *St. Thomas's.*

Mistura Chirettæ Co.

Carbonate of Ammonia 5 grs.; Bicarbonate of Potash 11¼ grs.; Comp. Tincture of Cardamoms ½ drm.; Infusion of Chiretta to 1 oz. *Westminster.*

Mistura Chlori.

Solution of Chlorine 15 mins.; water to 1 oz. *London. Middlesex.*

Chlorate of Potash 1½ gr.; Hydrochloric Acid 1½ min.; water to 1 oz. *St. Mary's.*

Mistura Chloroformi.

Spirit of Chloroform 10 mins.; Mucilage of Tragacanth 1 oz. *King's.*

Chloroform 5 mins.; Camphor 5 grs.; Mucilage 60 mins.; water to 1 oz. *Guy's.*

Mistura Chloroformi c. Ammoniâ.

Spirit of Chloroform 15 mins.; Carbonate of Ammonia 3 grs.; Decoction of Yellow Bark 1 oz. Dose 1 oz. *London Ophthalmic.*

Mistura Cinchonæ Co.

Carbonate of Magnesia 7 grs.; Sulphate of Magnesia 20 grs.; Decoction of Yellow Bark 1 oz. *St. George's.*

Carbonate of Ammonia 4 grs.; Decoction of Bark 1 oz. *Charing Cross.*

Mistura Cinchonæ c. Acid. Nitric.

Dil. Nitric Acid 10 mins.; Infusion of Yellow Bark to 1 oz. *Consumption.*

Mistura Cinchonæ c. Acid. Sulph.

Dil. Sulphuric Acid 15 mins.; Infusion of Yellow Bark to 1 oz. *Consumption.*

Dil. Sulphuric Acid 10 mins.; Decoction of Bark 1 oz. *St. Thomas's.*

Mistura Cinchonæ c. Suc. Limon.

Fresh Lemon Juice 2 drms.; Infusion of Yellow Bark to 1 oz. *Consumption.*

Mistura Cinchoniæ.

Sulphate of Cinchonia 1 gr.; Dil. Sulphuric Acid 2½ mins.; water to 1 oz. *London.*

Sulphate of Cinchonia 2 grs.; Dil. Sulphuric Acid 5 mins.; water to 1 oz. *Chest.*

Sulphate of Cinchonia 2 grs.; Glycerine 24 mins.; water 1 oz. *University.*

Hydrochlorate of Cinchonia 2 grs.; Dil. Hydrochloric Acid 2 mins.; water 1 oz. *Charing Cross.*

Mistura Colchici.

Wine of Colchicum 20 mins.; Carbonate of Magnesia 10 grs.; Pimenta Water 1 oz. Dose 1 oz. *London Ophthalmic.*

Wine of Colchicum 15 mins.; Carbonate of Magnesia 10 grs.; Bicarbonate of Potash 10 grs.; Peppermint Water 1 oz. *St. Thomas's.*

Mistura Colchici Alkalin.

Tincture of Colchicum Seeds 20 mins.; Bicarbonate of Potash 10 grs.; Pimenta Water 1 oz. *London.*

Tincture of Colchicum Seeds 24 mins.; Bicarbonate of Soda 15 grs.; Peppermint Water to 1 oz. *University.*

Mistura Colchici et Magnesiæ.

Wine of Colchicum 15 mins.; Carbonate of Magnesia 12½ grs.; Sulphate of Magnesia 20 grs.; Infusion of Cloves 1 oz. *St. George's.*

Mistura Colchici et Potassæ.

Wine of Colchicum 15 mins.; Solution of Potash 30 mins.; Pimenta Water 1 oz. *St. George's.*

Mistura Colchici c. Magnes. Sulph.

Tincture of Colchicum Seeds 15 mins.; Carbonate of Magnesia 6 grs.; Sulphate of Magnesia 30 grs.; Peppermint Water to 1 oz. *University.*

Mistura Conii Co.

Extract of Conium 5 grs.; Carbonate of Soda 7½ grs.; Spirits of Pimenta 30 mins.; Decoction of Liquorice to 1 oz. The dose 3 or 4 times daily. *Guy's.*

Mistura Conii c. Hyoscyamo.

Juice of Conium 30 mins.; Extract of Henbane 5 grs.; Mucilage 2 drms.; water to 1 oz. *Chest.*

Mistura Copaibæ.

Copaiba 15 mins.; Mucilage 2 drms.; water to 1 oz. *St. Thomas's.*

Copaiba 15 mins.; Spirits of Nitrous Ether 30 mins.; Solution of Potash 15 mins.; Camphor Water 1 oz. *London.*

Copaiba 20 mins.; Mucilage 40 mins.; Dil. Sulphuric Acid 10 mins.; Acid Infusion of Roses 1 oz. *St. George's.*

Copaiba 20 mins.; Mucilage 1 drm.; Camphor Water to 1 oz. *Consumption.*

Copaiba 20 mins.; Carbonate of Potash 8 grs.; Decoction of Barley to 1 oz. The dose 2 or 3 times daily. *Guy's.*

Copaiba 30 mins.; Mucilage 1 drm.; Pimenta Water to 1 oz. *St. Mary's.*

Copaiba 30 mins.; Mucilage 1 drm.; Spirits of Nitrous Ether 30 mins.; Peppermint Water to 1 oz. *Westminster.*

Copaiba 20 mins.; Dil. Sulphuric Acid 10 mins.; Mucilage ½ oz.; water to 1 oz. *King's.*

Mistura Copaibæ Co.

Oil of Cubebs 10 mins.; Copaiba Mixture 1 oz. *London.*

Mistura Creasoti.

Creasote 1 min.; Syrup of Orange 30 mins.; Mucilage 30 mins.; water to 1 oz. *Consumption.*

Creasote 1 min.; Mucilage 60 mins.; water to 1 oz. *Westminster.*

Mistura Creasoti c. Opio.

Creasote 1 min.; Comp. Tincture of Camphor 30

mins.; Spirit of Chloroform 15 mins.; Glycerine 1 drm.; water to 1 oz. *Chest.*

Mistura Cretæ.

Prepared Chalk 15 grs.; Acacia 15 grs.; Cassia Water 1 oz. *London.*

Mistura Cretæ Aromatica.

Comp. Powder of Cinnamon 10 grs.; Powdered Acacia 10 grs.; Prepared Chalk 10 grs.; water 1 oz. *London Ophthalmic.*

Mistura Cretæ Aromat. Anodyna.

Comp. Powder of Cinnamon 10 grs.; Powdered Acacia 10 grs.; Prepared Chalk 10 grs.; Tincture of Opium 5 mins.; water 1 oz. *London Ophthalmic.*

Mistura Cretæ c. Catechu.

Tincture of Catechu 30 mins.; Chalk Mixture to 1 oz. *Consumption.*

Tincture of Catechu 1 drm.; Spirit of Chloroform 10 mins.; Chalk Mixture to 1 oz. *St. Mary's.*

Mistura Cretæ c. Hæmatoxylo.

Chalk Mixture ½ oz.; Tincture of Catechu 30 mins.; Decoction of Logwood to 1 oz., for an adult. Dose for children 1 to 2 drms. *King's.*

Mistura Cretæ Opiata.

Aromatic Chalk Powder with Opium 20 grs.; water to 1 oz. The dose after each liquid motion. *Guy's.*

Aromatic Chalk Powder 20 grs.; Wine of Opium 10 mins.; Chalk Mixture to 1 oz. *St. Mary's.*

Mistura Cretæ c. Opio.

Aromatic Confection 12 grs.; Chalk 24 grs.; Comp. Powder of Tragacanth 6 grs.; Tincture of Kino

12 mins.; Spirits of Sal Volatile 12 mins.; Tincture of Opium 6 mins.; Peppermint Water to 1 oz. Dose 2 to 4 drms. in water for diarrhœa. *Skin.*

Tincture of Catechu 30 mins.; Tincture of Opium 7 mins.; Chalk Mixture to 1 oz. *Consumption.*

Aromatic Powder of Chalk 20 grs.; Tincture of Opium 5 mins.; Spirit of Chloroform 20 mins.; Tincture of Capsicum 2 mins.; Pimenta Water to 1 oz. *Chest.*

Comp. Chalk Powder, P.L., 20 grs.; Tincture of Opium 5 mins.; water 1 oz. *St. Thomas's.*

Tincture of Opium 10 mins.; Tincture of Rhatany 1 drm.; Chalk Mixture 1 oz. *Charing Cross.*

Mistura Cupri Co.

Ammonio-Sulphate of Copper ½ gr.; Spirits of Sal Volatile 24 mins.; Tincture of Henbane 24 mins.; water to 1 oz. Dose 2 to 4 drms. in water. *Skin.*

In squamous and cachectic affections.

Mistura Diaphoretica.

Solution of Tartar Emetic 30 mins.; Solution of Acetate of Ammonia 2 drms.; Camphor Water to 1 oz. *Westminster.*

Ipecacuanha Wine 15 mins.; Spirit of Nitrous Ether 30 mins.; Saline Mixture to 1 oz. *London.*

Mistura Diuretica.

Acetate of Potash 20 grs.; Vinegar of Squills 20 mins.; Decoction of Broom 1 oz. *London.*

Spirits of Nitre 30 mins.; Tincture of Squills 15 mins.; Tincture of Cantharides 3¾ mins.; Comp. Decoction of Broom 1 oz. *Westminster.*

Acetate of Potash 20 grs.; Tincture of Digitalis 10 mins.; Spirit of Nitric Ether 30 mins.; Decoction of Broom 1 oz. *Charing Cross.*

Mistura Dyspeptica.

Bicarbonate of Soda 10 grs.; Sulphate of Magnesia 30 grs.; Essence of Peppermint 10 mins.; Comp. Infusion of Gentian 1 oz. *St. Thomas's.*

Mistura Effervescens.

Bicarbonate of Soda 20 grs. (water 1½ oz., Tartaric Acid 17 grs.). *London.*

Bicarbonate of Soda 22½ grs. (water 1 oz., Tartaric Acid 20 grs.); water to 1 oz. *Westminster.*

Bicarbonate of Soda 20 grs.; water 1 oz. (Tartaric Acid 18 grs., water ½ oz.). *King's.*

Carbonate of Potash 20 grs.; water 1 oz. during effervescence, with a tablespoonful of Lemon Juice every 4 or 6 hours. *Guy's.*

Mistura Elaterii.

Elaterium 1 gr.; Syrup 1 oz.; Vinegar of Colchicum 2 drms.; Spirits of Nitrous Ether 2 drms.; Tincture of Squills 2 drms.; mixed. Dose 1 drm. *Westminster.*

Mistura Emetica.

Tartarated Antimony ½ gr.; water 1 oz. Dose 1 drm. to 1 oz. *Westminster Ophthalmic.*

Mistura Emolliens.

Nitrate of Potash 10 grs.; Sulphate of Magnesia ½ drm.; Tincture of Henbane 15 mins.; Mucilage 2 drms.; water to 1½ oz. *St. Thomas's.*

Mistura Ergotæ Co.

Liquid Extract of Ergot 15 mins.; Sulphate of Magnesia 1 drm.; Gallic Acid 10 grs.; Dil. Sulphuric Acid 5 mins.; water to 1 oz. *Chest.*

Liquid Extract of Ergot 40 mins.; Gallic Acid 10 grs.; Cassia Water 1 oz. *London.*

Mistura Expectorans.

Antimonial Wine 10 mins.; Tincture of Squills 10

mins.; Infusion of Linseed 1 oz. *Charing Cross.*

Mistura Ferri.

Tincture of Perchloride of Iron 10 mins.; Glycerine 1 drm.; water to 1 oz. *Chest.*

Mistura Ferri Acida.

Sulphate of Iron 6 grs.; Dil. Sulphuric Acid 12 mins.; Sulphate of Magnesia 72 grs.; Comp. Infusion of Quassia to 1 oz. Dose 2 to 4 drms. in water. *Skin.*

An aperient tonic, used in sebaceous, squamous, pustular, and ulcerous affections.

Tincture of Perchloride of Iron 15 mins.; Dil. Hydrochloric Acid 10 mins.; water to 1 oz. *Consumption.*

Mistura Ferri Ammon. Chlor. c. Valer.

Tincture of Ammonio-Chloride of Iron 20 mins.; Comp. Tincture of Valerian 30 mins.; Camphor Water 1 oz. *Consumption.*

Mistura Ferri Ammon. Citrat.

Ammonio-Citrate of Iron 5 grs.; Pimenta Water 1 oz. *London.*

Ammonio-Citrate of Iron 5 grs.; Infusion of Quassia 1 oz. *Charing Cross.*

Mistura Ferri Aperiens.

Sulphate of Iron 4 grs.; Sulphate of Magnesia 1 drm.; Dil. Sulphuric Acid 9 mins.; Peppermint Water to 1 oz. *University.*

Sulphate of Iron 2 grs.; Sulphate of Magnesia 30 grs.; Dil. Sulphuric Acid 4½ mins.; Infusion of Quassia 1 oz. *Westminster Ophthalmic.*

Mistura Ferri Arsenicalis.

Tincture of Steel 48 mins.; Arsenious Acid ⅛ gr.; Hydrochloric Acid 1½ min.; water to 1 oz.

Dose 1 to 2 drms. in water in chronic, squamous, pustular, and vesicular affections. *Skin.*

Ammonio-Citrate of Iron 7½ grs.; Arsenical Solution 5 mins.; Tincture of Calumba 21 mins.; water to 1 oz. *University.*

Tincture of Perchloride of Iron 24 mins.; Hydrochloric Solution of Arsenic 4½ mins.; water 1 oz. *Westminster Ophthalmic.*

Mistura Ferri Co.

Same as Pharm. Lond., omitting the Sugar, Rose Water, and Spirit of Nutmeg, and substituting Decoction of Liquorice. Dose 1 oz. twice or thrice daily. *Guy's.*

Sulphate of Iron 2½ grs.; Myrrh 6 grs.; Carbonate of Potash 3 grs.; water 1 oz. *London Ophthalmic.*

Sulphate of Iron 2½ grs.; Myrrh 7½ grs.; Carbonate of Potash 3½ grs.; Oil of Cloves ¼ min.; water 1 oz. *Westminster.*

Sulphate of Iron 2 grs.; Myrrh 5 grs.; Carbonate of Potash 2½ grs.; Sugar 5 grs.; Cassia Water to 1 oz. *London.*

Sulphate of Iron 2½ grs.; Myrrh 5 grs.; Bicarbonate of Potash 3 grs.; White Sugar 6 grs.; water 1 oz. *Charing Cross.*

Mistura Ferri Cathartica.

Sulphate of Iron 2 grs.; Sulphate of Magnesia 6 grs.; Dil. Sulphuric Acid 10 mins.; Peppermint Water to 1 oz. *London.*

Mistura Ferri c. Æther. Chlor.

Solution of Perchloride of Iron 20 mins.; Chloric Ether 10 mins.; Infusion of Quassia 1 oz. For 1 dose. *Consumption.*

Mistura Ferri c. Aloë.

Comp. Mixture of Iron 6 drms.; Comp. Decoction of Aloes to 1 oz. *Consumption.*

Mistura Ferri c. Magnesiæ Sulphate.

Sulphate of Iron 2 grs.; Sulphate of Magnesia 20 grs.; water 1 oz. *King's.*

Mistura Ferri c. Potass. Iodido.

Ammonio-Citrate of Iron 5 grs.; Iodide of Potassium 2½ grs.; Pimenta Water 1 oz. *London.*

Tartarated Iron 20 grs.; Iodide of Potassium 10 grs.; water 1 oz. *King's.*

Mistura Ferri c. Sodâ.

Sulphate of Iron 7½ grs.; Bicarbonate of Soda 15 grs.; Peppermint Water to 1 oz. *Westminster.*

Mistura Ferri c. Strychniâ.

Solution of Perchloride of Iron 15 mins.; Solution of Strychnia 6 mins.; Spirit of Chloroform 6 mins.; water 1 oz. *Westminster Ophthalmic.*

Mistura Ferri c. Sulphate Sodæ.

Sulphate of Iron 2 grs.; Sulphate of Soda 1 drm.; Peppermint Water to 1 oz. *Consumption.*

Sulphate of Iron 3¾ grs.; Sulphate of Soda 1 drm.; Peppermint Water to 1 oz. *Westminster.*

Mistura Ferri Effervescens.

Tincture of Muriate of Iron 60 mins.; Acetic Acid 7 drms.; water 1 oz. (Bicarbonate of Potash ½ drm.; water ½ oz.) *Westminster.*

Sulphate of Iron 3 grs.; Dil. Sulphuric Acid 15 mins.; water to 1 oz. To be taken with 1 drm. of Effervescent Citro-Tartrate of Soda. *Chest.*

Mistura Ferri et Bismuthi.

Citrate of Iron and Ammonia 5 grs.; Subnitrate of Bismuth 5 grs.; water to 1 oz. *Chest.*

Mistura Ferri et Magnesiæ vel Laxans.

Sulphate of Iron 2 grs.; Sulphate of Magnesia 1 drm.; Dil. Sulphuric Acid 3 mins.; Spirit of Chloroform 20 mins.; Peppermint Water to 1 oz. *St. Mary's.*

Sulphate of Iron 2 grs.; Sulphate of Magnesia ½ drm.; Dil. Sulphuric Acid 10 mins.; Peppermint Water 1 oz. *Charing Cross.*

Mistura Ferri et Potassæ Chloratis Infantium.

Liquor Ferri Perchloridi 2 mins.; Chlorate of Potash 3 grs.; water 1 drm. *Charing Cross.*

Mistura Ferri et Quiniæ Effervescens.

Citrate of Iron 5 grs.; Sulphate of Quinia 1 gr.; Citric Acid 10 grs.; water 1 oz. To be taken with 10 grs. of Bicarbonate of Soda. *Consumption.*

Mistura Ferri Iodidi.

Solution of Iodide of Iron 24 mins.; Sulphate of Magnesia 2 drms.; Oil of Peppermint ½ drop; water to 1 oz. Dose 2 to 4 drms. in sebaceous, pustular, and erythematous affections. *Skin.*

Mistura Ferri Laxans.

St. Mary's. Vide Mist. Ferri et Magnes.

Mistura Ferri Perchloridi.

Tincture of Perchloride of Iron, Glycerine, Spirit of Chloroform, of each 9 mins.; water 1 oz. *University.*

Tincture of Perchloride of Iron 10 mins.; Red Mixture 1 oz. *London.*

Solution of Perchloride of Iron 10 mins.; Infusion of Quassia 1 oz. *King's.*

Tincture of Perchloride of Iron 10 mins.; Glycerine 1 drm.; water to 1 oz. *Chest.*

Mistura Ferri Perchloridi c. Acido.

Tincture of Muriate of Iron 10 mins.; Dil. Hydrochloric Acid 10 mins.; water 1 oz. Dose 1 oz. *London Ophthalmic.*

Mistura Ferri Perchlor. c. Ammon. Chlor.

Tincture of Perchloride of Iron 10 mins.; Hydrochlorate of Ammonia 10 grs.; water to 1 oz. *Consumption.*

Mistura Ferri Pernitratis.

Solution of Pernitrate of Iron 10 to 20 mins.; water 1 oz. *Westminster Ophthalmic.*

Mistura Ferri Phosph.

Phosphate of Iron 10 grs.; Dil. Phosphoric Acid 20 mins.; Caraway Water to 1 oz. *Consumption.*

Phosphate of Soda 9 grs.; Sulphate of Iron 7½ grs.; Citric Acid 3 grs.; water 1 oz. Dissolve the Phosphate in half the water and the rest in the other half, and mix. *Westminster Ophthalmic.*

Mistura Ferri Sulph.

Sulphate of Iron 2 grs.; Dil. Sulphuric Acid 5 mins.; water 1 oz. *Charing Cross.*

Mistura Filicis.

Oil of Male Fern 1 drm.; Comp. Tragacanth Powder ½ drm.; Peppermint Water to 1 oz. *St. Mary's.*

Mistura Gentian. Acid.

Dil. Hydrocyanic Acid 3 mins.; Dil. Hydrochloric Acid 10 mins.; Comp. Infusion of Gentian to 1 oz. *Consumption.*

Mistura Gentian. Alkalin.

Dil. Hydrocyanic Acid 3 mins.; Bicarbonate of Soda 15 grs.; Comp. Infusion of Gentian to 1 oz. *Consumption.*

Mistura Gentian. Cathartica.

Sulphate of Magnesia 60 grs.; Comp. Infusion of Gentian 1 oz. Dose 1 oz. *London Ophthalmic.*

Mistura Gentian. c. Ammoniâ.

Carbonate of Ammonia 3 grs.; Comp. Infusion of Gentian 1 oz. *Chest.*

Carbonate of Ammonia 5 grs.; Comp. Infusion of Gentian 1 oz. *London Ophthalmic.*

Mistura Gentian. c. Magnes. Sulph.

Sulphate of Magnesia 1 drm.; Aromatic Spirit of Ammonia 20 mins.; Comp. Infusion of Gentian 1 oz. *St. Mary's.*

Mistura Gentian. c. Rheo.

Powdered Rhubarb 3½ grs.; Carbonate of Magnesia 10 grs.; Comp. Infusion of Gentian to 1 oz. *Consumption.*

Mistura Gentian. et Magnesiæ.

Carbonate of Magnesia 15 grs.; Sulphate of Magnesia 54 grs.; Tincture of Gentian 20 mins.; Infusion of Gentian 1 oz. *St. George's.*

Mistura Gentian. et Sennæ.

Infusion of Gentian 6 drms.; Infusion of Senna 3 drms.; Comp. Tincture of Cardamoms 1 drm. *St. George's.*

Infusion of Gentian, Infusion of Senna, equal parts. *University.*

Mistura Gentian. et Sennæ c. Ammon.

Infusion of Senna 2½ drms.; Carbonate of Ammonia 5 grs.; Comp. Infusion of Gentian to 1 oz. *Consumption.*

Mistura Gentian. et Sodæ.

Comp. Infusion of Gentian 1 oz.; Bicarbonate of Soda 18 grs. *University.*

Mistura Guaiaci.

Ammoniated Tincture of Guaiacum 30 mins.; Acacia Mixture 1 oz. *London.*

Mistura Guaiaci Co.

Nitrate of Potash 3 grs.; Mixture of Guaiacum 1 oz. *Westminster Ophthalmic.*

Mistura Hæmatoxyli.

Decoction of Logwood to 1 oz.; Lime Water 2½ drms. *Consumption.*

Mistura Hæmatoxyli Co.

Extract of Logwood 10 grs.; Wine of Opium 5 mins.; Ipecacuanha Wine 10 mins.; Chalk Mixture to 1 oz. Dose 2 or 3 times a day. *Guy's.*

Mistura Hæmatoxyli c. Cretâ.

Extract of Logwood 11¼ grs.; Tincture of Catechu 30 mins.; Chalk Mixture to 1 oz. *Westminster.*

Mistura Hæmatoxyli Infantium.

Tincture of Catechu 80 mins.; Caraway Water 3½ drms.; Extract of Logwood 40 mins.; water to 1 oz. Dose 1 to 2 drms. *Middlesex.*

Decoction of Logwood 1 drm.; Tincture of Catechu 5 mins.; Dil. Sulphuric Acid 1 min. The dose for a child. *St. Mary's.*

Mistura Hæmatoxyli Opiata.

Tincture of Opium 3 mins.; Tincture of Catechu 1 drm.; Decoction of Logwood to 1 oz. *St. George's.*

Mistura Hydrarg.

Corrosive Sublimate 1 gr.; Hydrochloric Acid 1½ min.; Spirits of Camphor 1½ min.; Burnt Sugar 1½ gr.; water to 1 oz. Dose 1 to 2 drms. in papular, tubercular, vesicular, ulcerous, chromatic, and cachectic affections. *Skin.*

Mistura Hydrarg. Co.

Corrosive Sublimate ¾ gr.; Hydrochloric Acid ¾ min.; Arsenious Acid ½ gr.; Hydrochlorate of Ammonia 1½ gr.; Comp. Tincture of Lavender 3 mins.; water to 10 drms. Dose 1 to 2 drms. in cachectic, squamous, and erythematous affections. *Skin.*

Mistura Hydrarg. Corrosivi Sublimati.

Corrosive Sublimate $\frac{1}{12}$ gr.; Tincture of Bark 60 mins.; Tincture of Rhubarb 30 mins.; water 1 oz. The dose 2 or 3 times a day. *Guy's.*

Mistura Hydrarg. Iodid.

Corrosive Sublimate 1 gr.; Iodide of Potassium 18 grs.; Comp. Tincture of Iodine 6 mins.; water to 1 oz. Dose 1 to 2 drms. in cachectic, tubercular, and chromatic affections. *Skin.*

Corrosive Sublimate $\frac{1}{10}$ gr.; Iodide of Potassium 9 grs.; Comp. Tincture of Iodine 6 mins.; water 1 oz. *University.*

Solution of Perchloride of Mercury 1 drm.; Iodide of Potassium 5 grs.; Infusion of Quassia 1 oz. *Charing Cross.*

Mistura Hydrarg. Perchloridi.

Perchloride of Mercury $\frac{1}{12}$ gr.; Rectified Spirit 10 mins.; water to 1 oz. *London.*

Perchloride of Mercury $\frac{1}{10}$ gr.; Chloride of Ammonium $\frac{3}{4}$ gr.; Decoction of Bark 1 oz. *Westminster Ophthalmic.*

Mistura Hydrocyan. Co.

Scheele's Prussic Acid 2 mins.; Ipecacuanha Wine 15 mins.; Tincture of Squills 7½ mins.; Treacle 37½ mins.; Decoction of Cetraria ½ oz.; Pimenta Water to 1 oz. *Westminster.*

Mistura Iodi.

Iodine ⅛ gr.; Iodide of Potassium 3 grs.; Comp. Tincture of Lavender 30 mins.; water to 1 oz. The dose 2 or 3 times daily. *Guy's.*

Mistura Iodi Co.

Tincture of Iodine 8 mins.; Iodide of Potassium 5 grs.; Peppermint Water 1 oz. *Charing Cross.*

Mistura Ipecacuanhæ.

Ipecacuanha 2 grs.; Acacia Mixture 1 oz. *London.*

Ipecacuanha Wine 15 mins.; Tincture of Henbane 10 mins.; Mucilage 40 mins.; Pimenta Water to 1 oz. *St. Mary's.*

Wine of Ipecacuanha 15 mins.; Dill Water to 1 oz. *Consumption.*

Mistura Ipecacuanhæ Co.

Ipecacuanha Wine 25 mins.; Liquid Extract of Opium 5 mins.; Saline Mixture 1 oz. *Charing Cross.*

Wine of Ipecacuanha ½ drm.; Tincture of Squills 7½ mins.; Tincture of Opium 4½ mins.; Mucilage, Barley Water, of each ½ oz. *University.*

Mistura Ipecac. c. Ammoniâ.

Ipecacuanha Wine 5 mins.; Carbonate of Ammonia 5 grs.; Camphor Water 1 oz. *Consumption.*

Mistura Ipecac. c. Tinct. Camph. Co.

Wine of Ipecacuanha 15 mins.; Comp. Tincture of Camphor 30 mins.; Dill Water to 1 oz. *Consumption.*

Mistura Ipecacuanhæ Infantium.

Wine of Ipecacuanha 20 mins.; Mucilage 100 mins.; Syrup 40 mins.; water to 1 oz. Dose 1 drm. *Middlesex.*

Wine of Ipecacuanha 5 mins.; Mucilage 15 mins.; Simple Syrup 8 mins.; water 1 drm. The dose for a child. *St. Mary's.*

Mistura Ipecacuanhæ c. Sodâ Infantium.

Ipecacuanha Wine 3 mins.; Bicarbonate of Soda 3 grs.; water 1 drm. *Charing Cross.*

Mistura Ipecacuanhæ Opiat. (Infantium).

Bicarbonate of Soda 20 grs.; Spirits of Nitre 30 mins.; Tincture of Opium 3 mins.; Ipecacuanha Mixture to 1½ oz. Dose 1 drm. *Middlesex.*

Mistura Jalapæ Co.

Jalap 7½ grs.; Sulphate of Potash 15 grs.; Comp. Infusion of Senna 1 oz. *Westminster.*

Mistura Liq. Pot. c. Ipecac. Infantium.

Solution of Potash ½ drm.; Ipecacuanha Wine ½ drm.; Syrup of Red Poppies 2 drms.; Mucilage ½ oz.; water to 2 oz. Dose 1 drm. *King's.*

Mistura Lobeliæ.

Ethereal Tincture of Lobelia 15 mins.; Camphor Water 1 oz. *London.*

Mistura Lobeliæ et Ammoniaci.

Tincture of Lobelia 21 mins.; Mixture of Ammonia 4 drms.; Tincture of Hyoscyamus 27 mins.; water to 1 oz. *University.*

Mistura Magnesiæ.

Carbonate of Magnesia 15 grs.; water to 1 oz. The dose 2 or 3 times a day. *Guy's.*

Carbonate of Magnesia 15 grs.; Acacia Mixture 1 oz. *London.*

Mistura Magnesiæ c. Acido Sulphurico.

Sulphate of Magnesia 1½ drm.; Dil. Sulphuric Acid 18 mins.; Peppermint Water 1 oz. *University.*

Mistura Magnesiæ c. Ammoniâ.

Carbonate of Magnesia 11¼ grs.; Carbonate of Ammonia 2½ grs.; water 2½ drms.; Peppermint Water to 1 oz. *Westminster.*

Mistura Magnesiæ c. Colch.

Carbonate of Magnesia 12 grs.; Sulphate of Magnesia 2 drms.; Tincture of Colchicum 24 mins.; Peppermint Water to 1 oz. Dose 2 to 4 drms. in acute squamous and vesicular affections. *Skin.*

Mistura Magnesiæ c. Magnes. Sulph.

Carbonate of Magnesia 10 grs.; Sulphate of Magnesia 80 grs.; Mint Water to 1 oz. Once or twice a day. *Guy's.*

Carbonate of Magnesia 11¼ grs.; Sulphate of Magnesia 60 grs.; Oil of Lemon ¼ min.; Peppermint Water to 1 oz. *Westminster.*

Carbonate of Magnesia 15 grs.; Sulphate of Magnesia 30 grs.; Peppermint Water 1 oz. *St. Thomas's.*

Carbonate of Magnesia 10 grs.; Sulphate of Magnesia 1 drm.; Peppermint Water 1 oz. *Chest.* (*London* with 15 grs. of Magnesia.)

Mistura Magnesiæ c. Potassæ Iodido.

Sulphate of Magnesia 1 drm.; Carbonate of Magnesia ½ drm.; Iodide of Potassium 3 grs.; Spirit

of Nitrous Ether ½ drm.; Peppermint Water 1 oz. *Chest.*

Mistura Magnesiæ c. Rheo.

Rhubarb 5 grs.; Carbonate of Magnesia 15 grs.; Acacia Mixture 1 oz. *London.*

Rhubarb 5 grs.; Carbonate of Magnesia 15 grs.; Cinnamon Water 1 oz. *London Ophthalmic.*

Rhubarb 7½ grs.; Carbonate of Magnesia 15 grs.; Peppermint Water to 1 oz. *St. Thomas's.*

Rhubarb 4½ grs.; Carbonate of Magnesia 13½ grs.; Ginger 2 grs.; water to 1 oz. *King's.*

Mistura Magnesiæ Sulphatis vel Mistura Alba.

Sulphate of Magnesia 2 drms.; Carbonate of Magnesia 20 grs.; Spirit of Peppermint 30 mins.; water to 2 oz. for a dose. *St. Mary's.*

Mistura Magnesiæ Sulphatis c. Acido Gallico.

Sulphate of Magnesia 1 drm.; Gallic Acid 10 grs.; Dil. Sulphuric Acid 5 mins.; water to 1 oz. *Chest.*

Mistura Magnesiæ Sulph. c. Antim.

Sulphate of Magnesia 30 grs.; Tartarated Antimony ⅛ gr.; water 1 oz. *Westminster Ophthalmic.*

Mistura Magnes. Sulph. c. Rheo Infantium.

Sulphate of Magnesia 1 drm.; Tincture of Rhubarb 2 drms.; Syrup of Ginger 1 drm.; Caraway Water to 1½ oz. Dose 1 to 2 drms. *King's.*

Mistura Menthæ Acida.

Dil. Sulphuric Acid 10 mins.; Confection of Roses 1 drm.; Mint Water to 1 oz. *St. George's.*

Mistura Menthæ Pip.

Comp. Tincture of Cardamoms 7½ mins.; Peppermint Water ½ oz.; water to 1 oz. *Westminster.*

Mistura Menthæ Sulphur.

Dil. Sulphuric Acid 7½ mins.; Treacle 15 grs.; Mint Water to 1 oz. *Westminster.*

Mistura Morphiæ c. Acido Hydrocyan.

Hydrochlorate of Morphia ⅛ gr.; Dil. Hydrocyanic Acid 3 mins.; Syrup 80 mins.; Mucilage 1 oz. *Consumption.*

Hydrochlorate of Morphia ⅛ gr.; Dil. Hydrocyanic Acid 2 mins.; Dil. Hydrochloric Acid 10 mins.; Syrup of Squills 20 mins.; water to 1 oz. *Chest.*

Mistura Mucilagin.

Dil. Sulphuric Acid 7½ mins.; Tincture of Opium 3¾ drops; Mint Water 1 drm.; Treacle 1 drm.; Mucilage 3 drms.; water to 1 oz. *Westminster.*

Almond Oil 10 mins.; Syrup 40 drops; Mucilage 2⅔ drms.; water to 1 oz. Dose ½ oz. frequently. *Guy's.*

Mistura Myrrhæ.

Myrrh 10 grs.; Cold Decoction of Liquorice to 1 oz. *Guy's.*

Mistura Nigra.

Sulphate of Magnesia 1 drm.; Essence of Peppermint 5 mins.; Comp. Infusion of Senna 1 oz. *St. Thomas's.*

Mistura Nucis Vomicæ.

Tincture of Nux Vomica 10 mins.; Comp. Infusion of Gentian 1 oz. *London Ophthalmic.*

Mistura Olei.

Olive Oil 1 drm.; Solution of Carbonate of Potash 3¾ mins.; Mint Water to 1 oz. *Guy's.*

Mistura Olei Cocos Nucis.

Fluid Cocoanut Oil 100 mins.; Spirit of Sal Volatile 20 mins.; water to 1 oz. *Consumption.*

Mistura Olei c. Rheo.

Linseed Oil 1 drm.; Mucilage 1 drm.; Tincture of Rhubarb 1 drm.; Pimenta Water to 1 oz. *Westminster.*

Mistura Olei Morrhuæ.

Cod-Liver Oil 1 drm.; Acacia 20 grs.; Pimenta Water to 1 oz. *St. Mary's.*

Cod-Liver Oil 2 drms.; Solution of Potash 15 mins.; Peppermint Water to 1 oz. *Consumption.*

Mistura Olei Morrhuæ Amar.

Cod-Liver Oil 1 drm.; Acacia 20 grs.; Spirit of Peppermint 5 mins.; Infusion of Quassia to 1 oz. *St. Mary's.*

Mistura Olei Morrhuæ c. Ferro.

Cod-Liver Oil 1 drm.; Acacia 20 grs.; Tartrate of Iron 10 grs.; Pimenta Water to 1 oz. *St. Mary's.*

Mistura Olei Ricini.

Castor Oil ½ oz.; Tincture of Opium 5 mins.; Powder of Acacia *q. s.*; Cinnamon Water to 1 oz. *King's.*

Castor Oil 1 drm.; Tincture of Opium 4 mins.; Powder of Acacia 30 grs.; Sugar 30 grs.; water to 1 oz. Dose for children 1 drm. *King's.*

Castor Oil 1½ drm.; Powder of Acacia 30 grs.; Sugar 30 grs.; Caraway Water to 12 drms. Dose for a child 1 drm. *St. Mary's.*

Castor Oil 40 grs.; Solution of Potash 40 mins.; Mucilaginous Mixture 1 oz. *London.*

Castor Oil 1 drm.; Sugar 20 grs.; Acacia 20 grs.; Caraway Water to 1 oz. Dose for a child 1 drm. *Middlesex.*

Mistura Oleosa.

Oil of Almonds 40 mins.; Solution of Potash 5 mins.; Oil of Caraway ½ min.; water 1 oz. *London.*

Mistura Olibani.

Olibanum 20 grs.; Honey 30 grs.; Decoction of Barley to 1 oz. *Guy's.*

Mistura Opii Ammoniat.

Tincture of Opium 8 mins.; Tincture of Squills 8 mins.; Honey 12 grs.; Spirit of Sal Volatile 16 mins.; Peppermint Water to 1 oz. *University.*

Mistura Oxymellis.

Oxymel 2 drms.; Nitrate of Potash 5 grs.; water to 1 oz. *Guy's.*

Mistura Oxymel. Co.

Vinegar 10 mins.; Honey 24 grs.; Nitrate of Potash 10 grs.; water to 1 oz. *St. Thomas's.*

Mistura Oxymel. Scillæ.

Oxymel of Squills 80 mins.; Spirit of Nitre 20 mins.; Paregoric 20 mins.; water to 1 oz. *St. George's.*

Mistura Plumbi Acetat.

Acetate of Lead 2 grs.; Distilled Vinegar 20 mins.; water to 1 oz. *Consumption.*

Mistura Potassæ.

Sulphate of Potash 20 grs.; Solution of Potash 10 mins.; Peppermint Water to 1 oz. *St. Thomas's.*

Solution of Potash 15 mins.; Acacia Mixture to 1 oz. *London.*

Mistura Potassæ Acetat.

Acetate of Potash 30 grs.; Tincture of Squills 20

mins.; Spirit of Nitrous Ether 40 mins.; Camphor Water to 1 oz. *Consumption.*

Mistura Potassæ Acetat. Co.

Acetate of Potash 16 grs.; Tincture of Squills 12 mins.; Spirit of Nitrous Ether 16 mins.; Spirit of Juniper 36 mins.; Decoction of Broom to 1 oz. *University.*

Acetate of Potash 7½ grs.; Nitrate of Potash 5 grs.; Bicarbonate of Potash 7½ grs.; water to 1 oz. *London.*

Acetate of Potash 20 grs.; Nitrate of Potash 5 grs.; Spirit of Nitrous Ether ½ drm.; Vinegar of Squills 10 mins.; Solution of Acetate of Ammonia 3 drms.; water to 1 oz. *Chest.*

Mistura Potassæ Arsenitis.

Fowler's Solution 24 mins.; Solution of Potash 36 mins.; water to 1 oz. Dose 1 to 2 drms. in squamous and chronic vesicular affections. *Skin.*

Mistura Potassæ Bicarbonatis.

Bicarbonate of Potash 30 grs.; Infusion of Quassia 1 oz. *Charing Cross.*

Bicarbonate of Potash 20 grs.; water ½ oz. *King's.*

Mistura Potassæ Bitart.

Acid Tartrate of Potash 30 grs.; Spirit of Nitrous Ether 30 mins.; Tincture of Squills 15 mins.; water to 1 oz. *Westminster.*

Mistura Potassæ Carbonatis.

Carbonate of Potash 20 grs.; water 1 oz. *Guy's.*

Mistura Potassæ Chlor.

Chlorate of Potash 7½ grs.; Hydrochloric Acid 2 mins.; water 1 oz. *St. Thomas's.*

Chlorate of Potash 6 grs.; water 1 oz. *Charing Cross.*

Mistura Potassæ Citratis.

Bicarbonate of Potash 13⅓ grs.; Lemon Juice 2 drms.; water to 1 oz. *St. Thomas's.*

Bicarbonate of Potash 20 grs.; Citric Acid 17 grs.; water to 1 oz. *London.*

(Bicarbonate of Potash 27½ grs.; water 1 oz.) (Citric Acid 20 grs.; water 1 oz.) *Westminster.*

Bicarbonate of Potash 20 grs.; Citric Acid 18 grs.; Syrup 3 drms.; water to 1½ oz. Dose 1 to 2 drms. for children. *King's.*

Mistura Potassæ Citratis Effervescens.

Bicarbonate of Potash 13⅓ grs.; Lemon Juice 2 drms.; water to 1 oz. *St. Thomas's.*

Mistura Potassæ Co.

Vide Mist. Potassæ Acet. Co. *London.*

Mistura Potassæ c. Hyoscyamo.

Bicarbonate of Potash 10 grs.; Tincture of Henbane 15 mins.; Syrup of Poppies 30 mins.; Dill Water 1 oz. Dose for a child 1 to 2 drms. *Westminster.*

Mistura Potassæ Effervescens.

Bicarbonate of Potash 20 grs.; Citric Acid 15 grs.; water to 1 oz. *Consumption.*

Mistura Potassæ Liquoris.

Solution of Potash 15 mins.; Tincture of Henbane 15 mins.; Infusion of Cascarilla to 1 oz. *Consumption.*

Mistura Potassæ Liquoris c. Ipecacuanhâ (children).

Solution of Potash 30 mins.; Ipecacuanha Wine 30 mins.; Syrup of Red Poppies 2 drms.; Mucilage ½ oz.; water to 2 oz. Dose 1 drm. *King's.*

Mistura Potassæ Nitratis.

Nitrate of Potash 10 grs.; Red Mixture to 1 oz. *London.*

Nitrate of Potash 10 grs.; Solution of Acetate of Ammonia 1 drm.; Spirits of Nitre 15 mins.; Camphor Water to 1 oz. *St. Mary's.*

Nitrate of Potash 15 grs.; water 4 drms.; Syrup 30 mins.; Dill Water to 1 oz. *Westminster.*

Nitrate of Potash 15 grs.; Spirits of Nitrous Ether 15 mins.; Syrup of Lemons 40 mins.; Mint Water to 1 oz. *Guy's.*

Mistura Potassæ Tart. Efferves.

Bicarbonate of Potash 15 grs.; water to 1 oz.; taken whilst effervescing with Tartaric Acid 12 grs., in ½ oz. of water. *London Ophthalmic.*

Bicarbonate of Potash 20 grs.; water to 1 oz.; (taken with Tartaric Acid 15 grs., in ½ oz. of water). *St. Mary's.*

Mistura Potassii Bromidi.

Bromide of Potassium 10 grs.; Bicarbonate of Potash 2½ grs.; water 1 oz. *University.*

Bromide of Potassium 4 grs.; Bicarbonate of Potash 4 grs.; water 1 oz. *Westminster Ophthalmic.*

Bromide of Potassium 20 grs.; water 1 oz. *King's.*

Bromide of Potassium 15 grs.; Infusion of Quassia 1 oz. *Charing Cross.*

Mistura Potassii Bromidi Co.

Bromide of Potassium 10 grs.; Spirit of Chloroform 18 mins.; Infusion of Quassia 1 oz. *University.*

Bromide of Potassium 10 grs.; Tincture of Conium 30 mins.; Ammoniated Tincture of Valerian 10 mins.; Camphor Water to 1 oz. *Chest.*

Mistura Potassii Iodidi.

Iodide of Potassium 3 grs.; Comp. Infusion of Gentian 1 oz. *St. Thomas's.*

Iodine 3 grs.; Solution of Potash 24 mins.; water to 1 oz. Dose 1 to 2 drms. in cachectic, tubercular, ulcerous, and pustular affections. *Skin.*

Iodide of Potassium 5 grs.; Red Mixture 1 oz. *London.*

Iodide of Potassium 7½ grs.; Bicarbonate of Potash 15 grs.; Caraway Water 1 oz. *Westminster.*

Iodide of Potassium 3 grs.; Bicarbonate of Potash 6 grs.; Decoction of Bark 1 oz. *Westminster Ophthalmic.*

Iodide of Potassium 5 grs.; Infusion of Quassia 1 oz. *King's.*

Iodide of Potassium 5 grs.; Bicarbonate of Potash 10 grs.; Infusion of Quassia to 1 oz. *Chest.*

Iodide of Potassium 5 grs.; Infusion of Quassia 1 oz. *Charing Cross.*

Iodide of Potassium 3 grs.; Bicarbonate of Potash 10 grs.; water to 1 oz. *St. Mary's.*

Mistura Potassii Iodidi Co.

Iodide of Potassium 5 grs.; Tincture of Orange 30 mins.; water 1 oz. *London Ophthalmic.*

Iodine 3 grs.; Solution of Arsenite of Potash 24 mins.; Solution of Potash 24 mins.; Comp. Tincture of Cardamoms 24 mins.; water to 1 oz. Dose 1 to 2 drms. in cachectic, squamous, pustular, and vesicular affections. *Skin.*

Mistura Potassii Iodidi Aperiens.

Iodide of Potassium 3 grs.; Sulphate of Magnesia 1 drm.; Carbonate of Magnesia ½ drm.; Spirit of Nitrous Ether ½ drm.; Peppermint Water to 1 oz. *Chest.*

Mistura Potassii Iodidi c. Ferro.

Iodide of Potassium 2 grs.; Bicarbonate of Potash

10 grs.; Tartrated Iron 15 grs.; Pimenta Water to 1 oz. *Consumption.*

Mistura Potassii Iodidi c. Stramonio.

Iodide of Potassium 3 grs.; Extract of Stramonium ¼ gr.; Extract of Liquorice 1½ gr.; Chloric Ether 5 mins.; water to 1 oz. *Consumption.*

Mistura pro Pertussi.

Ipecacuanha Wine 4 mins.; Dil. Hydrocyanic Acid ½ min.; Syrup 12 mins.; Dill Water to 1 drm. Dose for a child. *St. Mary's.*

Mistura pro Tussi.

Ipecacuanha Wine 15 mins.; Tincture of Opium 5 mins.; Nitrate of Potash 10 grs.; Mucilage 2 drms.; water to 1 oz. *St. Thomas's.*

Vinegar of Squills 30 mins.; Ipecacuanha Wine 30 mins.; Treacle 1 drm.; Tincture of Opium 2 mins.; Mucilage 3 drms.; Camphor Water to 1 oz. *Westminster.*

Mistura Quassiæ c. Ferro.

Ammonio-Citrate of Iron 12 grs.; Infusion of Quassia to 1 oz. *University.*

Solution of Perchloride of Iron 15 mins.; Spirit of Cinnamon 20 mins.; Infusion of Quassia to 1 oz. *Consumption.*

Mistura Quiniæ.

Sulphate of Quinia 1 gr.; Dil. Sulphuric Acid 2 mins.; Comp. Tincture of Cardamoms ½ drm.; water to 1 oz. *St. Thomas's.*

Sulphate of Quinia 1 gr.; Dil. Sulphuric Acid 2 mins.; water to 1 oz. *London. London Ophthalmic. Chest.*

Sulphate of Quinia 2 grs.; Tartaric Acid 2 grs.; water to 1 oz. *St. Mary's.*

Sulphate of Quinia 2 grs.; Dil. Sulphuric Acid 2½ mins.; Mint Water to 1 oz. *Westminster.*

Sulphate of Quinia 2 grs.; Dil. Sulphuric Acid 3½ mins.; Tincture of Orange 10 mins.; Syrup 30 mins.; water to 1 oz. *Guy's.*

Sulphate of Quinia 1 gr.; Dil. Sulphuric Acid 1 min.; water 1 oz. *Charing Cross.*

Sulphate of Quinia 2 grs.; Dil. Sulphuric Acid 6 mins.; water 1 oz. *Westminster Ophthalmic. Consumption.*

Sulphate of Quinia 1 gr.; Dil. Sulphuric Acid 5 mins.; water 1 oz. *King's.*

Sulphate of Quinia 2 grs.; Glycerine ¼ oz.; water 1 oz. *University.*

Mistura Quiniæ Alkalina.

Sulphate of Quinia 2 grs.; Carbonate of Ammonia 3 grs.; Bicarbonate of Potash 20 grs.; Acacia 10 grs.; water 1 oz. *Charing Cross.*

Mistura Quiniæ Ammoniata.

Sulphate of Quinia 2 grs.; Carbonate of Ammonia 4½ grs.; Carbonate of Magnesia 3 grs.; Comp. Tincture of Cardamoms 12 mins.; water to 1 oz. Dose 1 to 2 drms. in phlegmonous, erythematous, and neuralgic affections. *Skin.*

Mistura Quiniæ Aperiens.

Sulphate of Quinia 1 gr.; Dil. Sulphuric Acid 6 mins.; Sulphate of Magnesia 45 grs.; water 1 oz. *Westminster Ophthalmic.*

Mistura Quiniæ Arsenicalis.

Sulphate of Quinia 2½ grs.; Dil. Sulphuric Acid 2½ mins.; Syrup of Lemons 22½ mins.; Solution of Arsenite of Potash 5 mins.; Camphor Water to 1 oz. *Westminster.*

Mistura Quiniæ Cathartica.

Sulphate of Quinia 1 gr.; Dil. Sulphuric Acid 2 mins.; Sulphate of Magnesia 60 grs.; water 1 oz. For a dose. *London Ophthalmic.*

Mistura Quiniæ c. Acido Nitrico.

Sulphate of Quinia 2 grs.; Dil. Nitric Acid 3 mins.; Cinnamon Water ½ oz.; water to 1 oz. *University.*

Mistura Quiniæ c. Cascarillâ.

Quinia Mixture, Infusion of Cascarilla, of each equal parts. *Consumption.*

Mistura Quiniæ c. Ferro.

Sulphate of Quinia 1 gr.; Dil. Sulphuric Acid 2 mins.; Sulphate of Iron 1 gr.; water to 1 oz. *London Ophthalmic.*

Sulphate of Quinia 1½ gr.; Dil. Sulphuric Acid 2½ mins.; Sulphate of Iron 1½ gr.; Peppermint Water to 1 oz. *Westminster.*

Sulphate of Quinia 1 gr.; Sulphate of Iron 1 gr.; Sulphate of Magnesia 15 grs.; Dil. Sulphuric Acid 4½ mins.; water 1 oz. *Westminster Ophthalmic.*

Sulphate of Quinia 1 gr.; Sulphate of Iron 2 grs.; Sulphate of Magnesia ½ drm.; Dil. Sulphuric Acid 2 mins.; water to 1 oz. *Chest.*

Sulphate of Quinia 1 gr.; Sulphate of Iron 1 gr.; Dil. Sulphuric Acid 5 mins.; water 1 oz. *Charing Cross.*

Sulphate of Quinia 2 grs.; Sulphate of Iron 2 grs.; Glycerine ¼ oz.; water 1 oz. *University.*

Sulphate of Quinia 2 grs.; Sulphate of Iron 1 gr.; Dil. Sulphuric Acid 6 mins.; water to 1 oz. *Consumption.*

Sulphate of Quinia 2 grs.; Dil. Sulphuric Acid 2 mins.; Sulphate of Iron 1 gr.; water to 1 oz. *St. Thomas's.*

Mistura Quiniæ c. Opio.

Sulphate of Quinia 4 grs.; Dil. Sulphuric Acid 6 mins.; Oil of Caraway ½ drop; Tincture of

Opium 12 mins.; water to 1 oz. Dose 2 to 4 drms. *Skin.*

Sulphate of Quinia 1 gr.; Dil. Sulphuric Acid 2 mins.; Tincture of Opium 2 mins.; water to 1 oz. *Chest.*

In sebaceous, erythematous, and neuralgic affections.

Mistura Quiniæ c. Valerianâ.

Sulphate of Quinia 2 grs.; Dil. Sulphuric Acid 6 mins.; Tincture of Valerian 30 mins.; Chloric Ether 10 mins.; water to 1 oz. *Consumption.*

Mistura Quiniæ Effervescens.

Sulphate of Quinia 1 gr.; Dil. Sulphuric Acid 2 mins.; water 1 oz. To be taken with 1 drm. of Effervescent Citro-Tartrate of Soda. *Chest.*

Mistura Quiniæ et Potassæ Chloratæ.

Sulphate of Quinia 1 gr.; Chlorate of Potash 10 grs.; Dil. Hydrochloric Acid 2 mins.; water to 1 oz. *Chest.*

Mistura Rhei Ammoniata.

Aromatic Spirit of Ammonia 20 mins.; Bicarbonate of Soda 10 grs.; Infusion of Rhubarb 4 drms.; Peppermint Water to 1 oz. *Westminster.*

Rhubarb 4 grs.; Carbonate of Ammonia 2 grs.; Infusion of Quassia ½ oz.; Peppermint Water to 1 oz. *King's.*

Rhubarb 4 grs.; Carbonate of Ammonia 3 grs.; Bicarbonate of Soda 10 grs.; Peppermint Water to 1 oz. *Chest.*

Mistura Rhei Aromat.

Comp. Tincture of Rhubarb 1 drm.; Aromatic Powder of Chalk 8 grs.; Peppermint Water to 1 oz. *St. Thomas's.*

Mistura Rhei Co.

Comp. Rhubarb Powder 15 grs.; Peppermint Water to 1 oz. *Guy's.*

Powdered Rhubarb 3 grs.; Bicarbonate of Soda 6 grs.; Ginger 3 grs.; Infusion of Quassia 1 oz. *Westminster Ophthalmic.*

Rhubarb 3 grs.; Carbonate of Magnesia 2 grs.; Ipecacuanha ¼ gr.; Peppermint Water 1 oz. *Charing Cross.*

Mistura Rhei c. Gentian.

Rhubarb, Gentian, and Orange Peel, of each 3 drms.; boiling water 2½ pints: macerate for an hour and strain; then add Bicarbonate of Soda 1 oz.; Aromatic Spirit of Ammonia 1 oz.; Spirit of Caraway ½ oz. *Westminster.*

Mistura Rhei c. Magnesiâ.

Rhubarb 7½ grs.; Carbonate of Magnesia 15 grs.; Powdered Ginger 3 grs.; Peppermint Water to 1 oz. *University.*

Rhubarb 7½ grs.; Carbonate of Magnesia 15 grs.; Aromatic Spirit of Ammonia 15 mins.; Tincture of Ginger 15 mins.; Peppermint Water to 1 oz. *Westminster.*

Rhubarb 15 grs.; Carbonate of Magnesia 15 grs.; Aromatic Spirit of Ammonia 15 mins.; Caraway Water to 1 oz. *St. Mary's.*

Rhubarb 15 grs.; Carbonate of Magnesia 30 grs.; Aromatic Spirit of Ammonia 30 mins.; Pimenta Water to 1 oz. *Consumption.*

Mistura Rhei c. Magnesiæ Sulph.

Rhubarb 15 grs.; Carbonate of Magnesia 30 grs.; Aromatic Spirit of Ammonia 30 mins.; Sulphate of Magnesia 1 drm.; Pimenta Water to 1 oz. *Consumption.*

Tincture of Rhubarb 80 mins.; Sulphate of Magnesia 40 grs.; Syrup of Ginger 40 mins.

Caraway Water to 1 oz. Dose 1 drm. for a child. *Middlesex. King's.*

Mistura Rhei c. Opio.

Tincture of Rhubarb 2 drms.; Aromatic Spirit of Ammonia ½ drm.; Tincture of Ginger 15 mins.; Tincture of Opium 5 mins.; Peppermint Water to 1 oz. *St. Thomas's.*

Mistura Rhei c. Potassâ.

Rhubarb 1½ grs.; Carbonate of Magnesia 1 gr.; Ipecacuanha ⅛ gr.; Bicarbonate of Potash 15 grs.; Infusion of Quassia 1 oz. *Charing Cross.*

Mistura Rhei c. Sodâ.

Powdered Rhubarb 5 grs.; Bicarbonate of Soda 10 grs.; Peppermint Water to 1 oz. *St. Thomas's.*

Powdered Rhubarb 5 grs.; Bicarbonate of Soda 11¼ grs.; Comp. Tincture of Cardamoms 30 mins.; Peppermint Water to 1 oz. *Westminster.*

Powdered Rhubarb 10 grs.; Tincture of Ginger 10 mins.; Bicarbonate of Soda 15 grs.; Peppermint Water to 1 oz. *Consumption.*

Mistura Rosæ Co.

Sulphate of Magnesia 37 grs.; Pimenta Water 2 drms.; Comp. Infusion of Roses to 1 oz. *Guy's.*

Mistura Rubra.

Red Solution 20 mins.; Acacia Mixture 1 oz. *London.*

Burnt Sugar *q. s.;* water to 1 oz. *Charing Cross.*

Mistura Salina.

Citrate of Potash 24 grs.; water to 1 oz. *University.*

Solution of Acetate of Ammonia 2½ drms.; Nitrate

of Potash 10 grs.; Camphor Water to 1 oz. *St. Thomas's.*

Solution of Acetate of Ammonia 2 drms.; water to 1 oz. *London.*

Solution of Acetate of Ammonia 3 drms.; water to 6 drms. *Consumption.*

Solution of Acetate of Ammonia 2 drms.; Nitrate of Potash 5 grs.; Camphor Water 1 oz. *Charing Cross.*

Carbonate of Potash 13⅓ grs.; Lemon Juice 160 mins.; water to 1 oz. *Guy's.*

Mistura Salina Anodyna.

Saline Mixture 1 oz.; Tincture of Opium 15 mins. *St. Thomas's.*

Mistura Salina Aperiens.

Sulphate of Magnesia 1 drm.; Carbonate of Magnesia 6 grs.; Peppermint Water 1 oz. *University.*

Mistura Salina Cathartica.

Solution of Acetate of Ammonia 2 drms.; Sulphate of Magnesia 1 drm.; water to 1 oz. For a dose. *London Ophthalmic.*

Mistura Salina Co.

Solution of Acetate of Ammonia 4 drms.; Nitrate of Potash 5 grs.; Sweet Spirit of Nitre 30 mins.; water to 1 oz. *Consumption.*

Mistura Salina c. Ferro.

Sulphate of Magnesia 12 grs.; Sulphate of Soda 12 grs.; Sulphate of Iron $\frac{1}{20}$ gr.; tepid water to 1 oz. *Guy's.*

Mistura Salina c. Ipecac.

Solution of Citrate of Ammonia 1½ oz.; Ipecacuanha Wine 40 mins.; Antimonial Wine 30 mins. Dose for children 1 drm. *King's.*

Mistura Salina Pot. Tart.

Tartrate of Potash 10 grs.; Comp. Tragacanth Powder 5 grs.; water to 1 oz. *London.*

Mistura Scillæ.

Vinegar of Squills 40 mins.; Pimenta Water to 1 oz. *London.*

Vinegar of Squills ½ drm.; Dil. Acetic Acid 10 mins.; water to 1 oz. *Chest.*

Mistura Scillæ Co.

Oxymel of Squills 30 mins.; Comp. Tincture of Camphor 15 mins.; Spirit of Nitrous Ether 15 mins.; Camphor Water to 1 oz. *St. Mary's.*

Tincture of Squills 24 mins.; Comp. Tincture of Camphor 48 mins.; Spirit of Chloric Ether 6 mins.; Solution of Acetate of Ammonia 96 mins.; Ipecacuanha Wine 24 mins.; water to 1 oz. Dose 2 to 4 drms. in bronchial and thoracic affections. *Skin.*

Oxymel of Squills 30 mins.; Comp. Tincture of Camphor 20 mins.; Syrup of Poppies 30 mins.; Ipecacuanha Wine 5 mins.; water to 1 oz. for a dose. *London Ophthalmic.*

Vinegar of Squills 30 mins.; Comp. Tincture of Camphor 30 mins.; Spirit of Nitrous Ether 30 mins.; Solution of Acetate of Ammonia 2 drms.; Camphor Water to 1 oz. *Consumption.*

Mistura Scillæ c. Conio.

Tincture of Squills 10 mins.; Solution of Potash 12 mins.; Extract of Conium 1 gr.; Camphor Water to 1 oz. *University.*

Tincture of Squills 10 mins.; Solution of Potash 15 mins.; Juice of Hemlock 30 mins.; Camphor Water to 1 oz. *Consumption.*

Mistura Scillæ c. Opio.

Vinegar of Squills ½ drm.; Dil. Acetic Acid 10

mins.; Tincture of Opium 5 mins.; water to 1 oz. *Chest.*

Mistura Scoparii Co.

Acid Tartrate of Potash 30 grs.; Nitrate of Potash 5 grs.; Tincture of Hop 60 mins.; Comp. Decoction of Broom to 1½ oz. *St. Thomas's.*

Mistura Senegæ Acida c. Æthere.

Dil. Sulphuric Acid 5 mins.; Ether 20 mins.; Vinegar of Squills 20 mins.; Infusion of Senega to 1 oz. *Chest.*

Mistura Senegæ Ammoniata.

Carbonate of Ammonia 5 grs.; Tincture of Squills 20 mins.; Infusion of Senega 1 oz. *Chest.*

Mistura Senegæ Co.

Comp. Tincture of Camphor 40 mins.; Syrup of Tolu 40 mins.; Infusion of Senega to 1 oz. *Consumption.*

Carbonate of Ammonia 5 grs.; Tincture of Squills 30 mins.; Spirit of Chloroform 15 mins.; Decoction of Senega 1 oz. *St. Mary's.*

Mistura Sennæ.

Sulphate of Magnesia 60 grs.; Solution of Ammonia 5 mins.; Extract of Liquorice 10 grs.; Comp. Infusion of Senna to 1 oz. Dose 2 oz. *St. Mary's.*

Mistura Sennæ Co.

Sulphate of Magnesia 60 grs.; Essence of Peppermint 5 mins.; Comp. Infusion of Senna to 1 oz. *St. Thomas's.*

Sulphate of Magnesia 96 grs.; Senna Leaves 24 grs.; Ginger 6 grs.; Extract of Liquorice 6 grs.; boiling water to 1 oz. Infuse 4 hours and strain. *Consumption.*

Sulphate of Magnesia 2¾ drms.; Infusion of Senna to 1 oz. *London.*

Senna 6 grs.; Ginger 4 grs.; boiling water 1 oz. Infuse an hour and add Sulphate of Magnesia 88 grs. *Guy's.*

Mistura Sevi (Lac c. Sevo).

Suet in slices 1 oz.; water 4 oz.; boil 10 minutes, press through flannel, and add Cinnamon 1 drm., Sugar 1 oz., New Milk 16 oz.; boil again for 10 minutes, and strain. *Guy's.*

Mistura Sodæ Effervescens.

Bicarbonate of Soda 20 grs. (Tartaric Acid 15 grs., water to 1 oz.); water to 1 oz. *Consumption.*

Bicarbonate of Soda 20 grs. (Tartaric Acid 18 grs., water to ½ oz.); water to 1 oz. *St. Mary's.*

Mistura Sodæ Pot. Tart.

Tartrate of Soda 1 drm.; Tincture of Henbane 11¼ mins.; Syrup of Poppies 15 mins.; Dill Water to 1 oz. Dose for a child 1 to 2 drms. *Westminster.*

Tartrate of Soda 80 grs.; Tartrate of Potash 80 grs.; Tincture of Senna 80 mins.; water to 1 oz. *Consumption.*

Mistura Sodæ Sulph. c. Acido.

Sulphate of Soda 45 grs.; Dil. Sulphuric Acid 15 mins.; Peppermint Water ½ oz.; water to 1 oz. *Westminster.*

Mistura Sodæ Tartratis Effervescens (Seidlitz).

Tartrate of Soda and Potash 2 drms.; Carbonate of Soda 40 grs.: dissolve in water 5 oz., then add Tartaric Acid 35 grs., dissolved in water 1 oz., taken during effervescence. *Guy's.*

Mistura Sodæ Sulphitis.

Sulphite of Soda 20 grs.; Infusion of Calumba 1 oz. *Chest.*

Mistura Sodæ Sulphocarbolatis.

Sulphocarbolate of Soda 20 grs.; Camphor Water 1 oz. *Chest.*

Mistura Sodæ Sulphocarbolatis et Cinchonæ.

Sulphocarbolate of Soda 20 grs.; Fluid Extract of Yellow Bark 1 oz. *Chest.*

Mistura Stomachica.

Gentian 4½ grs.; Orange Peel 1½ gr.; Rhubarb 1 gr.; Ginger ¾ gr.: all bruised; boiling water 1 oz. Infuse 2 hours. *London.*

Rhubarb 5 grs.; Sal Volatile 22½ mins.; Comp. Tincture of Gentian 22½ mins.; Peppermint Water to 1 oz. *Westminster.*

Bruised Rhubarb 1½ gr.; Bicarbonate of Soda 9 grs.; Sliced Gentian 4½ grs.; Ginger ¾ gr.; cold water 1 oz.; digest for 15 hours. *St. Thomas's.*

Mistura Stramonii Ætheris et Opii.

Tincture of Stramonium ½ drm.; Ether ½ drm.; Tincture of Opium 10 mins.; Camphor Water 1 oz. For asthma. *Chest.*

Mistura Strychniæ.

Liquor Strychniæ, Br. Ph., 10 mins.; Camphor Water to 1 oz. Dose 4 drms. *Consumption.*

Liquor Strychniæ, Br. Ph., 5 mins.; Dil. Hydrochloric Acid 10 mins.; water 1 oz. *Chest.*

Liquor Strychniæ, Br. Ph., 5 mins.; Dil. Hydrochloric Acid 10 mins.; Infusion of Chiretta 1 oz. *Charing Cross.*

Liquor Strychniæ, Br. Ph., 5 mins.; Infusion of Gentian 1 oz. *St. Mary's.*

Mistura Strychniæ c. Ferro.

Liquor Strychniæ, 5 mins.; Dil. Nitrohydrochloric Acid 10 mins.; Liquor Ferri Perchloridi 10 mins.; water to 1 oz. *Charing Cross.*

Mistura Taraxaci.

Juice of Taraxacum 80 mins.; Dil. Nitric Acid 10 mins.; Tincture of Hop 30 mins.; water to 1 oz. *Consumption.*

Mistura Taraxaci Acida.

Fluid Extract of Dandelion 1 drm.; Dil. Nitrohydrochloric Acid 10 mins.; Tincture of Calumba 24 mins.; Infusion of Calumba to 1 oz. *University*

Mistura Terebinth.

Oil of Turpentine 10 mins.; Mucilage 1 drm.; Cinnamon Water 1 oz. *King's.*

Oil of Turpentine 10 mins.; Acacia 20 grs.; Cassia Water 1 oz. *London.*

Oil of Turpentine 15 mins.; Mucilage 60 mins.; Peppermint Water to 2 oz. For a dose. *St. Mary's.*

Oil of Turpentine 20 mins.; Mucilage 2½ drms.; Cinnamon Water to 1 oz. *Consumption.*

Mistura Terebinth. c. Ol. Morrhuæ.

Oil of Turpentine 20 to 60 mins.; Cod-Liver Oil 1 to 4 drms.; Mucilage sufficient to mix for one dose. *Westminster Ophthalmic.*

Mistura Terebinth. Purgans.

Oil of Turpentine 4 drms.; Powdered Acacia 30 grs.; Castor Oil 2 drms.; water to 2 oz. For a dose. *St. Mary's.*

Mistura Tiglii.

Croton Oil 1 min.; Mucilage 1 drm.; Pimenta Water 1 oz. *Westminster.*

Mistura Tinct. Camph. Co.

Comp. Tincture of Camphor 15 mins.; Ipecacuanha Wine 3 mins.; Tincture of Henbane 12 mins.; water to 1 oz. *University.*

Mistura Tolutani.

Tincture of Tolu 10 mins.; Comp. Tincture of Camphor 30 mins.; Mucilage 60 mins.; Aniseed Water to 1 oz. *Consumption.*

Mistura Tragacanth. Co.

Comp. Powder of Tragacanth 15 grs.; Chloric Ether 10 mins.; water to 1 oz. *Consumption.*

Mistura Uvæ-Ursi.

Powdered Bearberry Leaves 10 grs.; Bicarbonate of Soda 10 grs.; Acacia Mixture 1 oz. *London.*

Mistura Valerian.

Ammoniated Tincture of Valerian 30 mins.; Camphor Water 1 oz. *London.*

Ammoniated Tincture of Valerian 30 mins.; Oil of Cajeput 2½ mins.; Camphor Water to 1 oz. *Consumption.*

Tincture of Valerian 48 mins.; Infusion of Valerian to 1 oz. *University.*

Mistura Valerian. Co.

Ammoniated Tincture of Valerian 33 mins.; Comp. Tincture of Camphor 10 mins.; Aromatic Spirit of Ammonia 20 mins.; Camphor Water to 1 oz. *University.*

Comp. Tincture of Valerian 24 mins.; Spirit of Chloroform 18 mins.; Comp. Decoction of Aloes 114 mins.; Infusion of Valerian to 1 oz. *St. George's.*

Mistura Zinci Sulphatis.

Sulphate of Zinc ½ gr.; Dil. Sulphuric Acid 4½ mins.; Infusion of Quassia 1 oz. *Westminster Ophthalmic.*

OLEUM CARBOLATUM.

Oleum Carbolatum.

Carbolic Acid liquefied by heat 48 mins.; Olive Oil 4 oz. *St. Bartholomew's.*

PASTA.

Pasta Acidi Carbolici.

Liquefied Carbolic Acid 2 drms.; Linseed Oil 1 oz.; Prepared Chalk 4 oz. *Middlesex.*

Pasta Caustica.

Chloride of Zinc 1 oz.; Flour 2 drms. or *q. s.*; Sedative Solution of Opium or water 1 oz. *Middlesex.*

Pasta Glycerini.

Starch 2 oz.; Glycerine 12 oz.; water 12 oz.: mix. *Middlesex.*

PESSARIA.

Pessaria Acidi Tannici.

Tannic Acid 10 grs.; Oil of Theobroma 1 drm. For 1 pessary. *London.*

Pessaria Aluminis et Zinci.

Dried Alum 5 grs.; Sulphate of Zinc 5 grs.; Opium 2 grs. Oil of Theobroma 1 drm. *London.*

Pessaria Morphiæ.

Hydrochlorate of Morphia ½ gr.; Oil of Theobroma 70 grs. *London.*

Pessaria Plumbi Iodidi et Atropiæ.

Iodide of Lead 10 grs.; Sulphate of Atropia $\frac{1}{16}$ gr.; Oil of Theobroma 1 drm. *London.*

Pessaria Zinci et Atropiæ.

Dried Sulphate of Zinc 10 grs.; Sulphate of Atropia $\frac{1}{16}$ gr.; Oil of Theobroma 1 drm. *London.*

PIGMENTA.

Pigmentum Acidi Carbolici Mitius.

Carbolic Acid 1 drm.; Glycerine to 1 oz. *King's.*

Pigmentum Ferri Perchloridi.

Solution of Perchloride of Iron ½ oz.; Glycerine to 1 oz. *King's.*

Pigmentum Guttæ Perchæ.

Gutta Percha 90 grs.; Chloroform 1 oz. *Fever.*

Pigmentum Iodi.

Iodine 1 drm.; Spirit of Wine to 1 oz. *King's.*
Iodine 1 drm.; Mastich 30 grs.; Spirit of Wine to 1 oz. *London Ophthalmic.*
Iodine 40 grs.; Iodide of Potassium 20 grs.; Rectified Spirit 1½ oz. *London.*
Iodine 80 grs.; Iodide of Potassium 40 grs.; Rectified Spirit 1 oz. *Fever.*

Pigmentum Olei Ricini c. Collodio.

Collodion 4 drms.; Castor Oil to 1½ oz. *Fever.*
Collodion 4 drms.; Castor Oil to 1 oz. *King's.*

Pigmentum Ovi.

The whites of 2 Eggs; Rectified Spirit 1 oz. *Fever.*

Pigmentum Picis Fortius.

Tar ½ oz.; Rectified Spirit to 1 oz. *King's.*

Pigmentum Picis Mitius.

Tar 1 drm.; Rectified Spirit 7 oz. *King's.*

Pigmentum Sulphuris.

Precipitated Sulphur, Carbonate of Potash, Glycerine, Rectified Spirit, equal parts. *King's.*

PILULÆ.

Pilula Acidi Gallici.

Gallic Acid 2½ grs.; Mucilage *q. s.:* in one pill. Dose 1 to 3. *Consumption.*

Gallic Acid 2½ grs.; Extract of Henbane 1 gr. *Chest.*

Gallic Acid 5 grs.; Glycerine *q. s.:* for one pill. *St. Mary's.*

Pilula Acidi Gallici c. Morph.

Gallic Acid 2½ grs.; Morphia $\frac{1}{16}$ gr.; Mucilage *q. s.:* in one pill. Dose 1 to 2. *Consumption.*

Gallic Acid 1 gr.; Acetate of Morphia ⅛ gr.; Confection of Roses *q. s.:* in one pill. *Middlesex.*

Pilula Acidi Tannici c. Morph.

Tannic Acid 4 grs.; Muriate of Morphia ⅛ gr.; Mucilage *q. s.:* in one pill. Dose 1 to 2. *Consumption.*

Pilula Acidi Tannici c. Opio.

Tannic Acid 5 grs.; Powder of Opium ¼ gr.; Mucilage to form one pill. *St. Thomas's.*

Tannic Acid 4 grs.; Opium ½ gr.: in one pill. *St. Mary's.*

Pilula Aconiti.

Alcoholic Extract of Aconite Root ⅛ gr.; Extract of Liquorice 3 grs. For a dose. *Consumption.*

Pilula Aloes c. Acido.

Socotrine Aloes 4 grs.; Strong Sulphuric Acid 1 min. *Guy's.*

Pilula Assafœtidæ Aloetica.

Extract of Aloes 1 gr.; Soap 1 gr.; Assafœtida 3 grs.: in one pill. *Middlesex.*

Aloes $1\frac{2}{3}$ gr.; Assafœtida $1\frac{2}{3}$ gr.; Soap $1\frac{2}{3}$ gr.: in one pill. *Westminster.*

Aloes 3 grs.; Assafœtida 2 grs.: for a pill. *Westminster Ophthalmic.*

Aloes and Myrrh Pill, Assafœtida Pill, Br. Ph., of each $2\frac{1}{2}$ grs. *Consumption.*

Pilula Aloes c. Ferro.

Extract of Aloes $\frac{3}{4}$ gr.; Sulphate of Iron 1 gr.; Aromatic Powder 2 grs.; Syrup *q. s.:* in one pill. *St. Mary's.*

Extract of Aloes 1 gr.; Sulphate of Iron 1 gr.; Ginger 1 gr.; Treacle *q. s.:* in one pill. *Middlesex.*

Aloes 1 gr.; Sulphate of Iron 1 gr.; Extract of Gentian 2 grs.; Treacle *q. s.:* in one pill. *London.*

Aloes $1\frac{1}{2}$ gr.; Sulphate of Iron 1 gr.; Myrrh 2 grs.; Extract of Gentian 1 gr.: in one pill. *Guy's.*

Aloes $2\frac{2}{5}$ gr.; Oxysulphuret of Antimony $\frac{2}{10}$ gr.; Sulphate of Iron $\frac{9}{10}$ gr.; Capsicum $\frac{3}{10}$ gr.; Extract of Gentian $\frac{3}{10}$ gr.; Glycerine *q. s.:* for one pill, twice a day. In sebaceous and neuralgic affections. *Skin.*

Same as *Skin*, except the Iron being $1\frac{1}{2}$ gr. *loco* $\frac{9}{10}$. *Westminster Ophthalmic.*

Pill of Aloes and Assafœtida 4 grs.; Sulphate of Iron 1 gr. *Fever.*

Socotrine Aloes 1 gr.; Dried Sulphate of Iron 1 gr.; Extract of Gentian 2 grs. *London.*

Pilula Aloes c. Hydr.

Aloes 2 grs.; Camboge 1½ gr.; Extract of Henbane ½ gr.; Blue Pill 1 gr.: in one pill. *University.*

Pilula Aloes c. Ipecacuanhâ.

Extract of Aloes 1 gr.; Ipecacuanha ¼ gr.; Extract of Gentian 3 grs.: in one pill. Dose 1 to 2. *Consumption.*

Pilula Aloes c. Masticho.

Extract of Barbadoes Aloes 1½ gr.; Mastich ½ gr.; Spirit *q. s.*: for one pill. Dose 1 to 2. *Consumption.*

Pilula Aloes c. Myrrhâ.

Aloes 2 grs.; Myrrh 1 gr.; Soap 1 gr.; Oil of Caraway ¼ drop; water *q. s.*: in one pill. *Guy's.* (*London*, without Caraway.)

Called also Rufus's Pills, or Widow Welch's Pills.

Pilula Aloes c. Nuce Vomicâ.

Pill of Barbadoes Aloes 4½ grs.; Extract of Nux Vomica ¼ gr.; Treacle *q. s.*: for one pill. *St. Bartholomew's.*

Extract of Socotrine Aloes 1 gr.; Extract of Henbane 1 gr.; Extract of Nux Vomica ½ gr.; Soap 1½ gr.: to make one pill. *St. Thomas's.*

Extract of Aloes 1 gr.; Extract of Henbane 2 grs.; Extract of Nux Vomica ¼ gr. *Middlesex.*

Pilula Aloes c. Sapone.

Cape Aloes 2 grs.; Hard Soap 2 grs.; water *q. s.* *St. Bartholomew's.*

Pilula Aloes Socotrinæ.

Extract of Socotrine Aloes 1 gr.; Ginger 1 gr.; Extract of Gentian 2 grs. *London.*

Pilula Alterativa.

Colocynth and Henbane Pill 3 grs.; Blue Pill 1½ gr.; Ipecacuanha ¼ gr.; Acetic Extract of Colchicum ¼ gr.: for one pill. *London.*

Pilula Antimon.

Tartar Emetic ¼ gr.; Confection of Opium 1 gr.: in one pill. *Westminster.*

Pilula Antimon. c. Calomelane.

Tartar Emetic ¼ gr.; Confection of Opium 1⅔ gr.; Calomel 1 gr.: in one pill. *Westminster.*

Pilula Antimon. c. Calomelane et Opio.

Tartar Emetic ¼ gr.; Opium ½ gr.; Confection of Opium 1⅔ gr.; Calomel 1 gr.: in one pill. *Westminster.*

Pilula Antimon. Opiat.

Tartar Emetic ¼ gr.; Opium ½ gr.; Confection of Opium 1⅔ gr.: in one pill. *Westminster.*

Tartar Emetic ¼ gr.; Opium ½ gr.; Treacle *q. s.*: in one pill. *Guy's.*

Antimonial Powder 2 grs.; Comp. Soap Pill 3 grs. *Middlesex.*

Pilula Antimon. Opiat. Fort.

Tartar Emetic ¼ gr.; Opium 1 gr.: in one pill. *Guy's.*

Pilula Aperiens.

Barbadoes Aloes, Scammony, Jalap, Ginger, of each 1 gr.; Treacle sufficient to make one pill. *London Ophthalmic.*

Pilula Argenti Nitr.

Nitrate of Silver ½ gr.; Extract of Gentian 1⅔ gr.; Flour 1⅔ gr.: in one pill. *London.*

Nitrate of Silver ¼ gr.; Flour 2 grs.: in one pill. Dose 1 to 2. *Consumption.*

Nitrate of Silver ½; Opium ¼; Extract of Henbane 1 gr. *Fever.*

Nitrate of Silver ⅙ gr.; Bread Mass *q. s.* *Chest.*

Nitrate of Silver 1 gr.; Dil. Nitric Acid *q. s.*; Crumb of Bread 2½ grs.; in one pill. *Westminster.*

Pilula Argenti Oxyd.

Oxide of Silver ½ gr.; Powdered Ginger ½ gr.; Flour 2½ grs.; Treacle *q. s.*: in one pill. *London.*

Pilula Arsenical. Co.

Arsenious Acid $\frac{1}{20}$ gr.; Pulv. Acacia $\frac{3}{10}$ gr.; Comp. Cinnamon Powder 1⅘ gr.; Extract of Jalap 1½ gr.; Glycerine *q. s.*: for one pill. Twice a day in squamous and corneous affections. *Skin.*

Pilula Assafœtidæ Aloetica.

Vide Aloes et Assafœtida.

Pilula Assafœtidæ c. Hyoscyamo.

Comp. Assafœtida Pill 2½ gr.; Extract of Hyoscyamus 2½ grs.: for one pill. Dose 1 to 2. *Consumption.*

Pilula Assafœtidæ c. Zinci Sulphate.

Sulphate of Zinc 1 gr.; Comp. Assafœtida Pill 4 grs.: for one pill. *Consumption.*

Pilula Assafœtidæ c. Ferro.

Comp. Assafœtida Pill 4 grs.; Dried Sulphate of Iron 1 gr.: in one pill. *London.*

Pilula Belladon. c. Ipecac.

Extract of Belladonna ¼ gr.; Ipecacuanha ½ gr.; Extract of Taraxacum 3 grs.: in one pill. *Consumption.*

Pilula Calomelanos.

Vide Pil. Hydr. Subchloridi.

Pilula Camphor. Co.

Camphor 3 grs.; Extract of Henbane 2 grs.; Spirit of Wine 1 drop: in one pill. *London.*

Pilula Camphor. c. Hyoscy.

Camphor 2 grs.; Extract of Henbane 2½ grs.; Rectified Spirit *q. s.:* in one pill. *Westminster.*

Camphor 2 grs.; Extract of Henbane 3 grs.: in one pill. *Middlesex. Consumption. Fever.*

Camphor 2 grs.; Extract of Henbane 3 grs.; Spirit of Wine *q. s.:* in one pill. *Guy's.*

Camphor 2½ grs.; Extract of Henbane 2½ grs. *St. Bartholomew's.*

Pilula Camphor. c. Opio.

Camphor 2 grs.; Opium ½ gr.: in one pill. *St. Bartholomew's.*

Camphor 1 gr.; Opium 1 gr.; Extract of Gentian sufficient: in one pill. *Consumption.*

Camphor 2 grs.; Opium 1 gr.; Soap *q. s.:* in one pill. *St. Mary's.*

Pilula Cannab. Ind.

Extract of Indian Hemp ½ gr.; Extract of Liquorice 3 grs. Dose 1 to 2. *Consumption.*

Extract of Indian Hemp ¼ gr.; Extract of Gentian 2 grs.; Bread Mass 1 gr. *Chest.*

Pilula Cannabis Indicæ c. Opio.

Extract of Indian Hemp ½ gr.; Powder of Opium ½ gr.; Confection of Roses 4 grs. *University.*

Pilula Capsici c. Rheo.

Capsicum 1 gr.; Rhubarb 2 grs.; Ipecacuanha ½ gr.; Treacle *q. s.:* in one pill. *Westminster.*

Pilula Cathartica.

Calomel 2 grs.; Comp. Extract of Colocynth 3 grs.;

Extract of Henbane 2 grs.: for one pill. *London Ophthalmic.*

Aloes 1¼ gr.; Scammony 1¼ gr.; Camboge 1¼ gr.; Venice Turpentine *q. s.*: in one pill. *Westminster.*

Aloes 1 gr.; Jalap 3 grs.; Camboge 1 gr.; Oil of Cloves ½ min.; water *q. s.*: in one pill. *London.*

Pilula Cathartica c. Hydr. Subchlor.

Aloes 1 gr.: Jalap 3 grs.; Calomel ½ gr.; water *q. s.*: in one pill. *London.*

Pilula Cinchoninæ c. Ferro.

Sulphate of Cinchonine 1 gr.; Sulphate of Iron 1 gr.; Confection of Hips 3 grs.: in one pill. *Middlesex.*

Pilula Codæiæ.

Codæia ½ gr.; Extract of Liquorice 3 grs.: in one pill. Dose 1 to 2. *Consumption.*

Pilula Colchici Acetici.

Acetic Extract of Colchici 1½ gr.; Liquorice Powder 1½ gr.: in one pill. *St. Mary's.*

Pilula Colchici c. Belladon.

Acetic Extract of Colchicum 1 gr.; Extract of Belladonna ½ gr.; Extract of Chamomile 2 grs.: in one pill. *St. Thomas's.*

Pilula Colchici Co.

Acetic Extract of Colchicum 2 grs.; Dover's Powder 3 grs.: in one pill. *Middlesex.*

Acetic Extract of Colchicum 1 gr.; Blue Pill 2 grs.; Comp. Rhubarb Pill 2 grs.: in one pill. *Charing Cross.*

Pilula Colchici c. Ipecac. Co.

Acetic Extract of Colchicum ½ gr.; Dover's Powder 4 grs.; Treacle *q. s.*: in one pill. *London.*

Pilula Colchici c. Opio.

Acetic Extract of Colchicum 2 grs.; Dover's Powder 5 grs.: in two pills. *St. George's.*

Pilula Colocynth. Co.

Aloes (Hepatic) 2 grs.; Scammony 2 grs.; Colocynth 1 gr.; Soap ½ gr.; Oil of Cassia ¼ min.: in one pill. *Westminster.*

Pilula Colocynth. c. Assafœtidâ.

Comp. Colocynth Pill 2 grs.; Comp. Assafœtida Pill 3 grs.: in one pill. *Consumption.*

Pilula Colocynth. c. Hydr. Subchlor.

Comp. Colocynth Pill 3 grs.; Calomel 1½ gr.; Capsicum ⅙ gr. *Consumption.*

Comp. Colocynth Pill 4 grs.; Calomel 1 gr.: in one pill. *Westminster. London. St. Thomas's. London Ophthalmic. Guy's.*

Comp. Colocynth Pill 7 grs.; Calomel 3 grs.: in two pills. *St. George's.*

Pilula Colocynth. c. Hydrargyro.

Comp. Colocynth Pill 3 grs.; Blue Pill 2 grs.; Oil of Cloves ½ min.: in one pill. *University. London Ophthalmic.*

Comp. Colocynth Pill 4 grs.; Blue Pill 1 gr.: in one pill. *Westminster.*

Comp. Colocynth Pill 5 grs.; Blue Pill 5 grs.: in two pills. *Middlesex. London. St. George's.*

Comp. Colocynth Pill 3 grs.; Blue Pill 2 grs.: in one pill. *St. Mary's. London Ophthalmic.*

Comp. Colocynth Pill 3⅓ grs.; Blue Pill 1⅔ gr.; Capsicum ⅙ gr.: in one pill. *Consumption.*

Pilula Colocynth. c. Hyoscyamo.

Comp. Colocynth Pill 3 grs.; Extract of Henbane 2 grs. *Middlesex.*

Comp. Colocynth Pill 2½ grs.; Extract of Henbane 2½ grs. *Guy's. London.*

Pilula Colocynth. c. Ipecac.

Comp. Colocynth Pill 2 grs.; Blue Pill 1½ gr.; Ipecacuanha ½ gr.; Extract of Henbane 1 gr.: in one pill. *University.*

Pilula Colocynth. c. Oleo Crotonis.

Comp. Colocynth Pill 3⅓ grs.; Camboge Pill 1⅔ gr.; Capsicum ⅙ gr.; Oil of Croton $\frac{1}{15}$ min.: in one pill. *Consumption.*

Comp. Colocynth Pill 4 grs.; Oil of Croton ½ min. *King's.*

Pilula Colocynth. c. Opio.

Opium Pill now Comp. Soap Pill 5 grs.; Comp. Extract of Colocynth 5 grs.: into two pills. *St. George's.*

Pilula Colocynth. Scam. et Rhei.

Comp. Colocynth Pill 3 grs.; Scammony 1 gr.; Extract of Rhubarb 1 gr.; Oil of Cinnamon ½ drop. *St. Thomas's.*

Pilula Conii.

Extract of Conium 5 grs.: in one pill. *London.*

Pilula Conii Co.

Extract of Hemlock 3¾ grs.; Ipecacuanha 1 gr. *Guy's.*

Pilula Conii c. Acid. Benz.

Extract of Conium 2 grs.; Benzoic Acid 3 grs. *Guy's.*

Pilula Conii c. Bismuth.

Extract of Conium 2½ grs.; Nitrate of Bismuth 5 grs.: in one pill. *Guy's.*

Pilula Conii c. Hydr.

Extract of Conium 4½ grs.; Blue Pill 1 gr. *Guy's.*

Pilula Conii c. Hydr. Subchlor.

Conium Extract 3½ grs.; Calomel ⅓ gr.: in one pill. *Westminster.*

Pilula Conii c. Ipecac.

Extract of Conium 4 grs.; Ipecacuanha ½ gr.; Magnesia ½ gr.: in one pill. *University.*

Extract of Conium 2½ grs.; Ipecacuanha ½ gr.: in one pill. *Westminster Ophthalmic.*

Extract of Conium 4 grs.; Ipecacuanha 1 gr. *Middlesex.*

Extract of Conium, Ipecacuanha, Extract of Henbane, Comp. Squills Pill, of each 1 gr. *Chest.*

Pilula Conii c. Morphiâ.

Extract of Conium 4 grs.; Ipecacuanha ½ gr.; Hydrochlorate of Morphia ⅛ gr.: in one pill. *University. Consumption. Chest.*

Pilula Creasoti.

Creasote 1 min.; Crumb of Bread 3 grs.: for one pill. *St. Bartholomew's.*

Pilula Creasoti c. Assafœtidâ.

Creasote 1 min.; Comp. Assafœtida Pill 2 grs.; Comp. Rhubarb Pill 2 grs.: in one pill. *St. Bartholomew's.*

Pilula Crotonis.

Croton Oil 1 min.; Hard Soap 5 grs.: in one pill. *London.*

Croton Oil ½ min.; Hard Soap 2 grs.; Comp. Extract of Colocynth 2 grs. *Charing Cross.*

Pilula Crotonis Co.

Croton Oil ¼ min.; Comp. Extract of Colocynth 5 grs.: for one pill. *London Ophthalmic.*

Oil of Croton 1 min.; Comp. Extract of Colocynth 30 grs.: divided into six pills. 1 or 2 for a dose. *Middlesex.*

Pilula Cupri Ammon.

Ammoniated Sulphate of Copper ¼ gr.; Extract of Gentian 3 grs.: in one pill. *Westminster.*

Pilula Cupri Co.

Sulphate of Copper ¼ gr.; Opium ⅛ gr.; Confection of Roses *q. s.*: in one pill. *Middlesex.*

Sulphate of Copper ¼ gr.; Opium ¼ gr.; Confection of Roses *q. s.* *Fever.*

Pilula Cupri Sulph.

Sulphate of Copper ¼ gr.; Opium ½ gr. *Guy's.*

Pilula Cupri Sulph. c. Opio.

Sulphate of Copper ¼ gr.; Opium ⅛ gr.; Extract of Liquorice 2 grs.: in one pill. *Consumption.*

Sulphate of Copper ¼ gr.; Opium ½ gr.; Crumb of Bread 1⅔ gr.; water *q. s.*: in one pill. *Westminster.*

Sulphate of Copper ½ gr.; Opium ¼ gr.; Extract of Gentian 2 grs.; Flour 2 grs.: in one pill. *London. Chest.*

Pilula Digitalis Co.

Digitalis Powder ½ gr.; Squill 1 gr.; Blue Pill 3 grs.: in one pill. *St. George's.*

Digitalis Powder ½ gr.; Squill 1½ gr.; Blue Pill 3 grs.: in one pill. *Middlesex.*

Digitalis Powder 1 gr.; Squill 2 grs.; Blue Pill 2 grs.: in one pill. *Consumption.*

Pilula Diuretica c. Calomelane.

Calomel 1 gr.; Squills 1 gr.; Digitalis Powder 1 gr.; Extract of Henbane 1⅚ gr. *Guy's.*

Pilula Elaterii.

Elaterium ⅙ gr.; Extract of Henbane 1 gr.; Extract of Gentian 1 gr.: in one pill. *St. Mary's.*

Elaterium ¼ gr.; Extract of Liquorice 1 gr.; Treacle *q. s.*: in one pill. *Westminster.*

Elaterium ⅙ gr.; Extract of Belladonna ¼ gr.; Capsicum 1 gr.; Extract of Jalap 3½ grs.: in one pill. *Charing Cross.*

Pilula Elaterii Co.

Elaterium ⅙ gr.; Extract of Aloes 1½ gr.; Extract of Henbane 3 grs.: in one pill. *Middlesex.*

Extract of Elaterium ¼ gr.; Comp. Extract of Colocynth 2 grs.; Calomel 1½ gr.; Capsicum ½ gr.; Treacle *q. s.*: in one pill. *St. Thomas's. St. Bartholomew's.*

Pilula Expectorans.

Ipecacuanha ½ gr.; Squills ½ gr.; Extract of Conium 1⅔ gr.; Extract of Henbane 1⅔ gr.: in one pill. *Westminster.*

Pilula Ferri.

Vide Pilula Ferri Redacti.

Pilula Ferri Am. Chlor.

Ammoniated Chloride of Iron 3 grs.; Flour 1½ gr.; water *q. s.*: in one pill. *Westminster.*

Pilula Ferri Co.

Sulphate of Iron 1 gr.; Carbonate of Soda 1 gr.; Treacle 1 gr.; Myrrh 2 grs.: in one pill. *London.*

Pilula Ferri et Aloes.

Sulphate of Iron 1 gr.; Aloes and Myrrh Pill 4 grs.: in one pill. *St. George's.*

Pilula Ferri Fœtida.

Sulphate of Iron 1 gr.; Assafœtida 4 grs.: in one pill. *Middlesex.*

Saccharated Carbonate of Iron 3 grs.; Comp. Assafœtida Pill 2 grs.; Treacle *q. s.*: in one pill. *St. Bartholomew's.*

Pilula Ferri et Gentianæ.

Sulphate of Iron 1½ gr.; Extract of Gentian 1½ gr.; Ginger 1½ gr.: in one pill. *King's.*

Pilula Ferri et Myrrhæ.

Sulphate of Iron dried 1 gr.; Aloes and Myrrh Pill 2 grs.; Assafœtida 2 grs.; Oil of Caraway *q. s.*: in one pill. *University.*

Pilula Ferri Quiniæ et Aloes.

Sulphate of Iron 1 gr.; Sulphate of Quinia 1 gr.; Extract of Aloes ⅓ gr.; Extract of Chamomile 1 gr. *Chest.*

Pilula Ferri et Quiniæ Co.

Sulphate of Iron ½ gr.; Sulphate of Quinia ½ gr.; Ipecacuanha 1 gr.; Squills Pill 1 gr.; Extract of Hemlock 1 gr. *Chest.*

Pilula Ferri Redacti.

Reduced Iron 3 grs.; Balsam of Peru ½ min.: in one pill. *St. Bartholomew's.*

Pilula Ferri Sulph.

Dried Sulphate of Iron 1 gr.; Ginger 1 gr.; Extract of Gentian 3 grs.: in one pill. *St. Bartholomew's.*

Sulphate of Iron 2 grs.; Extract of Gentian 2 grs. *Westminster.*

Pilula Fœtida c. Ferro.

See Pilula Ferri Fœtida.

Pilula Galbani Co.

P. Lond. *St. George's.*

Pilula Galbani et Rhei.

Comp. Galbanum Pill 2½ grs.; Comp. Rhubarb Pill 2½ grs.: into one pill. *St. George's.*

Pilula Gentianæ et Ferri.

Extract of Gentian 3 grs.; Sulphate of Iron 1 gr. *Guy's.*

Pilula Gentianæ c. Zinco.

Extract of Gentian 3 grs.; Sulphate of Zinc 1 gr. *Guy's.*

Pilula Hydr. Biniodidi.

Biniodide of Mercury ⅓ gr.; Extract of Hemlock 2 grs.; Muriate of Morphia ¼ gr.; Powdered Ginger 1½ gr.; Glycerine *q. s.:* for one pill. Once or twice a day in cachectic and tubercular affections. *Skin. Westminster Ophthalmic,* with ⅙ gr. of Biniodide only.

Pilula Hydrargyri Co.

Mercurial Pill 2 grs.; Powder of Ipecacuanha and Opium 3 grs. *Fever.*

Pilula Hydrargyri Diuretica.

Blue Pill 1 gr.; Digitalis 1 gr.; Squills 2 grs.: in one pill. *St. Mary's.*

Mercurial Pill 2 grs.; Squills 2 grs.; Digitalis 1 gr.: in one pill. *Charing Cross.*

Pilula Hydrargyri c. Aloe.

Mercurial Pill 2½ grs.; Barbadoes Aloes Pill 2½ grs.: in one pill. *Charing Cross.*

Pilula Hydr. c. Antimonio.

Blue Pill 1 gr.; Extract of Conium 2 grs.; Tartar Emetic ⅛ gr. *Consumption.*

Pilula Hydr. c. Coloc.

Blue Pill 2 grs.; Extract of Colocynth 3 grs.: in one pill. *St. Mary's. London Ophthalmic.*

Pilula Hydr. c. Conio.

Blue Pill 2 grs.; Extract of Conium 3 grs.: for one pill. *London Ophthalmic.*

Pilula Hydr. c. Cretâ Co.

Grey Powder 2½ grs.; Dover's Powder 2½ grs.; Confection of Hips *q. s.*: in one pill. *Middlesex.*

Grey Powder 2½ grs.; Dover's Powder 2½ grs.; Treacle *q. s.* *St. Bartholomew's.*

Pilula Hydr. c. Cretâ et Pulv. Ipecac. Co.

Grey Powder 2½ grs.; Dover's Powder 2½ grs.; Treacle *q. s.*: for one pill. *London Ophthalmic.*

Pilula Hydr. c. Cretâ et Rheo.

Grey Powder 2½ grs.; Rhubarb 2½ grs.; Treacle *q. s.* *St. Bartholomew's.*

Pilula Hydr. c. Pulv. Ipecac. Co.

Blue Pill 2 grs.; Dover's Powder 3 grs.; Mucilage *q. s.*: in one pill. *University. Consumption. Westminster Ophthalmic. London.*

Blue Pill 2½ grs.; Dover's Powder 2½ grs. *London.*

Pilula Hydr. c. Hyoscyamo.

Blue Pill 1 gr.; Extract of Henbane 2 grs.; Extract of Aloes 1 gr.: in one pill. *Middlesex.*

Blue Pill 3 grs.; Extract of Henbane 2 grs.: for one pill. *Westminster Ophthalmic. London.*

Pilula Hydr. c. Opio.

Blue Pill 4 grs.; Opium ¼ gr.: in one pill. *Guy's.*

Blue Pill 4½ grs.; Opium ½ gr.: in one pill. *St. George's.*

Blue Pill 5 grs.; Opium ½ gr. *London Ophthalmic.*

Blue Pill 3 grs.; Opium ¼ gr.: in one pill. *King's.*

Pilula Hydr. c. Quiniâ et Ferro.

Blue Pill 1 gr.; Sulphate of Quinia 1 gr.; Sulphate of Iron 2 grs. One three times a day. *Westminster Ophthalmic.*

Pilula Hydr. c. Quiniâ et Rheo.

Grey Powder 2 grs.; Sulphate of Quinia ½ gr.; Comp. Rhubarb Pill 2 grs. *Westminster Ophthalmic.*

Pilula Hydr. c. Rheo.

Blue Pill 1½ gr.; Rhubarb 3 grs.; Ipecacuanha ½ gr.; Treacle *q. s.*: in one pill. *Middlesex.*

Blue Pill 2½ grs.; Comp. Rhubarb Pill 2½ grs. *London. Guy's. St. Thomas's. London Ophthalmic. St. George's.*

Pilula Hydr. c. Scillâ.

Blue Pill 2½ grs.; Squills Pill 2½ grs.: in one pill. *London.*

Blue Pill 3 grs.; Squills 1½ gr.: in one pill. *St. Bartholomew's.*

Blue Pill 1½ gr.; Powdered Squills 1½ gr.; Digitalis ½ gr. *Chest.*

Pilula Hydr. Hydropica.

Calomel 1 gr.; Digitalis 1 gr.; Squills 2 grs.; Confection of Opium *q. s.*: in one pill. *Westminster.*

Pilula Hydr. Iodidi.

Green Iodide of Mercury ½ gr.; Powder of Opium ¼ gr.; Bread Mass 2 grs. *University.*

Pilula Hydr. Perchlor.

Corrosive Sublimate $\frac{1}{8}$ gr.; Hydrochlorate of Ammonia $\frac{1}{8}$ gr.; Crumb of Bread *q. s.*; water *q. s.*: in one pill. *Westminster.*

Pilula Hydr. Perchlor. c. Aconito.

Corrosive Sublimate $\frac{1}{10}$ gr.; Extract of Aconite $1\frac{1}{2}$ gr.; Extract of Conium 3 grs.: for one pill. Twice a day in cachectic, squamous, ulcerous, and tubercular affections. *Skin. Westminster Ophthalmic.*

Pilula Hydr. Perchlor. c. Belladonnâ.

Perchloride of Mercury $\frac{1}{12}$ gr.; Extract of Belladonna $\frac{1}{8}$ gr.; Sulphate of Quinia $\frac{1}{2}$ gr.; Extract of Liquorice 3 grs.: in one pill. *St. Bartholomew's.*

Pilula Hydr. Subchlor.

Calomel 1 gr.; Flour 3 grs.; Treacle *q. s.*: in one pill. *London.*

Subchloride of Mercury 1 gr.; Bread Mass 2 grs.: in one pill. *University.*

Subchloride of Mercury 1 gr.; Flour 3 grs.; Treacle *q. s.*: in one pill. *London.*

Pilula Hydr. Subchlor. c. Ant.

Calomel 1 gr.; Tartar Emetic $\frac{1}{8}$ gr.; Extract of Liquorice *q. s.*: in one pill. *Consumption.*

Pilula Hydr. Subchlor. c. Colch.

Calomel 1 gr.; Colchicum Corm Powder 3 grs.; Oil of Peppermint $\frac{1}{8}$ min.; Glycerine *q. s.*: in one pill. Twice a day in phlegmonous and tubercular affections. *Skin.*

Pilula Hydr. Subchlor. c. Coloc.

Calomel 1 gr.; Comp. Extract of Colocynth 3 grs.; Ipecacuanha $\frac{1}{2}$ gr.: in two pills. *Middlesex.*

Calomel 1 gr.; Comp. Extract of Colocynth 4 grs.: in one pill. *St. Bartholomew's. St. Thomas's. London Ophthalmic. Westminster.*

With Oil of Caraway *q. s. King's.*

Calomel ⅓ gr.; Ipecacuanha ⅓ gr.; Comp. Extract of Colocynth 4 grs. *Chest.*

Pilula Hydr. Subchlor. c. Jalapâ.

Calomel 1 gr.; Jalap 4 grs.; Treacle *q. s.:* in one pill. *St. Bartholomew's.*

Pilula Hydr. Subchlor. c. Opio.

Calomel 1 gr.; Opium ¼ gr. *London Ophthalmic.*

Calomel 1 gr.; Opium ½ gr. *London Ophthalmic.*

Calomel 2 grs.; Opium 1 gr. *London Ophthalmic.*

Calomel 2 grs.; Opium ¼ gr.; Extract of Liquorice *q. s.:* in one pill. *Consumption.*

Calomel 2 grs.; Opium ¼ gr.; Soap 2 grs.: in one pill. *St. Mary's.*

Calomel 2 grs.; Opium ½ gr.; Extract of Liquorice 2½ grs.: in one pill. *St. Thomas's.*

Calomel 2 to 3 grs.; Opium ½ to 1 gr. *Westminster Ophthalmic.*

Calomel 2 grs.; Powder of Opium ⅓ gr.; Bread Mass 1 gr. *University.*

Calomel 1 gr.; Opium ⅓ gr.; Confection of Roses 3 grs.: in one pill. Twice a day in cachectic and tubercular affections. *Skin.*

Calomel 1 gr.; Opium ¼ gr.; Confection of Opium *q. s.:* in one pill. *Westminster.*

Calomel 2 grs.; Opium ½ gr.; Extract of Liquorice 2½ grs.: in one pill. *St. Thomas's.*

Calomel 1 gr.; Dover's Powder 2½ grs. *St. George's.*

Calomel 2 grs.; Opium ⅓ gr.; Confection of Roses *q. s. Fever.*

Calomel 1 gr.; Opium ¼ gr.; Confection of Hips *q. s. King's.*

Pilula Hydr. Subchlor. c. Pil. Rhei Co.

Calomel 1½ gr.; Comp. Rhubarb Pill 3 grs.: in one pill. *Consumption.*

Pilula Hydr. Subchlor. c. Pulv. Ipecac. Co.

Calomel 1 gr.; Dover's Powder 4 grs.; Treacle *q. s.* *London Ophthalmic.*

Pilula Hydr. Subchlor. c. Quiniâ.

Calomel 1 gr.; Sulphate of Quinia 1 gr.: for one pill. *Westminster Ophthalmic.*

Pilula Hydr. Subchlor. c. Rheo.

Calomel 1 gr.; Rhubarb 4 grs.; Treacle *q. s.*: in one pill. *St. Bartholomew's.*

Pilula Hydr. Subchlor. c. Scam.

Calomel 1 gr.; Scammony 3 grs.; Treacle *q. s.*: in one pill. *St. Bartholomew's.*

Pilula Hyoscyam. Co.

Extract of Henbane 2 grs.; Extract of Aloes 1½ gr.; Grey Powder 1½ gr.: in one pill. *Middlesex.*

Pilula Hyoscyam. c. Scillâ.

Extract of Henbane 2 grs.; Comp. Squills Pill 2 grs.; Ipecacuanha ½ gr.: in one pill. *London.*

Pilula Hyoscyam. et P. Ipecac. Co.

Extract of Henbane 2 grs.; Dover's Powder 2 grs.: in one pill. *St. Thomas's.*

Pilula Ipecac. Co.

Dover's Powder 5 grs.; treacle *q. s.*: for one pill. *London.*

Pilula Ipecac. Co. c. Hydr.

See Pil. Hydr. c. Pulv. Ipec. Co.

Pilula Ipecac. Co. c. Scillâ.

Dover's Powder $2\frac{1}{2}$ grs.; Squills Pill $2\frac{1}{2}$ grs.: in one pill. *London.*

Dover's Powder $2\frac{3}{4}$ grs.; Squills 1 gr.; Ammoniacum 1 gr. *Guy's.*

Powder of Ipecacuanha and Opium 3 grs.; Squills $\frac{1}{2}$ gr.; Extract of Conium $1\frac{1}{2}$ gr. *Fever.*

Ipecacuanha 1 gr.; Comp. Squills Pill 1 gr.; Dover's Powder 2 grs.; Extract of Aloes $\frac{1}{6}$ gr.: in one pill. *Chest.*

Pilula Jalapæ Co.

Jalap, Aloes, Gamboge, Soap, of each 1 gr.; Oil of Juniper $\frac{1}{8}$ min.; Chio Turpentine *q. s.*; Tartar Emetic $\frac{1}{12}$ gr.: in one pill. *Westminster.*

Pilula Jalapæ c. Calomelae .

Jalap $6\frac{3}{4}$ grs.; Calomel $1\frac{3}{4}$ gr.; Treacle *q. s.*: in two pills. *Westminster.*

Pilula Lactucæ c. Hyoscyamo.

Extract of Lettuce 2 grs.; Extract of Henbane 2 grs.: in one pill. Dose 1 to 2. *Consumption.*

Pilula Morphiæ Acet.

Acetate of Morphia from $\frac{1}{16}$ to $\frac{1}{2}$ gr.; Confection of Roses *q. s.*: in one pill. *St. Mary's.*

Acetate of Morphia $\frac{1}{4}$ gr.; Liquorice 1 gr.; Mucilage *q. s.*: in one pill. *Westminster.*

Pilula Morphiæ c. Digitali.

Hydrochlorate of Morphia $\frac{1}{16}$ gr.; Digitalis $\frac{1}{3}$ gr.; Extract of Lettuce $1\frac{1}{2}$ gr.; Soap 1 gr. *Chest.*

Pilula Morphiæ e. Glycyrrhizâ.

Hydrochlorate of Morphia $\frac{1}{36}$ gr.; Extract of Liquorice 3 grs.; Comp. Tragacanth Powder 5 grs. *Chest.*

Pilula Morph. c. Hyoscyamo.

Muriate of Morphia $\frac{1}{4}$ gr.; Extract of Henbane 3 grs.: in one pill. *St. Thomas's.*

Pilula Morph. c. Lupulo.

Muriate of Morphia $\frac{1}{12}$ gr.; Ipecacuanha $\frac{1}{4}$ gr.; Extract of Hops 2 grs.: in one pill. *Consumption.*

Pilula Morph. c. Stramonio.

Hydrochlorate of Morphia $\frac{1}{6}$ gr.; Ipecacuanha $\frac{1}{2}$ gr.; Extract of Stramon. $\frac{1}{6}$ gr.; Extract of Hops 2 grs.; Bread Mass to 5 grs.: in one pill. *University.*

Pilula Morph. Hydrochloratis.

Hydrochlorate of Morphia $\frac{1}{8}$ to $\frac{3}{4}$ of a grain in each pill. *Consumption. Chest.*

Muriate of Morphia from $\frac{1}{12}$ to $\frac{1}{2}$ gr.; Confection of Roses *q. s.*: in one pill. *St. Mary's.*

Muriate of Morphia $\frac{1}{4}$ gr.; Mucilage *q. s.*; Liquorice Powder 1 gr.: in one pill. *Westminster.*

Muriate of Morphia $\frac{1}{4}$ gr.; Flour 4 grs.; Treacle *q. s.*: in one pill. *London.*

Pilula Narcot. c. Ipecac.

Extract of Conium 2 grs.; Extract of Henbane 2 grs.; Ipecacuanha 1 gr.: in one pill. *London.*

Pilula Nucis Vomicæ.

Extract of Nux Vomica $\frac{1}{4}$ gr.; Extract of Hops 2 grs.: in one pill. *Consumption.*

Extract of Nux Vomica $\frac{1}{2}$ gr.; Extract of Gentian 4 grs.: in one pill. *London.*

Extract of Nux Vomica $\frac{1}{3}$ gr.; Extract of Gentian 4 grs.; Oil of Cassia $\frac{1}{2}$ min.: in one pill. *St. Mary's.*

Nux Vomica 1 gr.; Extract of Gentian $1\frac{1}{2}$ gr.: in one pill. *Westminster.*

Pilula Nucis Vomicæ Cathartica.

Extract of Nux Vomica ¼ gr.; Comp. Extract of Colocynth 1 gr.; Extract of Henbane 1 gr.; Comp. Rhubarb Pill 1 gr.: in one pill. *London.*

Pilula Opii.

Powdered Opium ¼ to 1 gr. each. *Chest.*

Pilula Opii Co.

Opium 1 gr.; Extract of Conium 4 grs.: for one pill. As an ordinary sedative. *Skin.*

Pilula Opii c. Coloc.

Opium 1 gr.; Comp. Colocynth Pill ½ gr.: in one pill. *St. Mary's.*

Pilula Papaver. c. Ipecac.

Extract of Poppies 4 grs.; Ipecacuanha 1 gr.: in one pill. *Guy's.*

Extract of Poppies 3 grs.; Ipecacuanha 1 gr.: in pill. *Westminster.*

Pilula Picis Co.

Tar 2½ grs.; Liquorice Powder 2½ grs.: in one pill. *St. Thomas's.*

Pilula Plumbi Acet.

Acetate of Lead 1 gr.; Opium ⅛ gr.; Extract of Henbane 2 grs.: in one pill. *Consumption.*

Pilula Plumbi c. Opio.

Acetate of Lead 1 gr.; Opium ⅛ gr.; Flour 3 grs.; Treacle *q. s.:* in one pill. *London.*

Acetate of Lead 2 grs.; Opium ½ gr.; Treacle *q. s.:* in one pill. *Westminster.*

Pilula Plumbi Co.

Acetate of Lead 1 gr.; Opium ¼ gr.; Confection of Hips 3 grs.: in one pill. *Middlesex.*

Pilula Plumbi c. Coloc.

Acetate of Lead 2 grs.; Comp. Extract of Colocynth 2 grs.: in one pill. *Consumption.*

Pilula Podophylli.

Resin of Podophyllum ¼ gr.; Rhubarb 1 gr.; Ipecacuanha 1 gr.; Capsicum 1 gr.; Extract of Belladonna ½ gr.: in one pill. *Charing Cross.*

Resin of Podophyllum ¼ gr.; Extract of Hyoscyamus 4 grs.: in one pill. *London.*

Resin of Podophyllum ⅙ gr.; Extract of Hyoscyamus 2 grs.; Soap *q. s.* *St. Mary's.*

Pilula Podophylli c. Rheo.

Resin of Podophyllum ⅓ gr.; Comp. Rhubarb Pill 4 grs. *Chest.*

Pilula Purgans.

Calomel 1 gr.; Jalap 1½ gr.; Aloes 1½ gr.; Oil of Caraway ¼ gr.; Glycerine *q. s.:* for one pill. Dose 1, 2, or 3 occasionally. *Skin. Westminster Ophthalmic.*

Extract of Barbadoes Aloes 1½ gr.; Comp. Colocynth Pill 1½ gr.; Extract of Jalap 1½ gr.: in each pill. *Charing Cross.*

Pilula Quiniæ.

Sulphate of Quinia 2 grs.; Extract of Gentian 2 grs.: in one pill. *Westminster.*

Sulphate of Quinia 1 gr.; Flour 3 grs.; Treacle *q. s.:* in one pill. *London.*

Sulphate of Quinia 2 grs.; Extract of Liquorice *q. s.:* in one pill. Dose 1 to 2. *Consumption.*

Pilula Quiniæ Co.

Sulphate of Quinia 1 gr.; Extract of Conium 3 grs.: in one pill. *Middlesex.*

Pilula Quiniæ c. Ferro.

Sulphate of Quinia 1 gr.; Sulphate of Iron 1 gr.; Extract of Hemlock 3 grs. *Fever.*

Sulphate of Quinia 1 gr.; Sulphate of Iron ½ gr.; Extract of Gentian 2 grs.; Oil of Cloves ½ min.: in one pill. *St. Mary's.*

Sulphate of Quinia 1 gr.; Sulphate of Iron 1 gr.; Confection of Hips 3 grs.: in one pill. *Middlesex.*

Sulphate of Quinia 1 gr.; Sulphate of Iron 1 gr.; Extract of Taraxacum 3 grs.: in one pill. *Consumption.*

Sulphate of Quinia 1 gr.; Sulphate of Iron 2 grs.; Extract of Gentian *q. s.:* in one pill. *Westminster.*

Sulphate of Quinia 1 gr.; Sulphate of Iron 1 gr.; Extract of Chamomile 1 gr. *Chest.*

Sulphate of Quinia 2 grs.; Sulphate of Iron 2 grs.; Extract of Gentian 1 gr.: in one pill. *St. Thomas's.*

Sulphate of Quinia 1½ gr.; Sulphate of Iron 1 gr.; Extract of Barbadoes Aloes ½ gr.; Extract of Rhubarb 2 grs. *University.*

Pilula Quiniæ c. Opio.

Sulphate of Quinia 1 gr.; Opium ½ gr.: for one pill. Three times a day. *Westminster Ophthalmic.*

Pilula Quiniæ c. Rhei Co.

Sulphate of Quinia 1 gr.; Comp. Rhubarb Pill 3 grs.; Ipecacuanha 1 gr. *Chest.*

Pilula Quiniæ Ferri c. Opio.

Sulphate of Quinia 1 gr.; Sulphate of Iron 2 grs.; Opium ¼ gr.; Extract of Gentian *q. s.:* in one pill. *Westminster.*

Pilula Rhei Aloet. c. Cambogiâ.

Rhubarb ½ gr.; Aloes ¾ gr.; Gamboge ¼ gr.; Ginger 1 gr.; Treacle *q. s.* *Chest.*

Pilula Rhei c. Hydr.

Blue Pill 1 gr.; Comp. Rhubarb Pill 3 grs.: in one pill. *University.* *Chest.*

Rhubarb 2 grs.; Blue Pill 1 gr.; Ipecacuanha ½ gr.; water *q. s.:* in one pill. *Charing Cross.* *Westminster.*

Comp. Rhubarb Pill 4 grs.; Mercurial Pill 1 gr. *Fever.*

Pilula Rhei c. Nuce Vomicâ.

Comp. Rhubarb Pill 3¾ grs.; Extract of Nux Vomica ¼ gr.; Extract of Henbane 1 gr.: in one pill. *St. Thomas's.*

Pilula Rhei c. Sodâ.

Rhubarb 1½ gr.; Dried Carbonate of Soda 1½ gr.; water *q. s.* *Westminster.*

Pilula Rhei Co. c. Ipecac.

Rhubarb 2 grs.; Aloes 1 gr.; Soap ⅔ gr.; Ipecacuanha ¼ gr.; Tincture of Rhubarb *q. s.:* in one pill. *Westminster.*

Pilula Scillæ c. Colch.

Comp. Squills Pill 3 grs.; Powdered Colchicum Corms 1 gr.; Powdered Opium ⅔ gr.; Glycerine *q. s.:* for one pill. Twice a day in thoracic complications. *Skin.*

Pilula Scillæ c. Digitali.

Powdered Squills 2 grs.; Extract of Conium 2 grs.; Powdered Digitalis 1 gr.: in one pill. *Consumption.*

Pilula Scillæ c. Hydr.

Squills 2 grs.; Blue Pill 1½ gr.; Confection of Opium 1 gr.: in one pill. *Westminster.*

Comp. Squills Pill 4 grs.; Oxide of Mercury ⅛ gr.: in one pill. *Guy's.*

Comp. Squills Pill 4 grs.; Blue Pill 1 gr.: in one pill. *Consumption.*

Pilula Scillæ c. Ipecac.

Comp. Squills Pill 4½ grs.; Ipecacuanha ½ gr.: for one pill. *St. George's.*

Pilula Scillæ c. Morph.

Powdered Squills 2 grs.; Hydrochlorate of Morphia ⅛ gr.; Ipecacuanha ½ gr.; Oil of Aniseed ½ min.: in one pill. Dose 1 to 2. *Consumption.*

Pilula Scillæ c. Opio.

Squills 2 grs.; Opium ½ gr.; Canella ½ gr.; Tartar Emetic ¼ gr.; Treacle *q. s.*: in one pill. *St. Thomas's.*

Comp. Squills Pill 4 grs.; Opium ⅛ gr.: in one pill. *Guy's.*

Pilula Scillæ Opiat.

Comp. Squills Pill 4 grs.; Comp. Soap Pill 1 gr.: in one pill. *Middlesex.*

Pilula Stramonii.

Extract of Stramonium ¼ gr.; Extract of Liquorice 3 grs.: in one pill. Dose 1 to 2. *Consumption.*

Extract of Stramonium ¼ gr.; Camphor 1 gr.; Squills 2 grs.; Syrup *q. s.*: in one pill. *St. Mary's.*

Pilula Stramonii Co.

Extract of Stramonium ½ gr.; Pill of Ipecacuanha and Squills 4 grs. *Chest.*

Pilula Strychniæ.

Strychnia $\frac{1}{16}$ gr.; Sugar of Milk $1\frac{1}{4}$ gr.; Extract of Gentian $3\frac{3}{4}$ grs.: in one pill. *St. Mary's.*

Strychnia $\frac{1}{16}$ gr.; Crumb of Bread 1 gr.: in one pill. *Westminster.*

Pilula Terebinth. Co.

Chio Turpentine 3 grs.; Rhubarb 2 grs.: in one pill. *St. Thomas's.*

Pilula Terebinth. c. Rheo.

Chio Turpentine $2\frac{1}{2}$ grs.; Soap 1 gr.; Rhubarb 1 gr.: in one pill. *Guy's.*

Chio Turpentine 2 grs.; Soap 1 gr.; Rhubarb 1 gr. in one pill. *Westminster.*

Pilula Terebinth. c. Zinco.

Chio Turpentine 4 grs.; Sulphate of Zinc 1 gr.: in one pill. *London.*

Pilula Tiglii. *Vide* Crotonis.

Croton Oil $\frac{1}{2}$ min.; Liquorice Powder 1 gr.; Treacle *q. s.*: in one pill. *Westminster.*

Croton Oil 1 min.; Soap 4 grs.: in one pill. *London.*

Pilula Zinci c. Conio.

Sulphate of Zinc 2 grs.; Extract of Conium 3 grs.: in one pill. *Westminster.*

Pilula Zinci c. Hyoscyamo.

Sulphate of Zinc 1 gr.; Extract of Henbane 2 grs.: in one pill. *Middlesex.*

Pilula Zinci c. Hyoscyamo et Valerianâ.

Sulphate of Zinc 1 gr.; Extract of Henbane 1 gr.; Extract of Valerian 2 grs.: in one pill. Three times a day. *Westminster Ophthalmic.*

Pilula Zinci Oxyd.

Oxide of Zinc 1, 2, or 3 grs. in one pill. *St. Mary's.*
Oxide of Zinc 2½ grs.; Extract of Liquorice 2 grs.: in one pill. Dose 1 to 2. *Consumption.*

Pilula Zinci Oxyd. c. Hyoscyamo.

Oxide of Zinc 2½ grs.; Extract of Henbane 2 grs.: in one pill. Dose 1 to 2. *Consumption. Chest.*

Pilula Zinci Oxyd. c. Morph.

Oxide of Zinc 2½ grs.; Hydrochlorate of Morphia $\frac{1}{12}$ gr.; Extract of Liquorice 2 grs.: in one pill. Dose 1 to 3. *Consumption.*

Pilula Zinci Sulph.

Sulphate of Zinc 1 gr.; Extract of Gentian 2 grs.: in one pill. *Westminster.*
Sulphate of Zinc 1, 2, or 3 grs. in one pill. *St. Mary's.*
Sulphate of Zinc 2 grs.; Extract of Gentian 2 grs.; Comp. Rhubarb Pill 1 gr.: in one pill. *Charing Cross.*

Pilula Zinci Valer.

Valerianate of Zinc 1, 2, or 3 grs. in each pill. *St. Mary's.*

Pilula Zinci Valer. Co.

Valerianate of Zinc ½ gr.; Sulphate of Quinia ⅛ gr.; Comp. Rhubarb Pill 1 gr.; Extract of Gentian 2 grs.: in one pill. *London.*

POTASSA CUM CALCE.

Potassa c. Calce.

Caustic Potash, Lime, equal parts; Glycerine *q. s.* *St. Bartholomew's.*

POTUS.

Potus Chlori.

Solution of Chlorine 1 oz.; Syrup 1 oz.; water to 20 oz. *Middlesex.*

Potus Potassæ Chloratis.

Chlorate of Potash 60 grs.; boiling water 20 oz. *St. Bartholomew's.*

Potus Potassæ Tartratis Acida.

Acid Tartrate of Potash ½ oz.; Oil of Lemon 5 mins.; boiling water 20 oz. *St. Bartholomew's.*

PULVERES.

Pulvis Ærugin. Co.

Verdigris 1 oz.; Powdered Savine 1 oz. *St. Mary's. Middlesex.*

Pulvis Aloës Co.

Extract of Barbadoes Aloes 2 grs.; Sulphate of Soda 28 grs. *St. Mary's.*

Pulvis Aloës c. Saccharo.

Socotrine Aloes 1 gr.; White Sugar 5 grs. *Charing Cross.*

Pulvis Alterativus.

Grey Powder 1 gr.; Rhubarb 3 grs.; Bicarbonate of Soda 2 grs. *London Ophthalmic.*

Grey Powder 1 gr.; Rhubarb 2 grs.; Carbonate of Magnesia 2 grs.; Comp. Powder of Cinnamon 1 gr. *St. Thomas's.*

Mercury with Chalk 1 gr.; Rhubarb 5 grs.; Bicarbonate of Soda 5 grs. *Charing Cross.*

Mercury with Chalk 2 grs.; Dried Carbonate of Soda 2 grs.; Rhubarb 6 grs. For medium dose. *London.*

Pulvis Antim. et Hydr. Sulphuret.

Sesquisulphuret of Antimony 4 grs.; Æthiops Mineral 4 grs. *Westminster.*

Pulvis Antim. Tart. c. Calomelane.

Tartar Emetic 1 gr.; Calomel 4 grs.; Sugar 10 grs. *Westminster.*

Pulvis Aperiens Efferves.

Tartrate of Soda 2 drms.; Bicarbonate of Soda 1 scruple; water 4 oz.; cum 14 grs. Tartaric Acid. *Westminster.*

Pulvis Aromaticus.

Cinnamon 4 grs.; Pimenta 4 grs.; Ginger 4 grs. For medium dose. *London.*

Pulvis Arsenicalis Causticus.

Arsenious Acid ½ drm.; Calomel 1 oz. *University.*

Pulvis Bismuthi Co.

Carbonate of Bismuth 5 grs.; Carbonate of Magnesia 3 grs.; Powdered Acacia 2 grs. *Consumption.*

Nitrate of Bismuth 6 drms.; Chromate of Lead 10 grs.; Carmine 5 grs.; Vermilion 5 grs. *Skin.* Used externally in chromatic and erythematous affections.

Nitrate of Bismuth 6 grs.; Comp. Tragacanth Powder 12 grs. *Guy's.*

Nitrate of Bismuth 10 grs.; Comp. Tragacanth Powder 5 grs. *Middlesex.*

Pulvis Bismuthi c. Carbone Ligni.

Subnitrate of Bismuth 10 grs.; Powdered Wood Charcoal 10 grs.; Bicarbonate of Soda 5 grs. For a dose. *University.*

Pulvis Bismuthi et Ferri.

Subnitrate of Bismuth 6 grs.; Saccharated Carbonate of Iron 6 grs. For medium dose. *London.*

Pulvis Bismuthi c. Rheo.

Subnitrate of Bismuth 5 grs.; Comp. Rhubarb Powder 8 grs.; Dried Carbonate of Soda 5 grs.; Dover's Powder 2 grs. *Charing Cross.*

Pulvis Bismuthi Sedativus.

Nitrate of Bismuth 7 grs.; Dried Carbonate of Soda 7 grs.; Muriate of Morphia $\frac{1}{10}$ gr. *Guy's.*

Pulvis Calaminæ Co.

Prepared Calamine 6 drms.; Starch 6 drms. *Skin.* Used externally in vesicular and phlegmonous affections.

Pulvis Calomel. Co.

Vide Hydr. Subchlor. Co.

Pulvis Calomel. et Jalap.

Vide Pulvis Hydr. Subchlor. c. Jalap.

Pulvis Calomel. et Opii.

Vide Pulvis Hydr. Subchlor. et Opii.

Pulvis Calomel. et Rheo.

Vide Pulvis Hydr. Subchlor. c. Rheo.

Pulvis Calomel. et Scam.

Vide Pulvis Hydr. Subchlor. c. Scammonio.

Pulvis Calumbæ Co.

Calumba, Rhubarb, of each 12 grs.; Cinnamon 6 grs.; Ginger 4 grs.; Gum Acacia, White Bismuth, Bicarbonate of Soda, of each 20 grs. Dose 10 to 30 grs. *St. George's.*

Pulvis Canellæ Aromaticus.

Canella, Ginger, Long Pepper, equal parts. Dose 5 to 10 grs. *St. George's.*

Pulvis Carminativus.

Rhubarb 12 grs.; Prepared Chalk 6 grs.; Oil of Dill 1 min. *St. Thomas's.*

Pulvis Catechu et Opio.

Catechu 14 grs.; Long Pepper 2 grs.; Ginger 4 grs.; Opium ½ gr. *Westminster.*

Pulvis Cinchonæ Co.

Yellow Bark in powder 15 grs.; Bicarbonate of Soda 9 grs.; Aromatic Powder of Canella 3 grs. *St. George's.*

Pulvis Cinchonæ c. Rheo et Sodâ.

Cinchona 15 grs.; Rhubarb 5 grs.; Bicarbonate of Soda 5 grs. *Westminster Ophthalmic.*

Pulvis Cinchon. et Rhei.

Cinchona 5 grs.; Rhubarb 5 grs. For one dose. *London Ophthalmic.*

Comp. Cinchona Powder 15 grs.; Rhubarb 5 grs. *St. George's.*

Pulvis Cinchôn. et Sodæ.

Cinchona 5 grs.; Bicarbonate of Soda 5 grs. Dose for children 3 to 5 grs. *King's. London Ophthalmic. Middlesex.*

Pulvis Colchici et Dover. P.

Powdered Colchicum 5 grs.; Dover's Powder 5 grs. *Westminster.*

Pulvis Colchici et Sodæ.

Powdered Colchicum 5 grs.; Bicarbonate of Soda 15 grs. *Westminster.*

Pulvis Colchici Co.

Powdered Colchicum 2 grs.; Cinchona 10 grs.; Bicarbonate of Soda 10 grs. For one dose. *London Ophthalmic.*

Pulvis Cretaceus.

Prepared Chalk 40 grs.; Powdered Gum-Acacia 40 grs.; Sugar 30 grs. *Guy's.*

Pulvis Cretæ Aromaticus.

Prepared Chalk 6 grs.; Aromatic Powder 6 grs.; Acacia 2 grs. For a medium dose. *London.*

Pulvis Cretæ Aromaticus c. Rheo.

Aromatic Powder of Chalk 20 grs.; Rhubarb 10 grs. *St. Bartholomew's.*

Pulvis Cubebæ Co.

Powdered Cubebs 30 grs.; Alum 10 grs. *Middlesex.*

Pulvis Elaterii Co.

Extract of Elaterium 1 gr.; Bitartrate of Potash 24 grs.; Borax 12 grs.; Ginger 4 grs. *Westminster.*

Extract of Elaterium 1 gr.; Bitartrate of Potash 25 grs.; Ginger 5 grs. *Guy's.*

Pulvis Emeticus.

Ipecacuanha 20 grs.; Tartar Emetic ½ gr. *St. Bartholomew's.*

Ipecacuanha 19 grs.; Tartar Emetic 1 gr. *St. Mary's.*

Ipecacuanha 20 grs.; Tartar Emetic 1 gr. *St. George's. Westminster. London.*

Ipecacuanha 15 grs.; Tartar Emetic 1 gr. *Consumption. St. Thomas's.*

Ipecacuanha 20 grs.; Tartar Emetic 4½ grs.; Comp. Tragacanth Powder 2¼ grs. Dose 6 to 12 grs. or 1 drm. *Skin.*

Ipecacuanha 10 grs.; Tartar Emetic 1 gr. *Guy's.*

Pulvis Ergotæ Co.

Bruised Ergot 12 grs.; Sulphate of Potash 6 grs.; Ginger 3 grs. *Westminster.*

Pulvis Ferri et Sodæ Bicarb.

Saccharated Carbonate of Iron 10 grs.; Bicarbonate of Soda 10 grs.; Ginger 5 grs. *Chest.*

Pulvis Guaiaci Co.

Powdered Guaiacum Resin 15 grs.; Precipitated Sulphur 15 grs.; Carbonate of Magnesia 15 grs.; Gum Arabic 15 grs.; Bicarbonate of Potash 22 grs. Dose ½ to 1 drm. *St. George's.*

Pulvis Hydr. Subchlor. Co. Infantium.

Calomel 1 gr.; Ipecacuanha ¼ gr.; Tartar Emetic ⅛ gr. *Middlesex.*

Pulvis Hydr. Subchlor. c. Jalapâ.

Calomel 1 gr.; Jalap 2 grs. Dose 15 grs. *St. Mary's.*

Calomel 1 gr.; Jalap 3 grs.; Ginger 1 gr. Dose 5 to 10 grs. *University.*

Calomel 1 gr.; Jalap 4 grs.; Aromatic Powder 1 gr. *St. George's.*

Calomel 1 gr.; Jalap 4 grs.; Ginger 1 gr. *London Ophthalmic. Westminster. Middlesex. Guy's. St. Thomas's. London.*

Pulvis Hydr. Subchlor. et Opii.

Dover's Powder 7 grs.; Calomel 3 grs. *St. George's.*

Pulvis Hydr. Subchlor. c. Rheo.

Calomel 1 gr.; Rhubarb 4 grs.; Ginger 1 gr.

London Ophthalmic. London. Westminster. Guy's.

Calomel 1 gr.; Rhubarb 4 grs.; Comp. Cinnamon Powder 1 gr. Dose for a child. *Middlesex. St. George's.*

Calomel ¼ gr.; Rhubarb 5 grs. *Chest.*

Pulvis Hydr. Subchlor. c. Scammonio.

Calomel 2 grs.; Scammony 4 grs.; Sugar 2 grs. *Middlesex. Westminster. Guy's. St. George's.*

Calomel ½ gr.; Comp. Scammony Powder 4½ grs. *Chest.*

Calomel 2 grs.; Scammony 8 grs. *St. Thomas's.*

Calomel 2 grs.; Scammony 8 grs.; Ginger 2 grs. *London Ophthalmic. London.*

Pulvis Hydr. Subchlor. c. Scammon. et Jalapâ.

Calomel 1 gr.; Scammony 2 grs.; Jalap 4 grs. Dose for a child. *Middlesex.*

Pulvis Hydr. c. Cretâ et Antimonio.

Grey Powder 1 gr.; Antimonial Powder 2 grs. *London Ophthalmic.*

Pulvis Hydr. c. Cretâ et Rheo.

Grey Powder 2 grs.; Rhubarb 4 grs. *London Ophthalmic. University.*

Grey Powder 1 gr.; Rhubarb 2½ grs. *Guy's.*

Grey Powder 1 gr.; Rhubarb 2 grs. Dose for a child. *St. Mary's.*

Pulvis Hydr. c. Cretâ et Sacch.

Grey Powder 2 grs.; Sugar 8 grs. *King's.*

Pulvis Hydr. c. Magnes.

Grey Powder 20 grs.; Rhubarb 20 grs.; Carbonate of Magnesia 40 grs.; Cinnamon 20 grs. Dose for a child 5 grs. *Middlesex.*

Pulvis Hydr. c. Rheo et Sodâ.

Grey Powder 2 grs.; Bicarbonate of Soda 2 grs.; Powdered Rhubarb 3 grs. *Westminster Ophthalmic.*

Pulvis Hydr. et Opii.

Grey Powder 5 grs.; Dover's Powder 5 grs. *St. George's.*

Pulvis Infantilis.

Mercury with Chalk 4 grs.; Rhubarb 16 grs.; Ginger 1 gr. Full dose. *London.*

Pulvis Ipecac. c. Antim.

Vide Pulvis Emeticus. *St. Mary's.*

Pulvis Ipecac. c. Antim. Fortior.

Ipecacuanha 20 grs.; Tartarated Antimony 2 grs. *Fever.*

Pulvis Ipecac. c. Antim. Mitior.

Ipecacuanha 12 grs.; Tartarated Antimony ½ gr. *Fever.*

Pulvis Ipecac. c. Ant. Tart.

Vide Pulvis Emeticus. *Consumption.*

Pulvis Ipecac. c. Zinco.

Ipecacuanha 10 grs.; Sulphate of Zinc 10 grs.; Ginger 4 grs. For a dose. *St. Mary's.*

Pulvis Ipecac. Co. c. Rheo.

Dover's Powder 2 grs.; Rhubarb 3 grs. Dose for children 3 to 5 grs. *King's.*

Pulvis Jalapæ c. Calomel.

Vide Pulvis Hydr. Subchlor. c. Jalap.

Pulvis Jalapæ c. Hydr.

(*Vide* Pulvis Hydr. Subchlor. c. Jalap.)

Comp. Jalap Powder 6 grs.; Grey Powder 3 grs. *Westminster Ophthalmic.*

Pulvis Jalapæ c. Hydr. Subchlorido.

Jalap 8 grs.; Ginger 1 gr.; Calomel 1 gr. *Fever.*
Jalap 8 grs.; Ginger 2 grs.; Calomel 2 grs. *London.*

Pulvis Jalapæ c. Rheo.

Jalap 20 grs.; Rhubarb 10 grs. *London Ophthalmic.*

Pulvis Jalapæ c. Scam.

Jalap 5 grs.; Comp. Scammony Powder 5 grs.; Rhubarb 5 grs.; Grey Powder 3 grs.; Ginger 2 grs. *Consumption.*

Pulvis Kino Co. c. Alum.

Comp. Kino Powder 10 grs.; Alum 4 grs. *Consumption.*

Pulvis Magnes. c. Rheo.

Vide Pulv. Rhei et Magnesiæ.

Pulvis Magnes. Sulph. c. Antim.

Sulphate of Magnesia 4 drms.; Tartarated Antimony 2 grs.: to be intimately mixed. Half or a fourth part for a dose. *Westminster Ophthalmic.*

Pulvis Mercurial. c. Antim.

Calomel 1 gr.; Tartar Emetic ½ gr.; Prepared Chalk 12 grs.; Comp. Tragacanth Powder 3 grs. Dose 5 to 12 grs. in phlegmonous and vesicular affections. *Skin.*

Pulvis Potassæ Sodæ et Calumbæ.

Bicarbonate of Potash 10 grs.; Bicarbonate of Soda 10 grs.; Calumba 5 grs.; Ginger 5 grs. *Chest.*

Pulvis Potassæ c. Sulph.

Bicarbonate of Potash 6 grs.; Sulphur 4½ grs.; Nitre 3 grs. *Westminster.*

Pulvis Purgans.

Comp. Powder of Jalap 10 grs.; Comp. Powder of Scammony 10 grs. For one dose. *Westminster Ophthalmic.*

Jalap 4 grs.; Calomel 1 gr.; Æthiops Mineral 2 grs.; Ginger 1 gr. Dose 10 to 20 grs. as an alterative purgative. *Skin.*

Pulvis Quinæ et Rhei.

Rhubarb 6 grs.; Sulphate of Quinine 1 gr. Dose for a child 5 grs. *University.*

Pulvis Rhei Co.

Rhubarb 20 grs.; Dried Carbonate of Soda 20 grs.; Calumba 40 grs. *Guy's.*

Rhubarb 20 grs.; Magnesia 40 grs.; Ginger 10 grs.; *Consumption.*

Pulvis Rhei Co. c. Hydr.

Comp. Powder of Rhubarb 8 grs.; Grey Powder 2 grs. *King's.*

Pulvis Rhei Co. c. Magn. Sulph.

Rhubarb 20 grs.; Carbonate of Magnesia 40 grs.; Ginger 10 grs.; Sulphate of Magnesia 70 grs. *Consumption.*

Pulvis Rhei c. Calomel.

Vide Pulvis Hydr. Subchlor. c. Rheo.

Pulvis Rhei c. Calumbâ.

Rhubarb 5 grs.; Calumba 10 grs.; Dried Carbonate of Soda 5 grs. *Westminster.*

Rhubarb 5 grs.; Calumba 10 grs.; Bicarbonate of Soda 7½ grs.; Aromatic Powder 5 grs. For a dose. *London.*

Rhubarb 20 grs.; Calumba 40 grs.; Bicarbonate of Soda 20 grs.; Cinnamon Powder 20 grs. Dose 12 to 30 grs. *Middlesex.*

Pulvis Rhei c. Hydr.

Rhubarb 20 grs.; Grey Powder 10 grs. *University.*

Rhubarb 20 grs.; Grey Powder 10 grs.; Aromatic Powder of Chalk 5 grs. Dose for a child 6 grs. *Chest.*

Rhubarb 12 grs.; Grey Powder 3 grs. *Consumption.*

Rhubarb 4 grs.; Calomel 1 gr.; Ginger 1 gr. *St. Thomas's.*

Rhubarb 3 grs.; Grey Powder 2 grs. *Guy's. Middlesex.*

Rhubarb 5 grs.; Grey Powder 5 grs.; Bicarbonate of Soda 5 grs. *Westminster.*

Pulvis Rhei c. Hydr. et Cretâ.

Vide Pulvis Hydr. c. Cretâ et Rheo.

Pulvis Rhei c. Hydr. et Ipecac.

Rhubarb 20 grs.; Grey Powder 8 grs.; Ipecacuanha 4 grs. *Guy's.*

Pulvis Rhei c. Jalapâ.

Rhubarb 20 grs.; Comp. Powder of Jalap 40 grs. *Middlesex.*

Rhubarb 2½ grs.; Jalap 2½ grs.; Ipecacuanha ¼ gr. *Charing Cross.*

Pulvis Rhei c. Magnesiâ.

Rhubarb 20 grs.; Magnesia 16 grs.; Ginger 4 grs. Dose for a child 4 grs. *St. Mary's.*

Rhubarb 20 grs.; Carbonate of Magnesia 40 grs.; Ginger 10 grs. *Westminster.*

Rhubarb 20 grs.; Carbonate of Magnesia 40 grs. *Guy's. London Ophthalmic.*

Carbonate of Magnesia 30 grs.; Rhubarb 10 grs.; Aromatic Powder of Canella 5 grs. Dose 20 to 30 grs. *St. George's.*

Pulvis Rhei c. Potassæ Sulph.

Rhubarb 20 grs.; Sulphate of Potash 60 grs. *St. Bartholomew's.*

Rhubarb 20 grs.; Sulphate of Potash 40 grs. *St. Thomas's.*

Pulvis Rhei c. Sodâ.

Rhubarb 20 grs.; Bicarbonate of Soda 20 grs. Dose 10 to 20 grs. *London Ophthalmic.*

Rhubarb 20 grs.; Dried Carbonate of Soda 10 grs. Dose for a child 6 to 10 grs. *University.*

Rhubarb 20 grs.; Bicarbonate of Soda 40 grs. *St. Thomas's.*

Rhubarb 6 grs.; Bicarbonate of Soda 3 grs.; Ginger 1 gr. Dose for a child. *St. Mary's.*

Pulvis Rhei Opiatus.

Rhubarb 15 grs.; Comp. Chalk Powder with Opium 10 grs. *Guy's.*

Pulvis Rhei Salinus.

Rhubarb 10 grs.; Sulphate of Potash 60 grs. *Consumption.*

Rhubarb 10 grs.; Sulphate of Potash 20 grs. *Westminster. Guy's.*

Rhubarb 10 grs.; Sulphate of Potash 30 grs. *London.*

Pulvis Salinus Co.

Sulphate of Magnesia dried 4 drms.; Chloride of Sodium dried 4 drms.; Sulphate of Potash dried 3 drms. Dose ½ to 2 drms. *Westminster.*

Pulvis Salinus c. Ferro.

Sulphate of Magnesia 3½ drms.; Phosphate of Soda 4 drms.; Sulphate of Iron 24 grs. Dose a teaspoonful. *Westminster Ophthalmic.*

Sulphate of Magnesia 4 drms.; Sulphate of Soda 4 drms.; Sulphate of Iron 4 grs. *Westminster.*

Pulvis Scammon. c. Hydr.

Vide Pulvis Hydr. Subchlor. c. Scammonio.

Pulvis Scammon. c. Hydr. Subchlor.

Vide Pulvis Hydr. Subchlor. c. Scammonio.

Pulvis Sodæ Aromat.

Dried Carbonate of Soda 20 grs.; Aromatic Powder 5 grs. *St. George's.*

Pulvis Sodæ c. Calomelane.

Dried Carbonate of Soda 20 grs.; Calomel 4 grs.; Comp. Chalk Powder 40 grs. *Guy's.*

Pulvis Sodæ c. Hydr.

Bicarbonate of Soda 20 grs.; Grey Powder 10 grs.; Aromatic Chalk Powder 20 grs. *Middlesex.*

Pulvis Sulph. Co.

Flour of Sulphur 14 grs.; Heavy Carbonate of Magnesia 14 grs.; Comp. Cinnamon Powder 4 grs. *St. Mary's.*

Precipitated Sulphur, Tartrate of Soda and Potash, equal parts. *St. George's.*

Pulvis Tartaratus Co.

Acid Tartrate of Potash 220 grs.; Jalap 20 grs.; Ginger 3 grs. *St. Thomas's.*

Pulvis Tonicus.

Oxide of Zinc ½ gr.; Peroxide of Iron 3½ grs. Dose for a child. *St. Mary's.*

Pulvis Vermifugus.

Santonine 5 grs.; Mercury with Chalk 2 grs.; Scammony 5 grs. *Charing Cross.*

Pulvis Zinci Oxidi.

Oxide of Zinc 1 oz.; Starch 2 oz. *Fever.*

SPIRITUS.

Spiritus Ammoniæ Aromaticus.

Carbonate of Ammonia 8 oz.; Strong Solution of Ammonia 4 oz.; Oil of Lemon 2 drms.; Rectified Spirit 5 pints; Distilled Water 2 pints: dissolve. Same strength as Br. Ph. *St. Bartholomew's.*

Spiritus Ammoniæ Fœtidus.

Tincture of Assafœtida 6 oz.; Rectified Spirit 3 oz.; Strong Solution of Ammonia 1 oz.: mix. Same strength as Br. Ph. *St. Bartholomew's.*

Spiritus Anethi.

Oil of Dill 1 drm.; Rectified Spirit to 10 drms. *Westminster.*

Spiritus Carui.

Oil of Caraway 25 mins.; Rectified Spirit to 10 drms. *Westminster.*

Spiritus Cassiæ.

Oil of Cassia 40 mins.; Rectified Spirit to 10 drms. *Westminster.*

Spiritus Menth. Pip.

Oil of Peppermint 40 mins.; Rectified Spirit to 10 drms. *Westminster.*

Spiritus Menth. Vir.

Oil of Mint 50 mins.; Rectified Spirit to 10 drms. *Westminster.*

Spiritus Omnes.

Essential Oil 1 drm.; Rectified Spirit 19 drms.: mix. *St. Bartholomew's.*

Spiritus Pimentæ.

Oil of Pimenta 35 mins.; Rectified Spirit to 10 drms. *Westminster.*

SUPPOSITORIA.

Suppositorium Elaterii.

Extract of Elaterium 2 grs.; Soap 10 grs.; Flour 10 grs.; water *q. s.* *St. Bartholomew's.*

Suppositorium Opii.

Comp. Soap Pill 10 grs. *Westminster. Fever.*
Comp. Soap Pill 12 grs. *St. Bartholomew's.*

Suppositorium Tiglii.

Croton Oil 5 mins.; Crumb of Bread 30 grs. *Westminster.*

SYRUPI.

Syrupus Limon.

Oil of Lemons ½ drop; Spirit of Wine 6 mins.; Syrup 1 oz. *Westminster.*

Syrupus Morph. Hydrochloratis.

Hydrochlorate of Morphia ½ gr.; Spirit of Nutmeg 15 mins.; Syrup 1 oz. Dose 1 to 2 drms. *Consumption.*

Syrupus Papaveris.

Made with Treacle instead of Sugar. Same strength as Br. Ph. *St. Bartholomew's.*

Syrupus Rhœados.

Made with Treacle instead of Sugar. *St. Bartholomew's.*

Syrupus Scillæ c. Morphiâ.

Muriate of Morphia ½ gr.; Dil. Hydrocyanic Acid 15 mins.; Dil. Hydrochloric Acid 2½ mins.; Oxymel of Squills ½ oz.; water to 1 oz. Dose 1 to 2 drms. *Consumption.*

THERIACA DILUTA.

Treacle and water equal parts. *Westminster.*

TINCTURÆ.

Tinctura Aperiens.

Senna 42 grs.; Ginger 3 grs.; Coriander Seeds 3 grs.; Extract of Liquorice 9 grs.; Proof Spirit 48 mins.; water 9 drms. *Westminster.*

Tinctura Aperiens Fort.

Senna 42 grs.; Ginger 3 grs.; Coriander Seeds 3 grs.; Extract of Liquorice 9 grs.; Proof Spirit 1 drm.; Aloes 12 grs.; Jalap 12 grs.; water to 9 drms. *Westminster.*

Tinctura Cardam. Co.

Red Saunders Wood 3 grs.; Cardamoms 3 grs.; Caraways 3 grs.; Coriander ¾ gr.; Cassia 6 grs.; Treacle 12 grs.; Proof Spirit 1 oz. *Westminster.*

Tinctura Cuspariæ.

Cusparia Bruised ½ drm.; Proof Spirit 1 oz. *St. George's.*

Tinctura Gentianæ.

Gentian Sliced ½ drm.; Canella 22½ grs.; Proof Spirit 1 oz. *St. George's.*

Tinctura Guaiaci Ammoniata.

Guaiacum 9 oz.; Rectified Spirit 37½ oz.; Distilled Water 10 oz.; Strong Solution of Ammonia 2½ oz.; Carbonate of Ammonia 480 grs.: dissolve the Carbonate in the water, and the Ammonia and the Spirit, lastly the Guaiacum, and macerate 7 days. Dose ½ to 1 drm. *London.*

Tinctura Iodi Caustica.

Iodine, Iodide of Potassium, of each 5 drms.; Rectified Spirit 10 drms. *University.*

Tinctura Sennæ Co.

Senna 60 grs.; Jalap 7½ grs.; Ginger 3¾ grs.; Proof Spirit 1 oz. *St. George's.*

Tinctura Tiglii.

Peeled Croton Seeds 80 grs.; Rectified Spirit 1 oz. *Westminster.*

Tinctura Valerianæ Ammoniatæ.

Valerian Root 6¼ oz.; Rectified Spirit 37½ oz.; Distilled Water 15 oz.; Strong Solution of Ammonia 2½ oz.; Carbonate of Ammonia 480 grs.: dissolve the Carbonate in the water, add the Ammonia and Spirit, and, lastly, the Valerian Root; macerate 7 days. *London.*

TROCHISCI.

Trochisci Acaciæ.

Consumption.

Trochisci Acidi Tannici.

1 gr. each. *London.*

Trochisci Catechu c. Aluminâ.

Catechu 3 grs., Alum 2 grs., in each. *Consumption.*

Trochisci Glycyrrhizæ.

Extract 3 grs., Oil of Aniseed $\frac{1}{120}$ min., in each. *Consumption.*

Trochisci Guaiaci.

4 grs. in each. *London.*

Trochisci Gummi Rubri.

Red Gum 2½ grs., Tincture of Capsicum ⅓ min., in each. *London.*

Trochisci Lactucæ.

Extract of Lettuce ½ gr. in each. *Consumption.*

Trochisci Opii et Ipecacuanhæ.

Extract of Opium $\frac{1}{10}$ gr.; Ipecacuanha ⅓ gr.; Oil of Aniseed ½ min., in each. *Consumption.*

Trochisci Potassæ Chloratis.

3 grs. each. *London.*

N.B. Lozenges of the Consumption Hospital are made with Acacia Paste.

Lozenges of the London Hospital are made with Black Currant Paste.

UNGUENTA.

Cerates are included in this group under the head of Ointments.

Unguentum Acidi Sulph.

Sulphuric Acid ½ drm.; Lard 1 oz. *Westminster.*

Unguentum Æruginis.

Verdigris 1 drm.; Lard 1 oz. *Guy's.*

Verdigris 1 drm.; Resin Ointment 15 drms. *London.*

Unguentum Æruginis c. Hydr.

Verdigris Ointment 4 drms.; Red Precipitate 7½ grs.; Calamine Cerate to 1 oz. *Westminster.*

Unguentum Ammon. Hydrochl. Co.

Muriate of Ammonia 20 grs.; Mercurial Ointment 1 drm.; Oil of Bitter Almonds 4 mins.; Lard to 1 oz. *Skin.*

Used in tubercular, papular, and squamous affections.

Unguentum Argenti Nitrat.

Nitrate of Silver 80 grs.; Solution of Diacetate of Lead 96 mins.; Lard to 1 oz. *Charing Cross.*

Unguentum Arsenici (Ceratum).

Arsenious Acid 40 grs.; Lard 1 oz. *Guy's.*

Unguentum Arsenici Causticum.

Arsenious Acid 40 grs.; Lard 1 oz. *St. Mary's.*

Unguentum Arsenici Mitius.

Arsenious Acid 2 grs.; Lard 1 oz. *St. Mary's.*

Unguentum Balsami Peruv.

Balsam of Peru 1 drm.; Lard 1 oz. *Middlesex.*

Balsam of Peru 1 oz.; Castor Oil 2 oz. *Fever.*

Unguentum Belladonnæ Co.

Extract of Belladonna 30 grs.; Camphor 10 grs.; Rectified Spirit *q. s.*; Extract of Conium 30 grs.; Lard 1 oz. *Skin.*

Used in neuralgic, papular, and erythematous affections.

Unguentum Belladonnæ c. Hydrargyro.

Extract of Belladonna 10 grs.; Ammoniated Mercury 5 grs.; Lard 1 drm. *King's.*

Unguentum Belladonnæ Fortius.

Extract of Belladonna and Lard, of each ½ oz.; Glycerine 1 drm. *Middlesex.*

Extract of Belladonna 80 grs.; Glycerine 1 drm.; Prepared Lard 1 oz. *Fever.*

Unguentum Bismuthi.

White Bismuth 1 drm.; Lard 1 oz. *St. George's.*

Unguentum Calaminæ.

Calamine 164 grs.; White Wax 164 grs.; Olive Oil 1 oz. *St. George's.*

Unguentum Calaminæ Co.

Calamine 90 grs.; Beeswax 90 grs.; Red Precipitate Ointment 2 drms.; Olive Oil to 1 oz. *St. Mary's.*

Calamine 60 grs.; Solution of Acetate of Lead 10 mins.; Dil. Hydrocyanic Acid 20 mins.; Glycerine 20 mins.; Lard 1 oz. *Skin.*

Used in neuralgic, erythematous, and vesicular affections.

Unguentum Camphor.

Camphor ½ oz.; Rectified Spirit *q. s.*; Lard 1 oz. *Westminster.*

Unguentum Camphor. Co.

Camphor 10 grs.; Glycerine 10 mins.; Lard to 1 oz. *Skin.*

Used in erythematous, vesicular, and squamous affections.

Unguentum Camphor. c. Hydr.

Vide Unguentum Hydrarg. c. Camphore.

Unguentum Ceræ.

Wax 3 drms.; Olive Oil 1 oz. *Guy's.*

Unguentum Citrinum.

Citrine Ointment 4 drms.; Lard 6 drms. *Westminster Ophthalmic.*

Unguentum Commune.

Lard 1 oz.; Yellow Wax 1 oz.; Olive Oil 4 oz. *Middlesex.*

Unguentum Conii.

Extract of Conium and Lard, of each ½ oz.; Glycerine 1 drm. *Middlesex.*

Unguentum Creasoti.

Creasote 6 mins.; Powdered Red Precipitate 10 grs.; Mercurial Ointment 30 grs.; Lard 1 oz. *Skin.*

Used in squamous, vesicular, sebaceous, ulcerous, parasitic, and cachectic affections.

Creasote 6 mins.; Citrine Ointment ½ drm.; Lard to 1 oz. *Charing Cross.*

Unguentum Creasoti Co.

Creasote 6 mins.; Powdered Red Precipitate 10 grs.; Carbonate of Lead 20 grs.; Palm Oil ½ oz.; Lard to 1 oz. *Skin.*

Used in squamous and vesicular affections.

Unguentum Creasoti c. Hydrargyro.

Creasote 1½ min.; Red Oxide of Mercury 8 grs.; Vermilion 8 grs.; Lard 1 oz. *St. Mary's.*

Unguentum Cretæ.

Prepared Chalk 2 drms.; Lard 6 drms. *St. Mary's.*

Prepared Chalk 2 drms.; Olive Oil 90 mins.; Lard to 4½ drms. *Westminster.*

Unguentum Cretæ Co.

Prepared Chalk 2 drms.; Olive Oil 10 scruples; Distilled Vinegar 40 mins., previously mixed; Yellow Wax 40 grs.; Lithargic Plaster 4 drms. *Middlesex.*

Prepared Chalk 2 drms.; Olive Oil 1 oz.; Vinegar 90 mins.; Lead Plaster 1½ oz. *St. George's.*

Unguentum Diachylon (Hebra's formula).

Olive Oil 15 oz.; Litharge 3¾ oz.: boil to a soft ointment, and add Oil of Lavender 2 drms. *King's.*

Unguentum Elemi Co.

Elemi Ointment 6 drms.; Copaiba 1½ drm.; Green Elder Ointment 1 drm. *St. Mary's.*

Unguentum Ferri Prussias.

Prussiate of Iron ½ drm.; Red Oxide of Mercury 15 grs.; Lard 1 oz. *Westminster Ophthalmic.*

Unguentum Flavum.

Precipitated Peroxide of Mercury 16 grs.; Yellow Wax 2 drms.; Lard to 1 oz. *Westminster Ophthalmic.*

Used with a camel's-hair brush once in 24 hours.

Unguentum Hydr. Ammoniati.

Ammoniated Mercury 15 grs.; Glycerine 1 drm.; Simple Ointment 1 oz. *St. Mary's.*

Unguentum Hydr. Camph.

Camphor 1 drm.; Proof Spirit *q. s.;* Mercurial Ointment 1 oz. *St. George's.*

Unguentum Hydr. Co.

Mercurial Ointment 2 oz.; Soap Cerate Plaster 2 oz. Camphor ½ oz. *London.*

Unguentum Hydr. c. Bellad. et Opio.

Mercurial Ointment 1 drm.; Olive Oil ½ oz.; Opium 2 drms.; Extract of Belladonna 4 drms. *Westminster Ophthalmic.*

Applied over the brow in cases of syphilitic or rheumatic iritis.

Unguentum Hydr. c. Belladonnâ.

Extract of Belladonna 1 drm.; Mercurial Ointment to 1 oz. *London.*

Unguentum Hydr. c. Iodo.

Iodine 10 grs.; Spirits of Wine *q. s.;* Mercurial Ointment 1 oz. *Middlesex.*

Mercurial Ointment, Iodine Ointment, equal parts. *St. George's.*

Unguentum Hydr. c. Opio.

Opium 10 grs.; Mercurial Ointment 1 oz. *St. Mary's.*

Opium 1 drm.; Mercurial Ointment to 1 oz. *Middlesex. London Ophthalmic.*

Unguentum Hydr. c. Plumbo.

Acetate of Lead 10 grs.; Oxide of Zinc 20 grs.; Calomel 10 grs.; Palm Oil ½ oz.; Citrine Ointment 20 grs.; Benzoated Lard to 1 oz. *Skin. Charing Cross.*

Used in vesicular, pustular, squamous, and ulcerous affections.

Unguentum Hydr. Cyanidi.

Cyanide of Mercury 10 grs.; Calamine Cerate 1 oz. *Skin.*

Used in neuralgic and vesicular affections.

Unguentum Hydr. Iodidi Album.

Corrosive Sublimate 6 grs.; Iodide of Potassium 20 grs.; Prepared Lard 1 oz.; water *q. s.* *St. George's.*

Unguentum Hydr. Mitius.

Mercurial Ointment ½ oz.; Lard 1 oz. *London.*

Strong Mercurial Ointment 2 drms.; Camphor 10 grs.; Spirits of Wine *q. s.;* Lard to 1 oz. *Skin.* *King's.*

Used in cachectic and tubercular affections.

Unguentum Hydr. Nitrat. Dilut.

Citrine Ointment 2 drms.; Lard to 1 oz. *Skin.*

Used in vesicular, squamous, and parasitic affections.

Unguentum Hydr. Nitrat. Mite.

Citrine Ointment 1 drm.; Lard to 1 oz. *London Ophthalmic.*

Unguentum Hydr. Nitrat. Mitius.

Citrine Ointment 1 drm.; Lard to 1½ oz. *London Ophthalmic.* *University.*

Citrine Ointment 1 drm.; Simple Ointment 7 drms. *St. George's.* *Middlesex.*

Citrine Ointment ½ oz.; Lard 1 oz. *London.*

Unguentum Hydr. Ox. Cinerei.

Black Oxide of Mercury 1 drm.; Lard 1 oz. *St. George's.*

Unguentum Hydr. Ox. Rubri Dilut.

Red Precipitate Ointment 1 drm.; Lard to 1 oz. *London Ophthalmic.* *University.*

Unguentum Hydr. Ox. Rubr. Mitius.

Ointment of Red Oxide of Mercury 2 drms.; Lard to 1 oz. *King's.*

Unguentum Hydr. Perchloridi.

Corrosive Sublimate 20 grs.; Powdered Indigo 3 grs.; Lard 1 oz. *Skin.*

Used in parasitic and tubercular affections.

Perchloride of Mercury 2 grs.; Lard 1 oz. *Charing Cross.*

Perchloride of Mercury 3 grs.; Lard 1 oz. *St. Mary's.*

Unguentum Hydr. Rubr.

Red Oxide of Mercury 12 grs.; Subchloride of Mercury 8 grs.; Lard 1 oz. *Westminster Ophthalmic.*

Bisulphuret of Mercury 6 grs.; Red Precipitate 6 grs.; Creasote 2 mins.; Lard 1 oz. *Skin.*

Used in ulcerous, vesicular, squamous, papular, and parasitic affections.

Unguentum Hydr. Rubr. Co.

Biniodide of Mercury 10 grs.; Sulphate of Mercury 30 grs.; Lard 1 oz. *Skin.*

Used in tubercular, ulcerous, and cachectic affections.

Unguentum Hydr. Rubr. Mitius.

Red Ointment 4 drms.; Lard to 1 oz. *Skin.*

Used as Unguentum Rubrum.

Unguentum Hydr. Subchloridi.

Calomel 1 drm.; Lard 1 oz. *St. Mary's. London.*

Unguentum Hyoscyam.

Extract of Hyoscyamus and Lard of each ½ oz. Glycerine 1 drm. *Middlesex.*

Unguentum Mercuriale Co.

Powdered Red Precipitate 6 grs.; White Precipitate 6 grs.; Lard 1 oz. *Skin.*

Used in sebaceous, corneous, squamous, and ulcerous affections.

Unguentum Metallorum.

Zinc Ointment, Nitrate of Mercury Ointment, Subacetate of Lead Ointment, equal parts. *Guy's.*

Unguentum Nigrum.

Nitrate of Silver 80 grs.; Solution of Diacetate of Lead 96 mins.; Lard 1 oz. *Westminster.*

Unguentum Ol. Ricini Co.

Castor Oil and Zinc Ointment equal parts. *St. Mary's.*

Unguentum Opii.

Opium 20 grs.; Spermaceti Ointment 1 oz. *St. George's.*

Opium 60 grs.; Lard to 1 oz. *Middlesex.*

Opium 30 grs.; Lard to 1 oz. *Guy's.*

Unguentum Picis Co.

Tar Ointment, Zinc Ointment, and Subacetate of Lead Ointment, equal parts. *St. Mary's.*

Unguentum Picis c. Hydr. Nitr.

Tar 2 drms.; Citrine Ointment 4 drms.; Lard 1 oz. *Middlesex.*

Unguentum Picis c. Plumbo.

Tar Ointment and Ointment of Acetate of Lead equal parts. *St. Bartholomew's.*

Unguentum Picis c. Sulphure.

Sulphur 2 drms.; Tar 2 drms.; Hydro-Sulphuret of Ammonia 5 mins.; Prepared Chalk 1 drm.; Lard to 7 drms. *Middlesex.*

Unguentum Picis Liquidæ.

Liquid Tar and Suet, equal parts: melt and strain. *Guy's.*

Unguentum Plumbi c. Calamin. (Ceratum).

Calamine Ointment ½ oz.; Lead Plaster to 1 oz. *St. George's.*

Unguentum Plumbi Iodidi.

Iodide of Lead 1 drm.; Lard to 1 oz. *St. George's.*

Unguentum Plumbi Opiatum.

Solution of Diacetate of Lead 1 drm.; Tincture of Opium 1 drm.; Simple Ointment 1 oz. *St. George's.*

Unguentum Plumbi Subacetatis.

Solution of Acetate of Lead 1 drm.; Lard 2 oz. *London.*

Unguentum Resinæ.

Resin, Yellow Wax, Olive Oil, equal parts. *London.*

Unguentum Rubrum.

Skin. Westminster Ophthalmic.

Vide Unguentum Hydrarg. Rubri.

Unguentum Sambuci.

Elder Leaves 4 drms.; water *q. s.;* Lard 5 drms. *St. George's.*

Unguentum Simplex.

White Wax ½ oz.; Lard to 1½ oz. *London Ophthalmic.*

Yellow Wax 2 drms.; Olive Oil 1 oz.; Lard to 1½ oz. *Middlesex.*

Yellow Wax ½ oz.; Olive Oil ½ oz. *London.*

Unguentum Stramonii.

Fresh Stramonium Leaves 1; Lard 2: heat till friable and strain. *Middlesex.*

Unguentum Sulph. Co.

Sublimed Sulphur 30 grs.; White Precipitate 10 grs.; Æthiops Mineral 10 grs.; Olive Oil 2 drms.; Creasote 4 mins.; Lard to 9 drms. *Skin.*

Used in parasitic, papular, pustular, and chronic vesicular affections.

Sublimed Sulphur 4 drms.; White Hellebore 1 drm.; Nitrate of Potash ½ gr.; Soft Soap 4 drms.; Prepared Lard 2 oz. *London.*

Sulphur 40 grs.; Ammoniated Mercury 5 grs.; Creasote 3 mins.; Olive Oil 2 drms.; Lard 1 oz. *Charing Cross.*

Unguentum Sulph. c. Hydrarg.

Sublimed Sulphur ½ drm.; Ammoniated Mercury 10 grs.; Carbolic Acid 5 grs.; Olive Oil 2 drms.; Fresh Lard 6 drms. *University.*

Sublimed Sulphur ½ drm.; Ammoniated Mercury 10 grs.; Vermilion 10 grs.; Creasote 4 mins.; Olive Oil 2 drms.; Lard 6 drms. *St. Mary's.*

Unguentum Sulph. Hypochlor.

Hypochloride of Sulphur 1 drm.; Lard to 1 oz. *Middlesex. St. George's.*

Hypochloride of Sulphur 2 drms.; Carbonate of Potash 10 grs.; Benzoated Lard 1 oz. *St. Mary's.*

Unguentum Sulph. Iodid.

Iodide of Sulphur 10 grs.; Precipitated Sulphur 10 grs.; Oil of Bitter Almonds 4 mins.; Lard 1 oz. *Skin.*

Used in parasitic, tubercular, and sebaceous affections.

Iodide of Sulphur 30 grs.; Prepared Lard 1 oz. *St. George's.*

Unguentum Viride.

Elemi Ointment 1 oz.; Elder Leaf Ointment 1 drm.; Copaiba 1½ drm. *St. George's.*

Unguentum Vulgare.

Vide Unguentum Commune.

Unguentum Zinci.

Oxide of Zinc 1 drm.; Lard to 2 oz. *London.*

Unguentum Zinci Co.

Zinc Ointment and Comp. Lead Ointment equal parts. *London Ophthalmic. St. Mary's.*

Zinc Ointment and Comp. Chalk Ointment equal parts. *Middlesex.*

Unguentum Zinci c. Hydr.

Zinc Ointment 6 drms.; Citrine Ointment 1 drm. *St. Thomas's.*

Unguentum Zinci Oxidi c. Hydr. Ammoniato.

Oxide of Zinc 2 drms.; Armenian Bole 2 drms.; Olive Oil 4 drms.; Ammoniated Mercury 1 drm.; Lard 4 drms. *Westminster Ophthalmic.*

In cases of nebula and corneal opacites.

VAPORES—INHALATIONES.

Vapor Acidi Carbolici.

Crystals of Carbolic Acid 30 grs.; boiling water 20 oz. *Chest.*

Vapor Æther. Chlor. c. Hyoscyam.

Chloric Ether 30 mins.; Tincture of Henbane 30 mins.; Hot Infusion of Hop, or water 8 oz. *Consumption.*

Vapor Benzoini.

Add 1 drm. Comp. Tincture of Benzoin to 10 oz. of hot water, and let the vapour be inhaled. *London.*

Vapor Camphoræ.

Spirits of Camphor 1 to 2 drms.; boiling water 8 oz. *Consumption.*

Vapor Chloroformi.

Chloroform 15 mins.: for one inhalation. *Consumption.*

Vapor Conii c. Ammoniâ.

Juice of Conium 2 drms.; Solution of Ammonia 10 mins.; boiling water 20 oz. *Chest.*

Vapor Conii c. Benzoino.

Juice of Conium 2 drms.; Tincture of Benzoin ½ drm.; boiling water 20 oz. *Chest.*

Vapor Conii Succi.

Juice of Conium ½ oz.; boiling water 8 oz. *Consumption.*

Vapor Creasoti.

Creasote ½ drm.; Mucilage ½ drm.; hot water 10 oz. *London.*

Vapor Iodi.

Tincture of Iodine 40 mins.; hot water 10 oz. *London.*

Vapor Lupuli.

Hops 1½ oz.; boiling water 20 oz. *Consumption.*

Vapor Opii.

Extract of Opium 3 grs.; hot water sufficient. *Consumption.*

VINA.

Vinum Ferri.

Potassio-Tartrate of Iron 1 oz.; hot water 10 oz. *University.*

Potassio-Tartrate of Iron 5 scruples; Treacle 2½ drms.; Rectified Spirit 7½ drms.; hot water to 10 oz. *St. Bartholomew's.*

Iron 12 grs.; Bitartrate of Potash 72 grs.; Proof Spirit 4 oz.; water to 10 oz. *St. George's.*

Tartarated Iron 160 grs.; Marsala Wine 10 oz. *London.*

Vinum Ipecac.

Same strength as Brit. Pharmacopœia.

Made with Marsala Wine. *London.*

Made with Sherry, Spirit, and water. *St. Bartholomew's.*

Vinum Opii.

Extract of Opium 480 grs.; Marsala Wine 20 oz. *London.*

DIET TABLES.

ST. GEORGE'S HOSPITAL.

Each patient is allowed 2 oz. of Tea weekly, 8 oz. of Sugar weekly, 12 oz. of Bread daily, 1 oz. of Butter daily, ¼ pint of Milk morning and evening.

Ordinary Diet.

Dinner.—3 oz. of cooked Meat and ½ lb. of Potatoes. ½ pint of Porter daily to men above sixteen years of age.

Supper.—1 pint of Gruel.

Extra Diet.

Dinner.—6 oz. of cooked Meat and ½ lb. of Potatoes. 1 pint of Porter to men above sixteen years of age.

Supper.—1 pint of Gruel.

Fish Diet.

Dinner.—4 oz. of plain boiled white Fish (as whiting, plaice, flounders, or haddock).

Supper.—1 pint of Gruel.

Broth Diet.

Dinner.—1 pint of Broth and 6 oz. of light Pudding.

Supper.—1 pint of Gruel.

Milk Diet.

Dinner.—Four days, 1½ pint of Rice Milk. Three days, ½ lb. of Bread or Rice Pudding.

Supper.—¼ pint of Milk.

Beef Tea, Arrowroot, etc., must be specially directed.

HOSPITAL FOR DISEASES OF THE CHEST.

MEN.

Full Diet.

Breakfast.—Bread 12 oz. (*for the day*); Milk or Cocoa ½ pint.

Dinner.—Meat (cooked) 6 oz.; Potatoes 8 oz.; Porter 1 pint.

Supper.—Bread Pudding 8 oz., or Rice Pudding 8 oz., or Gruel or Corn-flour ½ pint (made with ¼ pint milk), or Scotch Broth ½ pint.

Middle Diet.

Breakfast.—Bread 12 oz. (*for the day*); Milk or Cocoa ½ pint.

Dinner.—Meat (cooked) 4 oz.; Potatoes 8 oz.; Porter ½ pint.

Supper.—Bread Pudding 8 oz., or Rice Pudding 8 oz., or Gruel or Corn-flour ½ pint (made with ¼ pint Milk), or Scotch Broth ½ pint.

Milk Diet.

The day's allowance.—Bread 8 oz.; Milk 1¾ pint; Rice Pudding 8 oz., or Bread Pudding 8 oz.

Beef Tea Diet.

The day's allowance.—Bread 8 oz.; Milk 1½ pint; Beef Tea 1½ pint; 1 Egg.

WOMEN.

Full Diet.

Breakfast.—Bread 12 oz. (*for the day*); Milk or Cocoa ½ pint.

Dinner.—Meat (cooked) 4 oz.; Potatoes 8 oz.; Porter ½ pint.

Supper.—Bread Pudding 8 oz., or Rice Pudding 8 oz., or Gruel or Corn-flour ½ pint (made with ¼ pint Milk), or Scotch Broth ½ pint.

Middle Diet.

Breakfast.—Bread 12 oz. (*for the day*); Milk or Cocoa ½ pint.

Dinner.—Meat (cooked) 3 oz.; Potatoes 8 oz.; Porter ½ pint.

Supper.—Bread Pudding 8 oz., or Rice Pudding 8 oz., or Gruel or Corn-flour ½ pint (made with ¼ pint Milk), or Scotch Broth ½ pint.

Milk Diet.

The day's allowance.—Bread 8 oz.; Milk 1¾ pint; Rice Pudding 8 oz., or Bread Pudding 8 oz.

Beef Tea Diet.

The day's allowance.—Bread 8 oz.; Milk 1½ pint; Beef Tea 1½ pint; 1 Egg.

No extras to be supplied unless ordered in writing by the visiting Physician or Surgeon.

No extras allowed on full diet.

Every patient on being admitted into the Hospital to be placed on Beef Tea Diet until further orders.

LONDON FEVER HOSPITAL.

MEN.

Low Diet.

Bread 4 oz.; Milk ½ pint; Gruel 1 pint; Sugar ¼ oz.

Beef Tea Diet.

Beef Tea 1 pint; Milk 1 pint; Bread 4 oz.

Middle Diet.

Bread 10 oz.; Broth 1 pint; Milk 1 pint; Rice or Bread (for pudding) 2 oz.; Egg (for pudding) 1; Sugar (for pudding) ½ oz.

Fish Diet.

Bread 12 oz.; Fish (sole, haddock, cod, or brill, uncooked) 8 oz.; Potatoes 8 oz.; Cocoa 1 oz.; Sugar ½ oz.; Milk ⅛ pint.

Full Diet.

Bread 16 oz.; Meat (uncooked and without bone) 12 oz.; Potatoes 12 oz.; Cocoa 1 oz.; Sugar ½ oz.; Milk ¼ pint; Beer 1 pint.

Extras.

Beef Tea, Strong Beef Tea, and Eggs, as ordered; Arrowroot ½ oz.; Custard Pudding—1 Egg, ½ pint Milk, ½ oz. Sugar; Tea ¼ oz. per day; Sugar 1 oz. per day; Butter 1 oz. per day.

WOMEN.

Low Diet.

Bread 4 oz.; Milk ½ pint; Gruel 1 pint; Sugar ¼ oz.

Beef Tea Diet.

Beef Tea 1 pint; Milk 1 pint; Bread 4 oz.

Middle Diet.

Bread 8 oz.; Broth 1 pint; Milk 1 pint; Rice or Bread (for pudding) 2 oz.; Egg (for pudding) 1; Sugar (for pudding) ½ oz.

Fish Diet.

Bread 10 oz.; Fish (sole, haddock, cod, or brill, uncooked) 8 oz.; Potatoes 8 oz.; Cocoa 1 oz.; Sugar ½ oz.; Milk ⅙ pint.

Full Diet.

Bread 12 oz.; Meat (uncooked and without bone) 10 oz.; Potatoes 12 oz.; Cocoa 1 oz.; Sugar ⅓ oz.; Milk ¼ pint; Beer ½ pint.

Extras.

Beef Tea, Strong Beef Tea, Eggs, as ordered; Arrowroot ½ oz.; Custard Pudding—1 Egg, ½ pint Milk, ½ oz. Sugar; Tea ¼ oz. per day; Sugar 1 oz. per day; Butter 1 oz. per day.

KING'S COLLEGE HOSPITAL.

MEN.

Daily Allowance.

Full Diet.

Breakfast.—Bread 6 oz.; Milk ¼ pint.
Dinner.—Meat (cooked) 6 oz.; Bread 6 oz.; Potatoes ½ lb.; Porter 1 pint.
Supper.—Gruel 1 pint; Milk ¼ pint.

Middle Diet.

Breakfast.—Bread 6 oz.; Milk ¼ pint.
Dinner.—Meat (cooked) 4 oz.; Bread 6 oz.; Potatoes ½ lb.; Porter ½ pint.
Supper.—Gruel 1 pint; Milk ¼ pint.

Milk Diet.

Breakfast.—Bread 4 oz.; Milk ½ pint.
Dinner.—Bread 4 oz.; Rice Milk ½ pint (four days); Rice or Bread Pudding ½ lb. (three days).
Supper.—Milk ½ pint.

Children's Diets (under ten years of age)—two-thirds of any Diet ordered.

Roast Mutton—Monday and Thursday.
Boiled Mutton—Tuesday and Friday.
Stewed Mutton—Wednesday and Saturday.
On Sundays—Roast Beef.

WOMEN.

Daily Allowance.

Full Diet.

Breakfast.—Bread 6 oz.; Milk ¼ pint.
Dinner.—Meat (cooked) 4 oz.; Bread 6 oz.; Potatoes ½ lb.; Porter ½ pint.
Supper.—Gruel 1 pint; Milk ¼ pint.

Middle Diet.

Breakfast.—Bread 6 oz.; Milk ¼ pint.
Dinner.—Meat (cooked) 3 oz.; Bread 6 oz.; Potatoes ½ lb.; Porter ½ pint.
Supper.—Gruel 1 pint; Milk ¼ pint.

Milk Diet.

Breakfast.—Bread 4 oz.; Milk ¼ pint.
Dinner.—Bread 4 oz.; Rice Milk ½ pint (four days); Rice or Bread Pudding ½ lb. (three days).
Supper.—Milk ½ pint.

No extras (except Wine and Spirits) to be supplied by the Steward, unless authorized by the signature of the Visiting Physician or Surgeon.

No extras allowed on Full Diet.

In any Diet Rice or Bread Pudding may be substituted for Meat if desired.

No Patient on being admitted into the Hospital to be placed on Full Diet until ordered by the Visiting Physician or Surgeon.

THE MIDDLESEX HOSPITAL.

Convalescent Diet.

Daily.—12 oz. of Bread.

Breakfast.—½ pint of Milk.

Dinner—Male.—12 oz. of undressed Meat (leg and shoulder of Mutton only, except on Sundays, when the same quantity of Roast Sirloin and best Round of Beef is issued), roast and boiled alternately; ½ lb. of Potatoes.

Female.—8 oz. of undressed Meat (leg and shoulder of Mutton only, except on Sundays, when the same quantity of Roast Sirloin and best Round of Beef is issued), roast and boiled alternately; ½ lb. of Potatoes.

Supper.—1 pint of Gruel or 1 pint of Broth.

Half Convalescent Diet.

Daily.—12 oz. of Bread.

Breakfast.—½ pint of Milk.

Dinner.—4 oz. of undressed Meat (leg and shoulder of Mutton only, except on Sundays, when the same quantity of Roast Sirloin and best Round of Beef is issued), roast and boiled alternately; ½ lb. of Potatoes.

Supper.—1 pint of Gruel or 1 pint of Broth.

Pudding and Ordinary Diet.

Daily.—12 oz. of Bread.

Breakfast.—½ pint of Milk.

Dinner.—6 oz. of undressed Meat (Leg and Shoulder of Mutton only, except on Sundays, when the same quantity of Roast Sirloin and best Round of Beef is issued), roast and boiled alternately; ½ lb. of Potatoes; 1 oz. Beef Suet, 2 oz. Flour, for Pudding.

Supper.—1 pint of Gruel or 1 pint of Broth.

Ordinary Diet.

Daily.—12 oz. of Bread.
Breakfast.—½ pint of Milk.
Dinner.—6 oz. of undressed Meat (Leg and Shoulder of Mutton only), weighed with the bone before it is dressed—roast and boiled alternately; ½ lb. of Potatoes.
Supper.—1 pint of Gruel or 1 pint of Broth.

Half Ordinary Diet.

Daily.—12 oz. of Bread.
Breakfast.—½ pint of Milk.
Dinner.—3 oz. of undressed Meat (Leg and Shoulder of Mutton only), weighed with the bone before it is dressed—roast and boiled alternately; ½ lb. of Potatoes.
Supper.—1 pint of Gruel or 1 pint of Broth.

Mutton Broth Diet.

Daily.—12 oz. of Bread.
Breakfast.—½ pint of Milk.
Dinner.—8 oz. of undressed Meat (Neck of Mutton only), weighed with the bone before it is dressed—served in 1 pint of Broth with Barley.
Supper.—1 pint of Gruel.

Fish Diet.

Daily.—12 oz. of Bread.
Breakfast.—½ pint of Milk.
Dinner.—8 oz. of Fish (whiting, sole, haddock, cod, plaice, or brill); ½ lb. of Potatoes.
Supper.—1 pint of Gruel.

Milk Diet.

Daily.—12 oz. of Bread.
Breakfast.—½ pint of Milk.
Dinner.—Alternate days.—2 oz. Rice Pudding, ½ Egg, ½ oz. Sugar; 1½ oz. Sago Pudding, ½ Egg, ½ oz. Sugar; Bread Pudding, 1½ Egg, ¾ oz. Sugar. *Extra.*—Custard ½ oz.
Supper.—½ pint of Milk.

Simple Diet.

Daily.—12 oz. of Bread.
Breakfast.—½ pint of Milk.
Dinner.—1 pint of Gruel.
Supper.—½ pint of Milk.

Extras.

For Supper, Meat when cooked, 3 oz.; Chops, ½ lb. each when trimmed; ordinary Beef Tea, ½ lb. of Clod and Sticking of Beef, without bone, to a pint; Strong Beef Tea, 1 lb. of Clod and Sticking of Beef, without bone, to a pint; Broth, without Meat, ¼ lb. of Neck of Mutton with bone, to a pint—this broth is made with that for the Patients on Mutton Broth Diet; Steaks—Rump Steaks, ½ lb., without bone; Tripe; Chicken; Oysters; Greens; Eggs; Arrowroot; Sago; Jellies; Porter; Wine; Spirits.

Every Patient admitted into the Hospital is placed upon Simple Diet, until a Diet is otherwise ordered.

No Extras are to be placed on the Diet Table, nor provided by the House Steward, other than those specified above.

Diets ordered by the Physicians and Surgeons are to be continued until changed by subsequent orders.

Extras are allowed for one day only, unless the Physician or Surgeon write the word DAILY.

On Sundays, those Patients on Meat Diet have Roast Beef.

Breakfast is served at 7, Dinner at 12, Tea at 4, and Supper at 7 o'clock.

LONDON HOSPITAL.

HOSPITAL DIET.—MEN.

Full Diet.

Per Day.—12 oz. Bread; 8 oz. Potatoes; 1 pint Porter.

Breakfast.—Gruel.

Dinner for Fourteen Days.—Sunday, 6 oz. Boiled Mutton; Monday, 6 oz. Roast Beef; Tuesday, 6 oz. Boiled Mutton; Wednesday, 6 oz. Roast Mutton; Thursday, 6 oz. Boiled Mutton; Friday, 6 oz. Roast Beef; Saturday, 6 oz. Boiled Mutton; Sunday, 6 oz. Roast Beef; Monday, 6 oz. Boiled Mutton; Tuesday, 6 oz. Roast Mutton; Wednesday, 6 oz. Boiled Mutton; Thursday, 6 oz. Roast Beef; Friday, 6 oz. Boiled Mutton; Saturday, 6 oz. Roast Mutton.

Supper.—1 pint Broth.

Middle Diet.

The same as Full Diet, except 4 oz. of Meat instead of 6 oz., and ½ pint Porter instead of 1 pint.

Milk Diet (Daily).

Per Day.—12 oz. Bread.
Breakfast.—Gruel.
Dinner.—1 pint Milk.
Supper.—1 pint Milk.

Low Diet (Daily).

Per Day.—8 oz. Bread.
Breakfast.—Gruel.
Dinner.—Broth.
Supper.—Gruel or Broth.

FANCY DIET.*—MEN.

Per Day.—12 oz. Bread; 8 oz. Potatoes; 1 pint Porter.

Breakfast. — Alternate Days. — Gruel and 1 Egg; Gruel and Slice of Meat.

Dinner.—Sunday, Roast Mutton and Rice Pudding; Monday, Fish and Batter Pudding; Tuesday, Rabbit and Light Pudding; Wednesday, Roast Mutton and Rice Pudding; Thursday, Fish and Batter Pudding; Friday, Rabbit and Light Pudding; Saturday, Roast Mutton and Rice Pudding; Sunday, Fish and Batter Pudding; Monday, Rabbit and Light Pudding; Tuesday, Roast Mutton and Rice Pudding; Wednesday, Fish and Batter Pudding; Thursday, Roast Mutton and Rice Pudding; Friday, Fish and Batter Pudding; Saturday, Rabbit and Light Pudding.

Supper.—1 pint Broth.

WOMEN.

Ordinary Diet.

The same as Middle Diet for Men.

Full Diet.

The same as Full Diet for Men.

Milk Diet.

The same as for Men.

Low Diet.

The same as for Men.

Fancy Diet.

The same as for Men.

Half Fancy Diet.

The same as for Men.

---

* For Full Fancy Diet, Full Diet quantities. For Half Fancy Diet, Half Diet quantities; this reduction refers to *Dinner* only.

CHILDREN (under seven years of age).

12 oz. Bread, ½ pint Milk, daily; 2 oz. Meat and 8 oz. Potatoes five times a week, and Rice Pudding twice a week.

EXTRAS.

Mutton Chops; Beef Steaks; Fish; Beef Tea; Strong Broth; Rice Pudding—1 oz. of Rice, ½ oz. of Sugar, ½ pint of Milk, ¼ oz. of Butter; Light Pudding—½ pint of Milk, ½ oz. of Sugar, 2 Eggs; Batter Pudding—½ pint of Milk, 2 oz. of Flour, ½ oz. of Sugar, ½ oz. of Suet, 1 Egg; Eggs; Bread; Green Vegetables; Watercresses; Wine; Spirit; Porter.

Extras discontinued unless order renewed by the Physician or Surgeon at each visit.

J. E. TAYLOR AND CO., PRINTERS,
LITTLE QUEEN STREET, LINCOLN'S INN FIELDS.